

**APPENDIX I**

**Vascular Plants with Known Occurrence in Nevada County**

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<b>FERN ALLIES</b>	
Azollaceae		<b>Mosquito Fern Family</b>
	<i>Azolla mexicana</i>	Mexican Mosquito Fern
Equisetaceae		<b>Horsetail Family</b>
	<i>Equisetum arvense</i>	Common Horsetail
	<i>Equisetum hyemale ssp. affine</i>	Scouring Rush
	<i>Equisetum laevigatum</i>	Smooth Horsetail
	<i>Equisetum telmateia var. braunii</i>	Giant Horsetail
Isoetaceae		<b>Quillwort Family</b>
	<i>Isoetes bolanderi</i>	Bolander's Quillwort
	<i>Isoetes howellii</i>	Howell's Quillwort
	<i>Isoetes nuttallii</i>	Nuttall's Quillwort
	<i>Isoetes occidentalis</i>	Western Quillwort
	<i>Isoetes orcuttii</i>	Orcutt's Quillwort
Lycopodiaceae		<b>Club-Moss Family</b>
	<i>Lycopodiella inundata</i>	Bog Club-Moss
Marsileaceae		<b>Marsilea Family</b>
	<i>Marsilea oligospora</i>	Nelson's Pepperwort
	<i>Marsilea vestita</i>	Water Clover
Ophioglossaceae		<b>Adder's-Tongue Family</b>
	<i>Botrychium lunaria</i>	Common Moonwort
	<i>Botrychium multifidum</i>	Leathery Grapefern
Selaginellaceae		<b>Spike-Moss Family</b>
	<i>Selaginella hansenii</i>	Hansen's Spikemoss
	<i>Selaginella wallacei</i>	Little Clubmoss
	<i>Selaginella watsonii</i>	Watson's Spikemoss
	<b>FERNS</b>	
Blechnaceae		<b>Deer Fern Family</b>
	<i>Woodwardia fimbriata</i>	Giant Chain Fern
Dennstaedtiaceae		<b>Bracken Family</b>
	<i>Pteridium aquilinum var. pubescens</i>	Bracken Fern
Dryopteridaceae		<b>Wood Fern Family</b>
	<i>Athyrium alpestre var. americanum</i>	Alpine Lady Fern
	<i>Athyrium filix-femina var. cyclosum</i>	Lady Fern
	<i>Cystopteris fragilis</i>	Fragile Fern
	<i>Dryopteris arguta</i>	California Wood Fern
	<i>Polystichum imbricans ssp. imbricans</i>	Imbricate Sword Fern
	<i>Polystichum munitum</i>	Sword Fern
Polypodiaceae		<b>Polypody Family</b>
	<i>Polypodium californicum</i>	California Polypody
	<i>Polypodium calirhiza</i>	Licorice Fern
Pteridaceae		<b>Brake Family</b>
	<i>Adiantum aleuticum</i>	Five-Finger Maidenhair
	<i>Adiantum jordanii</i>	Common Maidenhair Fern
	<i>Aspidotis californica</i>	California Lace Fern
	<i>Aspidotis densa</i>	Indian's Dream

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Cheilanthes gracillima</i>	Lace Fern
	<i>Cryptogramma acrostichoides</i>	Parsley Fern, Rock Brake
	<i>Pellaea andromedaefolia</i>	Coffee Fern
	<i>Pellaea brachyptera</i>	Sierra Cliffbrake
	<i>Pellaea breweri</i>	Brewer's Cliffbrake
	<i>Pellaea bridgesii</i>	Bridge's Cliffbrake
	<i>Pellaea mucronata</i> var. <i>californica</i>	California Cliff-Brake
	<i>Pellaea mucronata</i> var. <i>mucronata</i>	Birdsfoot Fern
	<i>Pentagramma pallida</i>	Silverback Fern
	<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	Goldback Fern
<b>Thelypteridaceae</b>		<b>Thelypteris Family</b>
	<i>Thelypteris nevadensis</i>	Sierra Nevada Maiden-Fern
	<b>GYMNOSPERMS</b>	
<b>Cupressaceae</b>		<b>Cypress Family</b>
	<i>Calocedrus decurrens</i>	Incense Cedar
	<i>Cupressus macnabiana</i>	McNab's Cypress
	<i>Juniperus communis</i>	Common Juniper
	<i>Juniperus occidentalis</i> ssp. <i>australis</i>	Sierra Juniper
<b>Pinaceae</b>		<b>Pine Family</b>
	<i>Abies concolor</i>	White Fir
	<i>Abies magnifica</i>	Red Fir
	<i>Pinus albicaulis</i>	Whitebark Pine
	<i>Pinus attenuata</i>	Knobcone Pine
	<i>Pinus contorta</i> ssp. <i>murrayana</i>	Lodgepole Pine
	<i>Pinus jeffreyi</i>	Jeffrey Pine
	<i>Pinus lambertiana</i>	Sugar Pine
	<i>Pinus monticola</i>	Western White Pine
	<i>Pinus ponderosa</i>	Ponderosa Pine
	<i>Pinus sabiniana</i>	Gray Pine
	<i>Pinus washoensis</i> var. <i>menziesii</i>	Washoe Pine
	<i>Pseudotsuga menziesii</i>	Douglas Fir
	<i>Tsuga mertensiana</i>	Mountain Hemlock
<b>Taxaceae</b>		<b>Yew Family</b>
	<i>Taxus brevifolia</i>	Western Yew
	<i>Torreya californica</i>	California Nutmeg
	<b>MONOCOTYLEDONS</b>	
<b>Alismataceae</b>		<b>Water-Plantain Family</b>
	<i>Alisma lanceolatum</i>	Lance Leaf Water Plantain
	<i>Alisma plantago-aquatica</i>	Common Water Plantain
	<i>Echinodorus berteroi</i>	Burhead
	<i>Sagittaria cuneata</i>	Arum-Leaf Arrowhead
	<i>Sagittaria latifolia</i>	Broadleaf Arrowhead
<b>Cyperaceae</b>		<b>Sedge Family</b>
	<i>Bulbostylis capillaris</i>	Threadleaf Beakseed
	<i>Carex abrupta</i>	Abrupt-Beaked Sedge
	<i>Carex amplifolia</i>	Ample-Leaved Sedge
	<i>Carex angustata</i>	Narrow Spike Sedge
	<i>Carex aquatilis</i>	Sitka Sedge
	<i>Carex athrostachya</i>	Slenderbeak Sedge

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Carex aurea</i>	Goldenfruit Sedge
	<i>Carex barbarae</i>	Santa Barbara Sedge
	<i>Carex bolanderi</i>	Bolander's Sedge
	<i>Carex brainerdii</i>	Brainerd's Sedge
	<i>Carex canescens</i>	Hoary Sedge
	<i>Carex capitata</i>	Capitate Sedge
	<i>Carex cusickii</i>	Cusick's Sedge
	<i>Carex davyi</i>	Davy's Sedge
	<i>Carex densa</i>	Dense Sedge
	<i>Carex deweyana</i> ssp. <i>leptopoda</i>	Shortscaled Sedge
	<i>Carex disperma</i>	Softleaf Sedge
	<i>Carex douglasii</i>	Douglas' Sedge
	<i>Carex echinata</i> ssp. <i>echinata</i>	Stellate Sedge
	<i>Carex feta</i>	Greensheath Sedge
	<i>Carex filifolia</i> var. <i>erostrata</i>	Shorthair Sedge
	<i>Carex fissuricola</i>	Cleft Sedge
	<i>Carex fracta</i>	Fragile-Sheathed Sedge
	<i>Carex gracilior</i>	Slender Sedge
	<i>Carex hassei</i>	Hasse's Sedge
	<i>Carex helleri</i>	Heller's Sedge
	<i>Carex heteroneura</i> var. <i>heteroneura</i>	Variable-Nerve Sedge
	<i>Carex hirtissima</i>	Fuzzy Sedge
	<i>Carex hoodii</i>	Hood's Sedge
	<i>Carex illota</i>	Smallhead Sedge
	<i>Carex integra</i>	Smoothbeak Sedge
	<i>Carex jonesii</i>	Jone's Sedge
	<i>Carex laeviculmis</i>	Smoothstem Sedge
	<i>Carex lanuginosa</i>	Woolly Sedge
	<i>Carex lasiocarpa</i>	Woolly-Fruited Sedge
	<i>Carex lemmonii</i>	Lemmon's Sedge
	<i>Carex lenticularis</i> var. <i>impressa</i>	Few-Ribbed Sedge
	<i>Carex lenticularis</i> var. <i>lipocarpa</i>	Fat-Fruited Sedge
	<i>Carex leporinella</i>	Sierra Hare Sedge
	<i>Carex limosa</i>	Shore Sedge
	<i>Carex luzulaifolia</i>	Littleleaf Sedge
	<i>Carex luzulina</i> var. <i>ablata</i>	American Cold-Loving Sedge
	<i>Carex mariposana</i>	Mariposa Sedge
	<i>Carex microptera</i>	Smallwing Sedge
	<i>Carex multicaulis</i>	Manystem Sedge
	<i>Carex multicostata</i>	Many Ribbed Sedge
	<i>Carex nebrascensis</i>	Nebraska Sedge
	<i>Carex nervina</i>	Sierra Nerved Sedge
	<i>Carex nigricans</i>	Black Alpine Sedge
	<i>Carex praegracilis</i>	Field Sedge
	<i>Carex preslii</i>	Presl's Sedge
	<i>Carex raynoldsii</i>	Raynald's Sedge
	<i>Carex rossii</i>	Ross Sedge
	<i>Carex scopulorum</i> var. <i>bracteosa</i>	Bracted Sedge
	<i>Carex senta</i>	Rough Sedge
	<i>Carex serratodens</i>	Bifid Sedge
	<i>Carex simulata</i>	Shortbeak Sedge

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Carex specifica</i>	Narrowfruit Sedge
	<i>Carex spectabilis</i>	Showy Sedge
	<i>Carex stramineiformis</i>	Straw-Like Sedge
	<i>Carex subfusca</i>	Rusty Slender Sedge
	<i>Carex utriculata</i>	Beaked Sedge
	<i>Carex vernacula</i>	Native Sedge
	<i>Carex vesicaria</i> var. <i>vesicaria</i>	Inflated Sedge
	<i>Carex whitneyi</i>	Whitney Sedge
	<i>Cyperus eragrostis</i>	Tall Flatsedge
	<i>Cyperus erythrorhizos</i>	Red-Rooted Cyperus
	<i>Cyperus esculentus</i>	Yellow Nutgrass
	<i>Cyperus niger</i>	Brown Umbrella Sedge
	<i>Cyperus squarrosus</i>	Bearded Flatsedge
	<i>Cyperus strigosus</i>	False Nutsedge
	<i>Dulichium arundanceum</i>	Three-Way Sedge
	<i>Eleocharis acicularis</i> var. <i>acicularis</i>	Needle Spikerush
	<i>Eleocharis acicularis</i> var. <i>bella</i>	Beautiful Spikerush
	<i>Eleocharis macrostachya</i>	Pale Spikerush
	<i>Eleocharis montevidensis</i>	Montevideo Spikerush
	<i>Eleocharis obtusa</i> var. <i>engelmannii</i>	Blunt Spikerush
	<i>Eleocharis pachycarpa</i>	Black Sand Spikerush
	<i>Eleocharis pauciflora</i>	Few-Flowered Spikerush
	<i>Eleocharis rostellata</i>	Beaked Spikerush
	<i>Eriophorum criniger</i>	Slender Cotton Grass
	<i>Eriophorum gracile</i>	Cotton Grass
	<i>Rhynchospora alba</i>	White Beaked-Rush
	<i>Rhynchospora capitellata</i>	Brown Beaked-Rush
	<i>Scirpus acutus</i> var. <i>occidentalis</i>	Tule
	<i>Scirpus americanus</i>	American Bulrush
	<i>Scirpus congdonii</i>	Congdon's Bulrush
	<i>Scirpus diffusus</i>	Diffuse Rush
	<i>Scirpus microcarpus</i>	Small-Fruited Bulrush
	<i>Scirpus setaceus</i>	(None)
	<i>Scirpus subterminalis</i>	Water Bulrush
Hydrocharitaceae		<b>Waterweed Family</b>
	<i>Elodea canadensis</i>	Common Waterweed, Anacharis
	<i>Elodea nuttallii</i>	Nuttall's Waterweed
	<i>Najas guadalupensis</i>	Common Water Nymph
Iridaceae		<b>Iris Family</b>
	<i>Iris hartwegii</i> ssp. <i>hartwegii</i>	Sierra Iris
	<i>Iris hartwegii</i> ssp. <i>pinetorum</i>	Hartweg's Yellow Pine Iris
	<i>Iris macrosiphon</i>	Ground Iris
	<i>Iris missouriensis</i>	Western Blueflag
	<i>Sisyrinchium bellum</i>	Blue-Eyed Grass
	<i>Sisyrinchium elmeri</i>	Elmer Yellow-Eyed Grass
	<i>Sisyrinchium halophilum</i>	Nevada Blue-Eyed Grass
	<i>Sisyrinchium idahoense</i> var. <i>occidentale</i>	Idaho Blue-Eyed Grass
Juncaceae		<b>Rush Family</b>
	<i>Juncus acuminatus</i>	Tapertip Rush
	<i>Juncus articulatus</i>	Jointleaf Rush
	<i>Juncus balticus</i>	Baltic Rush

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Juncus bryoides</i>	Moss Rush
	<i>Juncus bufonius</i> var. <i>bufonius</i>	Toad Rush
	<i>Juncus bufonius</i> var. <i>occidentalis</i>	Roundfruited Toad Rush
	<i>Juncus capitatus</i>	Leafybract Dwarf Rush
	<i>Juncus chlorocephalus</i>	Greenhead Rush
	<i>Juncus confusus</i>	Colorado Rush
	<i>Juncus covillei</i> var. <i>obtusatus</i>	Coville Rush
	<i>Juncus drummondii</i>	Drummond Rush
	<i>Juncus dubius</i>	Mariposa Rush
	<i>Juncus effusus</i> var. <i>pacificus</i>	Pacific Bog Rush
	<i>Juncus ensifolius</i>	Swordleaf Rush, Three-Stemmed Rush
	<i>Juncus hemiendytus</i> var. <i>abjectus</i>	Center Basin Rush
	<i>Juncus hemiendytus</i> var. <i>hemiendytus</i>	Herman's Dwarf Rush
	<i>Juncus howellii</i>	Howell's Rush
	<i>Juncus kelloggii</i>	Kellogg Rush
	<i>Juncus longistylis</i>	Longstyle Rush
	<i>Juncus macrandus</i>	Long Anther Rush
	<i>Juncus marginatus</i> var. <i>marginatus</i>	Red-Anthered Rush
	<i>Juncus mertensianus</i>	Merten's Rush
	<i>Juncus mexicanus</i>	Mexican Rush
	<i>Juncus nevadensis</i>	Sierra Rush
	<i>Juncus occidentalis</i>	Western Rush
	<i>Juncus orthophyllus</i>	Straightleaf Rush
	<i>Juncus oxymeres</i>	Pointed Rush
	<i>Juncus parryi</i>	Parry Rush
	<i>Juncus saximontanus</i>	Rocky Mountain Rush
	<i>Juncus tenuis</i>	Slender Rush
	<i>Juncus tiehmii</i>	Tiehm's Rush
	<i>Juncus xiphioides</i>	Iris-Leaf Rush
	<i>Luzula comosa</i>	Hairy Woodrush
	<i>Luzula divaricata</i>	Spreading Woodrush
	<i>Luzula parviflora</i>	Smallflowered Woodrush
	<i>Luzula subcongesta</i>	Donner Woodrush
Juncaginaceae		<b>Arrow-Grass Family</b>
	<i>Lilaea scilloides</i>	Flowering Quillwort
	<i>Triglochin maritima</i>	Seaside Arrowgrass
Lemnaceae		<b>Duckweed Family</b>
	<i>Lemna gibba</i>	Swollen Duckweed
	<i>Lemna minor</i>	Common Duckweed
	<i>Lemna minuscula</i>	(None)
	<i>Lemna trisulca</i>	Ivyleaved Duckweed
	<i>Wolffia columbiana</i>	Columbian Water Meal
Liliaceae		<b>Lily Family</b>
	<i>Allium amplexans</i>	Narrowleaf Onion
	<i>Allium anceps</i>	Twinleaf Onion
	<i>Allium bisceptrum</i> var. <i>bisceptrum</i>	Twincrest Onion
	<i>Allium campanulatum</i>	Sierra Onion
	<i>Allium lemmonii</i>	Lemmon's Onion
	<i>Allium membranaceum</i>	Papery Onion
	<i>Allium obtusum</i>	Red Sierra Onion
	<i>Allium parvum</i>	Dwarf Onion

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Allium peninsulare</i> var. <i>peninsulare</i>	Peninsula Onion
	<i>Allium platycaule</i>	Broad-Stemmed Onion
	<i>Allium sanbornii</i> var. <i>congdonii</i>	Congdon's Onion
	<i>Allium sanbornii</i> var. <i>sanbornii</i>	Sanborn's Onion
	<i>Allium tribracteatum</i>	Three-Bracted Onion
	<i>Allium unifolium</i>	One-Leaf Onion
	<i>Allium validum</i>	Swamp Onion
	<i>Allium vineale</i>	Wild Garlic
	<i>Brodiaea californica</i> var. <i>californica</i>	California Brodiaea
	<i>Brodiaea elegans</i> ssp. <i>elegans</i>	Harvest Brodiaea
	<i>Brodiaea purdyi</i>	Purdy's Brodiaea
	<i>Calochortus albus</i>	Fairy Lantern
	<i>Calochortus coeruleus</i>	Blue Star-Tulip
	<i>Calochortus leichtlinii</i>	Leichtlin's Mariposa Lily
	<i>Calochortus luteus</i>	Yellow Mariposa Lily
	<i>Calochortus monophyllus</i>	Yellow Star-Tulip
	<i>Calochortus nudus</i>	Naked Mariposa Lily
	<i>Calochortus superbus</i>	Yellow Mariposa
	<i>Calochortus vestae</i>	Coast Range Mariposa
	<i>Camassia quamash</i> ssp. <i>breviflora</i>	Smallflowered Camas
	<i>Camassia quamash</i> ssp. <i>quamash</i>	Common Camas Lily
	<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Soap Plant
	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue Dicks
	<i>Dichelostemma multiflorum</i>	Wild Hyacinth
	<i>Dichelostemma volubile</i>	Twining Brodiaea
	<i>Disporum hookeri</i>	Hooker's Fairy Bell
	<i>Erythronium multiscapoideum</i>	Sierra Fawn Lily
	<i>Erythronium purpurascens</i>	Purple Fawn Lily
	<i>Fritillaria atropurpurea</i>	Spotted Mountain Bells
	<i>Fritillaria eastwoodiae</i>	Butte County Fritillary
	<i>Fritillaria micrantha</i>	Brown Bells
	<i>Fritillaria pudica</i>	Yellow Fritillary
	<i>Fritillaria recurva</i>	Scarlet Fritillary
	<i>Hastingsia alba</i>	White Hastingsia, White Rushlily
	<i>Lilium humboldtii</i> ssp. <i>humboldtii</i>	Humboldt Lily
	<i>Lilium pardalinum</i> ssp. <i>pardalinum</i>	Leopard Lily
	<i>Lilium pardalinum</i> ssp. <i>shastense</i>	Shasta Lily
	<i>Lilium parvum</i>	Alpine Lily
	<i>Lilium washingtonianum</i>	Washington Lily
	<i>Narthecium californicum</i>	California Bog Asphodel
	<i>Odontostomum hartwegii</i>	Hartweg's Doll's-Lily
	<i>Smilacina racemosa</i>	Western Solomon's Seal, Fat Solomon
	<i>Smilacina stellata</i>	Star-Flowered Solomon's
	<i>Smilax californica</i>	California Greenbriar
	<i>Streptopus amplexifolius</i> var. <i>americanus</i>	Twisted Stalk
	<i>Tofieldia occidentalis</i> ssp. <i>occidentalis</i>	Western Tofieldia
	<i>Trillium angustipetalum</i>	(None)
	<i>Trillium chloropetalum</i>	Common Trillium, Giant Wakerobin
	<i>Triteleia bridgesii</i>	Bridges' Brodiaea
	<i>Triteleia hyacinthina</i>	White Brodiaea
	<i>Triteleia ixioides</i> ssp. <i>anilina</i>	Mountain Prettyface

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Triteleia ixiooides ssp. scabra</i>	Prettyface
	<i>Triteleia laxa</i>	Ithuriel's Spear
	<i>Triteleia montana</i>	Slender Brodiaea
	<i>Veratrum californicum var. californicum</i>	Corn-Lily
	<i>Xerophyllum tenax</i>	Beargrass
	<i>Zigadenus paniculatus</i>	Sand Corn
	<i>Zigadenus venenosus var. venenosus</i>	Death Camas
Orchidaceae		<b>Orchid Family</b>
	<i>Cephalanthera austinae</i>	Phantom Orchid
	<i>Corallorhiza maculata</i>	Spotted Coralroot
	<i>Corallorhiza striata</i>	Striped Coral Root
	<i>Cypripedium californicum</i>	California Lady's Slipper
	<i>Cypripedium fasciculatum</i>	Clustered Lady's-Slipper
	<i>Epipactis gigantea</i>	Stream Orchid
	<i>Goodyera oblongifolia</i>	Rattlesnake Plantain
	<i>Listera convallarioides</i>	Broad-Leaved Tway-Blade
	<i>Piperia elongata</i>	Denseflower Rein Orchid
	<i>Piperia leptopetala</i>	Rein Orchid
	<i>Piperia transversa</i>	Royal Rein Orchid
	<i>Piperia unalascensis</i>	Alaska Rein Orchid
	<i>Platanthera leucostachys</i>	White Bog Orchid
	<i>Platanthera sparsiflora</i>	Sparse-Flowered Bog Orchid
	<i>Spiranthes porrifolia</i>	Western Ladies Tresses
	<i>Spiranthes romanzoffiana</i>	Hooded Ladies Tresses
Poaceae		<b>Grass Family</b>
	<i>Achnatherum hymenoides</i>	Indian Ricegrass
	<i>Achnatherum occidentale ssp. californicum</i>	California Needlegrass
	<i>Achnatherum occidentale ssp. occidentale</i>	Western Needlegrass
	<i>Achnatherum lemmonii</i>	Lemmon's Needlegrass
	<i>Achnatherum nelsonii ssp. dorei</i>	Mountain Needlegrass
	<i>Achnatherum nevadense</i>	Sierra Needlegrass
	<i>Achnatherum occidentale</i>	Western Needlegrass
	<i>Achnatherum occidentale ssp. californicum</i>	California Needlegrass
	<i>Achnatherum stillmanii</i>	Stillman's Needlegrass
	<i>Achnatherum thurberianum</i>	Thurber's Needlegrass
	<i>Aegilops triuncialis</i>	Barbed Goatgrass
	<i>Agopyron desertorum</i>	Desert Crested Wheatgrass
	<i>Agrostis capillaris</i>	Colonial Bent
	<i>Agrostis exarata</i>	Spiked Bentgrass
	<i>Agrostis idahoensis</i>	Idaho Bentgrass
	<i>Agrostis pallens</i>	Leafy Bentgrass
	<i>Agrostis scabra</i>	Ticklegrass, Rough Bentgrass
	<i>Agrostis stolonifera</i>	Creeping Bent
	<i>Agrostis thurberiana</i>	Thurber Bentgrass
	<i>Agrostis variabilis</i>	Mountain Bentgrass
	<i>Agrostis viridis</i>	Green Bentgrass
	<i>Aira caryophylla</i>	Silvery Hairgrass
	<i>Alopecurus aequalis</i>	Short-Awn Foxtail
	<i>Andropogon virginicus var. virginicus</i>	Broomsedge Bluestem
	<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass
	<i>Aristida oligantha</i>	Oldfield Three-Awn

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Arrhenatherum elatius</i>	Tall Oatgrass
	<i>Avena barbata</i>	Slender Wild Oats
	<i>Avena fatua</i>	Wild Oat
	<i>Avena sativa</i>	Cultivated Oat
	<i>Beckmannia syzigachne</i>	Slough Grass
	<i>Brachypodium distachyon</i>	Purple False-Brome
	<i>Briza minor</i>	Little Rattlesnake Grass
	<i>Bromus carinatus</i> var. <i>carinatus</i>	California Brome
	<i>Bromus ciliatus</i>	Fringed Brome
	<i>Bromus diandrus</i>	Ripgut Grass
	<i>Bromus hordeaceus</i>	Soft Brome, Soft Chess
	<i>Bromus inermis</i> ssp. <i>inermis</i>	Smooth Brome
	<i>Bromus laevipes</i>	Chinook Brome
	<i>Bromus madritensis</i> ssp. <i>madritensis</i>	Foxtail Chess
	<i>Bromus madritensis</i> ssp. <i>rubens</i>	Red Brome, Foxtail
	<i>Bromus orcuttianus</i>	Orcutt Brome
	<i>Bromus secalinus</i>	Cheatgrass, Chess Brome
	<i>Bromus sterilis</i>	Poverty Brome
	<i>Bromus suksdorfii</i>	Suksdorf Brome
	<i>Bromus tectorum</i>	Downy Brome, Cheatgrass
	<i>Bromus vulgaris</i>	Common Brome
	<i>Calamagrostis breweri</i>	Shorthair Reedgrass
	<i>Calamagrostis canadensis</i>	Bluejoint
	<i>Cinna latifolia</i>	Drooping Woodreed
	<i>Cynodon dactylon</i>	Bermuda Grass
	<i>Cynosurus echinatus</i>	Hedgehog Dogtail-Grass
	<i>Dactylis glomerata</i>	Orchard Grass
	<i>Danthonia californica</i> var. <i>americana</i>	California Oatgrass
	<i>Danthonia intermedia</i>	Timber Oatgrass
	<i>Danthonia unispicata</i>	One-Spike Oatgrass
	<i>Deschampsia cespitosa</i> ssp. <i>cespitosa</i>	Tufted Hairgrass
	<i>Deschampsia danthonioides</i>	Annual Hairgrass
	<i>Deschampsia elongata</i>	Slender Hairgrass
	<i>Digitaria ischaemum</i>	Smooth Crabgrass
	<i>Digitaria sanguinalis</i>	Hairy Crabgrass
	<i>Distichlis spicata</i>	Saltgrass
	<i>Echinochloa crus-galli</i>	Barnyard Grass
	<i>Elymus elymoides</i> ssp. <i>californicus</i>	Squirreltail
	<i>Elymus glaucus</i> ssp. <i>glaucus</i>	Blue Wildrye
	<i>Elymus glaucus</i> ssp. <i>jepsonii</i>	Jepson Blue Wildrye
	<i>Elymus multisetus</i>	Big Squirreltail
	<i>Elymus sierrae</i>	Sierra Wildrye
	<i>Elymus stebbinsi</i>	Stebbins' Wildrye
	<i>Elymus trachycaulus</i> ssp. <i>subsecundus</i>	Bearded Wheatgrass
	<i>Elymus trachycaulus</i> ssp. <i>trachycaulus</i>	Slender Wheatgrass
	<i>Elytrigia intermedia</i>	Intermediate Wheatgrass
	<i>Elytrigia repens</i>	Quack Grass
	<i>Eragrostis cilianensis</i>	Stinkgrass
	<i>Eragrostis pectinacea</i> var. <i>pectinacea</i>	Tufted Lovegrass
	<i>Festuca arundinacea</i>	Tall Fescue
	<i>Festuca elmeri</i>	Elmer Fescue



<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Festuca idahoensis</i>	Idaho Fescue, Blue Fescue
	<i>Festuca kingii</i>	Spike Fescue
	<i>Festuca occidentalis</i>	Western Fescue
	<i>Festuca pratensis</i>	Meadow Fescue
	<i>Festuca rubra</i>	Red Fescue
	<i>Festuca subulata</i>	Bearded Fescue
	<i>Festuca viridula</i>	Mountain Bunch-Fescue
	<i>Gastridium ventricosum</i>	Nit Grass
	<i>Glyceria borealis</i>	Northern Mannagrass
	<i>Glyceria elata</i>	Tall Mannagrass
	<i>Glyceria striata</i>	Fowl Meadowgrass
	<i>Holcus lanatus</i>	Common Velvetgrass
	<i>Hordeum brachyantherum ssp. brachyantherum</i>	Meadow Barley
	<i>Hordeum brachyantherum ssp. californicum</i>	California Meadow Barley
	<i>Hordeum jubatum</i>	Foxtail Barley
	<i>Hordeum marinum ssp. gussoneanum</i>	Mediterranean Barley
	<i>Hordeum murinum ssp. leporinum</i>	Hare Barley
	<i>Koeleria macrantha</i>	Junegrass
	<i>Leersia oryzoides</i>	Rice Cutgrass
	<i>Leymus cinereus</i>	Gray Wild-Rye
	<i>Leymus triticoides</i>	Creeping Wild-Rye
	<i>Lolium multiflorum</i>	Italian Rye-Grass
	<i>Lolium perenne</i>	Perennial Ryegrass
	<i>Lolium temulentum</i>	Darnel Ryegrass
	<i>Melica aristata</i>	Awned Melic
	<i>Melica bulbosa</i>	Oniongrass
	<i>Melica californica</i>	California Melicgrass
	<i>Melica fugax</i>	Little Oniongrass
	<i>Melica geyeri</i>	Geyer's Oniongrass
	<i>Melica harfordii</i>	Harford's Oniongrass
	<i>Melica stricta</i>	Nodding Melic
	<i>Melica subulata</i>	Alaska Oniongrass
	<i>Melica torreyana</i>	Torrey's Melica
	<i>Muhlenbergia andina</i>	Foxtail Muhly
	<i>Muhlenbergia asperifolia</i>	Scratchgrass
	<i>Muhlenbergia filiformis</i>	Pullup Muhly
	<i>Muhlenbergia jonesii</i>	Jones' Muhly
	<i>Muhlenbergia richardsonis</i>	Mat Muhly
	<i>Muhlenbergia rigens</i>	Deergrass
	<i>Muhlenbergia schreberi</i>	Nimblewell
	<i>Nassella lepida</i>	Small-Flowered Needlegrass
	<i>Nassella pulchra</i>	Purple Needlegrass
	<i>Panicum acuminatum var. acuminatum</i>	Pacific Panic Grass
	<i>Panicum capillare</i>	Old Witch Grass
	<i>Panicum dichotomiflorum</i>	Fall Panicgrass
	<i>Paspalum dilatatum</i>	Dallis Grass
	<i>Paspalum distichum</i>	Knotgrass
	<i>Phalaris aquatica</i>	Harding Grass
	<i>Phalaris arundinacea</i>	Reed Canarygrass
	<i>Phleum alpinum</i>	Mountain Timothy
	<i>Phleum pratense</i>	Cultivated Timothy

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Poa bolanderi</i>	Bolander's Bluegrass
	<i>Poa bulbosa</i>	Bulbous Bluegrass
	<i>Poa compressa</i>	Canada Bluegrass
	<i>Poa cusickii ssp. cusickii</i>	Cusick's Bluegrass
	<i>Poa cusickii ssp. epilis</i>	Skyline Bluegrass
	<i>Poa fendleriana ssp. longiligula</i>	Muttongrass
	<i>Poa keckii</i>	Keck's Bluegrass
	<i>Poa leptocoma ssp. leptocoma</i>	Bog Bluegrass
	<i>Poa palustris</i>	Fowl Bluegrass
	<i>Poa pratensis ssp. pratensis</i>	Kentucky Bluegrass
	<i>Poa pringlei</i>	Pringle's Bluegrass
	<i>Poa secunda ssp. juncifolia</i>	Rush Blue Grass
	<i>Poa secunda ssp. secunda</i>	One-Sided Bluegrass
	<i>Poa sierrae</i>	Sierra Blue Grass
	<i>Poa stebbinsii</i>	Stebbins' Blue Grass
	<i>Poa wheeleri</i>	Wheeler's Bluegrass
	<i>Polypogon australis</i>	Chilean Beard Grass
	<i>Polypogon maritimus</i>	Mediterranean Beard Grass
	<i>Polypogon monspeliensis</i>	Rabbitsfoot Grass
	<i>Scribneria bolanderi</i>	Scribneria
	<i>Secale cereale</i>	Rye
	<i>Setaria pumila</i>	Yellow Bristlegrass
	<i>Setaria viridis</i>	Green Foxtail
	<i>Sorghum halepense</i>	Johnsongrass
	<i>Taeniatherum caput-medusae</i>	Medusa-Head
	<i>Torreyochloa erecta</i>	Spiked Mannagrass
	<i>Torreyochloa pallida var. pauciflora</i>	Pale False Mannagrass
	<i>Trisetum canescens</i>	Nodding Oatgrass, Tall Trisetum
	<i>Trisetum spicatum</i>	Narrow Oatgrass
	<i>Trisetum wolfii</i>	Beardless Oatgrass
	<i>Triticum aestivum</i>	Common Wheat
	<i>Vulpia bromoides</i>	Brome Fescue, Six-Weeks Fescue
	<i>Vulpia microstachys</i>	Small Fescue
	<i>Vulpia microstachys var. confusa</i>	Confusing Fescue
	<i>Vulpia microstachys var. pauciflora</i>	Few-Flowered Fescue
	<i>Vulpia myuros var. hirsuta</i>	Foxtail Fescue, Hairy Rattail Fescue
	<i>Vulpia myuros var. myuros</i>	False Foxtail Fescue
<b>Potamogetonaceae</b>		<b>Pondweed Family</b>
	<i>Potamogeton alpinus ssp. tenuifolius</i>	Alpine Pondweed
	<i>Potamogeton foliosus var. foliosus</i>	Leafy Pondweed
	<i>Potamogeton gramineus</i>	Grass-Leaf Pondweed
	<i>Potamogeton natans</i>	Floating-Leaved Pondweed
	<i>Potamogeton nodosus</i>	Longleaf Pondweed
<b>Typhaceae</b>		<b>Cattail Family</b>
	<i>Sparganium angustifolium</i>	Narrowleaf Bur-Reed
	<i>Sparganium emersum ssp. emersum</i>	Emersed Bur Reed
	<i>Typha angustifolia</i>	Narrowleaf Cattail
	<i>Typha domingensis</i>	Southern Cattail
	<i>Typha latifolia</i>	Broadleaf Cattail

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<b>DICOTYLEDONS</b>	
<b>Aceraceae</b>	<i>Acer glabrum</i> var. <i>torreyi</i> <i>Acer macrophyllum</i>	<b>Maple Family</b> Torrey's Mountain Maple Bigleaf Maple
<b>Amaranthaceae</b>	<i>Amaranthus albus</i> <i>Amaranthus blitoides</i> <i>Amaranthus californicus</i> <i>Amaranthus deflexus</i> <i>Amaranthus powellii</i> <i>Amaranthus retroflexus</i>	<b>Amaranth Family</b> Tumbleweed Prostrate Pigweed California Pigweed Large-Fruited Amaranth Powell's Amaranth Rough Pigweed, Red-Root Pigweed
<b>Anacardiaceae</b>	<i>Toxicodendron diversilobium</i> <i>Rhus trilobata</i>	<b>Sumac Family</b> Poison Oak Skunkbush
<b>Apiaceae</b>	<i>Anthriscus caucaulis</i> <i>Ammi visnaga</i> <i>Angelica breweri</i> <i>Berula erecta</i> <i>Cicuta douglasii</i> <i>Conium maculatum</i> <i>Coriandrum sativum</i> <i>Cymopterus terebinthinus</i> <i>Daucus carota</i> <i>Daucus pusillus</i> <i>Eryngium alismaefolium</i> <i>Eryngium vaseyi</i> <i>Foeniculum vulgare</i> <i>Heracleum lanatum</i> <i>Ligusticum grayi</i> <i>Lomatium dasycarpum</i> ssp. <i>tomentosum</i> <i>Lomatium dissectum</i> var. <i>multifidum</i> <i>Lomatium macrocarpum</i> <i>Lomatium marginatum</i> var. <i>marginatum</i> <i>Lomatium nevadense</i> var. <i>nevadense</i> <i>Lomatium triternatum</i> <i>Lomatium utriculatum</i> <i>Orogenia fusiformis</i> <i>Osmorhiza brachypoda</i> <i>Osmorhiza chilensis</i> <i>Osmorhiza occidentalis</i> <i>Perideridia bacigalupii</i> <i>Perideridia bolanderi</i> ssp. <i>bolanderi</i> <i>Perideridia bolanderi</i> ssp. <i>involucrata</i> <i>Perideridia kelloggii</i> <i>Perideridia lemmonii</i> <i>Perideridia parishii</i> ssp. <i>latifolia</i> <i>Sanicula bipinnata</i> <i>Sanicula bipinnatifida</i> <i>Sanicula crassicaulis</i>	<b>Carrot Family</b> Bur-Chervil Bisigna Brewer's Angelica Water Parsnip Western Water Hemlock Poison Hemlock Coriander, Cilantro Turpentine Cymopterus Queen Anne's Lace Rattlesnake Weed Alisma-Leaved Coyote-Thistle Coyote-Thistle Sweet Fennel Cow Parsnip Gray's Lovage Hog Fennel, Woolly-Fruited Lomatium Fern-Leaved Lomatium Bigseed Biscuitroot Butte Desert Parsley Nevada Lomatium Lewis' Lomatium Wild Parsley, Bladder Parsnip California Indian Potato California Sweet Cicely Mountain Sweet Cicely Western Sweet Cicely Bacigalupi's Yampah Bolander's Yampah Bolander's Yampah Kellogg's Yampah Lemmon's Yampah Parish's Yampah Poison Sanicle Purple Sanicle Gamble Weed

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Sanicula graveolens</i>	Sierra Snakeroot, Sierra Sanicle
	<i>Sanicula tuberosa</i>	Tuberous Sanicle
	<i>Scandix pecten-veneris</i>	Venus' Needle
	<i>Sphenosciadium capitellatum</i>	Ranger's Button
	<i>Tauschia hartwegii</i>	Hartweg's Umbrellawort
	<i>Tauschia kelloggii</i>	Kellogg's Umbrellawort
	<i>Torilis arvensis</i>	Hedge Parsley
	<i>Torilis nodosa</i>	Knotted Hedge Parsley
	<i>Yabea microcarpa</i>	California Hedge Parsley
<b>Apocynaceae</b>		<b>Dogbane Family</b>
	<i>Apocynum androsaemifolium</i>	Bitter Dogbane
	<i>Apocynum cannabinum var. glaberrimum</i>	Indian Hemp
	<i>Vinca major</i>	Periwinkle
<b>Araliaceae</b>		<b>Ginseng Family</b>
	<i>Aralia californica</i>	Elk Clover
	<i>Hedera helix</i>	English Ivy
<b>Aristolochiaceae</b>		<b>Pipevine Family</b>
	<i>Aristolochia californica</i>	Dutchman's Pipe, California Pipevine
	<i>Asarum hartwegii</i>	Hartweg's Wild Ginger
	<i>Asarum lemmonii</i>	Lemmon's Wild Ginger
<b>Asclepiadaceae</b>		<b>Milkweed Family</b>
	<i>Asclepias cordifolia</i>	Purple Milkweed
	<i>Asclepias eriocarpa</i>	Indian Milkweed
	<i>Asclepias fascicularis</i>	Narrowleaf Milkweed
	<i>Asclepias speciosa</i>	Showy Milkweed
<b>Asteraceae</b>		<b>Sunflower Family</b>
	<i>Achillea millefolium</i>	Yarrow
	<i>Achyrachaena mollis</i>	Soft Blow Wives
	<i>Acroptilon repens</i>	Russian Knapweed
	<i>Adenocaulon bicolor</i>	Pathfinder, Trail Plant
	<i>Ageratina occidentalis</i>	Western Eupatorium
	<i>Agoseris aurantiaca</i>	Orange Agoseris
	<i>Agoseris glauca var. laciniata</i>	False Dandelion
	<i>Agoseris glauca var. monticola</i>	Mountain Agoseris
	<i>Agoseris grandiflora</i>	Large-Flowered Agoseris
	<i>Agoseris heterophylla</i>	Annual Agoseris
	<i>Agoseris retrorsa</i>	Spearleaf Agoseris
	<i>Ambrosia artemisiifolia</i>	Common Ragweed
	<i>Ambrosia psilostachya var. californica</i>	Western Ragweed
	<i>Anaphalis margaritacea</i>	Pearly Everlasting
	<i>Antennaria argentea</i>	Silver Pussytoes
	<i>Antennaria corymbosa</i>	Flat-Top Pussytoes
	<i>Antennaria dimorpha</i>	Gray Cushion Pussytoes
	<i>Antennaria geyeri</i>	Geyer's Pussytoes
	<i>Antennaria luzuloides</i>	Silvery-Brown Pussytoes
	<i>Antennaria media</i>	Alpine Pussytoes
	<i>Antennaria pulchella</i>	Beautiful Pussytoes
	<i>Antennaria rosea ssp. confinis</i>	Rosy Pussytoes
	<i>Anthemis cotula</i>	Mayweed
	<i>Anthemis tinctoria</i>	Golden Marguerite
	<i>Arctium minus</i>	Lesser Burdock

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Arnica amplexicaulis</i>	Streambank Arnica
	<i>Arnica chamissoinis ssp. foliosa</i>	Meadow Arnica
	<i>Arnica cordifolia</i>	Heartleaf Arnica
	<i>Arnica discoidea</i>	Rayless Arnica
	<i>Arnica diversifolia</i>	Lawless Arnica
	<i>Arnica longifolia</i>	Seep-Spring Arnica
	<i>Arnica mollis</i>	Hairy Arnica
	<i>Arnica nevadensis</i>	Sierra Arnica
	<i>Arnica parryi</i>	Frogflower, Parry's Arnica
	<i>Artemisia arbuscula</i>	Low Sagebrush
	<i>Artemisia cana</i>	Silver Sagebrush
	<i>Artemisia douglasiana</i>	California Mugwort
	<i>Artemisia dracunculus</i>	Tarragon
	<i>Artemisia ludoviciana ssp. candicans</i>	Gray Mugwort
	<i>Artemisia ludoviciana ssp. incompta</i>	Western Mugwort
	<i>Artemisia rothrockii</i>	Rothrock Sagebrush
	<i>Artemisia tripartita</i>	Three-Tip Sagebrush
	<i>Artemisia tridentata ssp. vaseyana</i>	Mountain Sagebrush
	<i>Aster ascendens</i>	Long-Leaved Aster
	<i>Aster alpigenus var. andersonii</i>	Alpine Aster
	<i>Aster breweri</i>	Brewer's Aster
	<i>Aster chilensis</i>	Common California Aster
	<i>Aster eatonii</i>	Eaton's Aster
	<i>Aster foliaceus var. parryi</i>	Parry's Leafy Aster
	<i>Aster integrifolius</i>	Entire-Leaved Aster
	<i>Aster occidentalis var. occidentalis</i>	Western Aster
	<i>Aster oregonensis</i>	Oregon White-Topped Aster
	<i>Aster radulinus</i>	Rough-Leaved Aster
	<i>Baccharis pilularis</i>	Coyote Brush
	<i>Balsamorhiza deltoidea</i>	Deltoid Balsamroot
	<i>Balsamorhiza hookeri var. lanata</i>	Woolly Balsamroot
	<i>Balsamorhiza macrolepis var. platylepis</i>	Flat-Scale Balsam-Root
	<i>Balsamorhiza sagittata</i>	Arrowleaf Balsamroot
	<i>Bidens frondosa</i>	Devil's Beggartick, Sticktight
	<i>Blennosperma nanum</i>	Common Blennosperma
	<i>Brickellia californica</i>	California Brickelbush
	<i>Brickellia grandiflora</i>	Golden Sashay
	<i>Brickellia greenei</i>	Greene's Brickelbush
	<i>Calycadenia mollis</i>	Soft Western Rosinweed
	<i>Calycadenia multiglandulosa</i>	Sticky Western Rosinweed
	<i>Calycadenia spicata</i>	Spiked Western Rosinweed
	<i>Calycadenia truncata</i>	Rosin Weed
	<i>Carduus acanthoides</i>	Spiny Plumeless Thistle
	<i>Carduus nutans</i>	Musk Thistle
	<i>Carduus pycnocephalus</i>	Italian Thistle
	<i>Carthamus lanatus</i>	Woolly Distaff Thistle
	<i>Centaurea calcitrapa</i>	Purple Star Thistle
	<i>Centaurea cyanus</i>	Batchelor Button
	<i>Centaurea diffusa</i>	Diffuse Knapweed
	<i>Centaurea maculosa</i>	Spotted Knapweed
	<i>Centaurea melitensis</i>	Tocalote, Maltese Star-Thistle

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Centaurea solstitialis</i>	Yellow Star Thistle
	<i>Chaenactis douglasii</i> var. <i>alpina</i>	Alpine Dusty Maidens
	<i>Chaenactis douglasii</i> var. <i>douglasii</i>	Douglas' Dustymaiden
	<i>Chaenactis glabriscula</i>	Yellow Pincushion
	<i>Chaenactis nevadensis</i>	Sierra Chaenactis
	<i>Chamomilia suaveolens</i>	Pineapple Weed
	<i>Chondrilla juncea</i>	Skeleton Weed
	<i>Chrysothamnus nauseosus</i>	Common Rabbitbrush
	<i>Chrysothamnus nauseosus</i> ssp. <i>albicaulis</i>	White-Stemmed Rabbitbrush
	<i>Chrysothamnus parryi</i> ssp. <i>nevadensis</i>	Nevada Parry's Rabbitbrush
	<i>Chrysothamnus viscidiflorus</i> ssp. <i>viscidiflorus</i>	Yellow Rabbitbrush
	<i>Cichorium intybus</i>	Chicory
	<i>Cirsium andersonii</i>	Anderson's Thistle
	<i>Cirsium arvense</i>	Canada Thistle
	<i>Cirsium canovirens</i>	Gray-Green Thistle
	<i>Cirsium douglasii</i> var. <i>breweri</i>	Swamp Thistle
	<i>Cirsium occidentale</i> var. <i>californicum</i>	California Thistle
	<i>Cirsium occidentale</i> var. <i>candidissimum</i>	Snowy Thistle
	<i>Cirsium occidentale</i> var. <i>venustum</i>	Venus Thistle
	<i>Cirsium scariosum</i>	Elk Thistle
	<i>Cirsium vulgare</i>	Bull Thistle
	<i>Cnicus benedictus</i>	Blessed Thistle
	<i>Conyza canadensis</i>	Horseweed
	<i>Conyza coulteri</i>	Coulter's Horseweed
	<i>Crepis acuminata</i>	Long-Leaved Hawksbeard
	<i>Crepis capillaris</i>	Smooth Hawksbeard
	<i>Crepis intermedia</i>	Limestone Hawksbeard
	<i>Crepis modocensis</i>	Modoc Hawksbeard
	<i>Crepis occidentalis</i>	Western Hawksbeard
	<i>Crepis pleurocarpa</i>	Nakedstem Hawksbeard
	<i>Ericameria arborescens</i>	Golden Fleece
	<i>Ericameria bloomeri</i>	Bloomer's Goldenbush
	<i>Ericameria cuneata</i> var. <i>cuneata</i>	Cliff Goldenbush
	<i>Ericameria discoidea</i>	Whitestem Goldenbush
	<i>Ericameria greenei</i>	Greene's Goldenbush
	<i>Ericameria suffruticosa</i>	Heath Goldenrod
	<i>Erigeron annuus</i>	Eastern Daisy Fleabane
	<i>Erigeron barbellulatus</i>	Shining Daisy
	<i>Erigeron bloomeri</i> var. <i>bloomeri</i>	Scabland Fleabane
	<i>Erigeron compositus</i>	Cutleaf Daisy
	<i>Erigeron coulteri</i>	Coulter's Daisy
	<i>Erigeron divergens</i>	Diffus Daisy
	<i>Erigeron eatonii</i> var. <i>sonnei</i>	Sonne's Daisy
	<i>Erigeron foliosus</i>	Leafy Fleabane
	<i>Erigeron inornatus</i> var. <i>inornatus</i>	California Rayless Daisy
	<i>Erigeron linearis</i>	Desert Yellow Fleabane
	<i>Erigeron miser</i>	Starved Daisy
	<i>Erigeron peregrinnus</i> var. <i>callianthemus</i>	Wandering Daisy
	<i>Erigeron petrophilus</i> var. <i>viscidulus</i>	Klamath Daisy, Rockloving Erigeron
	<i>Erigeron philadelphicus</i>	Philadelphia Fleabane
	<i>Erigeron reductus</i> var. <i>reductus</i>	California Rayless Daisy

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Erigeron strigosus</i>	Prairie Fleabane
	<i>Eriophyllum lanatum</i> var. <i>achillaeoides</i>	Yarrow-Leaved Woolly-Sunflower
	<i>Eriophyllum lanatum</i> var. <i>croceum</i>	Sierra Woolly Sunflower
	<i>Eriophyllum lanatum</i> var. <i>grandiflorum</i>	Common Woolly Sunflower
	<i>Eriophyllum lanatum</i> var. <i>integrifolium</i>	Oregon Sunshine
	<i>Euthamia occidentalis</i>	Western Goldenrod
	<i>Filago gallica</i>	Fluffweed, Narrow-Leaved Filago
	<i>Gaillardia aristata</i>	Common Indian Blanket
	<i>Gnaphalium californicum</i>	California Everlasting
	<i>Gnaphalium canescens</i> ssp. <i>beneolens</i>	Fragrant Everlasting
	<i>Gnaphalium canescens</i> ssp. <i>microcephalum</i>	White Everlasting
	<i>Gnaphalium canescens</i> ssp. <i>thermale</i>	Small-Headed Cudweed
	<i>Gnaphalium luteo-album</i>	Weedy Cudweed
	<i>Gnaphalium palustre</i>	Western Marsh Cudweed
	<i>Gnaphalium purpureum</i>	Purple Cudweed
	<i>Gnaphalium stramineum</i>	Cotton-Batting
	<i>Grindelia camporum</i>	Gum Plant
	<i>Grindelia hirsutula</i> var. <i>davyi</i>	Davy's Gumweed
	<i>Grindelia squarrosa</i> var. <i>serrulata</i>	Curlycup Gumweed
	<i>Hazardia whitneyi</i>	Whitney's Bristleweed
	<i>Hedypnois cretica</i>	Crete Weed
	<i>Helenium bigelovii</i>	Bigelow's Sneezeweed
	<i>Helenium puberulum</i>	Rosilla, Sneezeweed
	<i>Helianthella californica</i> var. <i>nevadensis</i>	California Helianthella
	<i>Helianthus annuus</i>	Common Sunflower
	<i>Helianthus californicus</i>	California Sunflower
	<i>Hemizonia fitchii</i>	Fitch Spikeweed
	<i>Heterotheca grandiflora</i>	Telegraph Weed
	<i>Heterotheca villosa</i> var. <i>hispida</i>	Hairy Goldenaster
	<i>Hieracium albiflorum</i>	White Hawkweed
	<i>Hieracium argutum</i>	Southern Hawkweed
	<i>Hieracium aurantiacum</i>	Orange-Flowered Hawkweed
	<i>Hieracium gracile</i>	Alpine Hawkweed
	<i>Hieracium scouleri</i>	Scouler Hawkweed
	<i>Holozonia filipes</i>	Hareleaf, Whitecrown
	<i>Hypochaeris glabra</i>	Smooth Cat's Ear
	<i>Hypochaeris radicata</i>	Rough Cat's Ear
	<i>Iva axillaris</i> ssp. <i>robustior</i>	Wormwood, Poverty Weed
	<i>Lactuca biennis</i>	Tall Blue Lettuce
	<i>Lactuca saligna</i>	Willow Lettuce
	<i>Lactuca serriola</i>	Prickly Lettuce
	<i>Lagophylla glandulosa</i>	Glandular Hareleaf
	<i>Lagophylla ramosissima</i> ssp. <i>congesta</i>	Rabbitfoot, Clustered Hareleaf
	<i>Lapsana communis</i>	Nipplewort
	<i>Lasthenia californica</i>	Goldfields
	<i>Layia fremontii</i>	Fremont's Tidy-Tips
	<i>Layia glandulosa</i>	Whitedaisy Tidytips
	<i>Leontodon taraxacoides</i> ssp. <i>longirostris</i>	Lesser Hawkbit
	<i>Lessingia nemaclada</i>	Slenderstem Lessingia
	<i>Lessingia virgata</i>	Wand Lessingia
	<i>Leucanthemum vulgare</i>	Ox-Eye Daisy

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Machaeranthera canescens</i> var. <i>shastensis</i>	Hoary Aster
	<i>Madia bolanderi</i>	Bolander Tarweed
	<i>Madia citriodora</i>	Lemon-Scented Tarweed
	<i>Madia elegans</i> ssp. <i>densifolia</i>	Showy Tarweed
	<i>Madia elegans</i> ssp. <i>elegans</i>	Common Tarweed
	<i>Madia elegans</i> ssp. <i>vernalis</i>	Spring Madia
	<i>Madia exigua</i>	Meager Tarweed
	<i>Madia glomerata</i>	Mountain Tarweed
	<i>Madia gracilis</i>	Slender Tarweed
	<i>Madia minima</i>	Dwarf Madia
	<i>Madia rammii</i>	Ramm's Madia
	<i>Malacothrix floccifera</i>	Woolly Dandelion
	<i>Micropus californicus</i> var. <i>californicus</i>	Slender Cottonweed
	<i>Microseris acuminata</i>	Sierra Foothills Microseris
	<i>Microseris nutans</i>	Nodding Microseris
	<i>Microseris sylvatica</i>	Sylvan Scorzonella
	<i>Monolopia lanceolata</i>	Common Monolopia
	<i>Onopordum acanthium</i> ssp. <i>acanthium</i>	Scottish Thistle
	<i>Onopordum tauricum</i>	Taurian Thistle
	<i>Phalacroseris bolanderi</i>	Bolander's Mock Dandelion
	<i>Psathyrotes anuua</i>	Annual Psathyrotes
	<i>Pseudobahia heermannii</i>	Heerman's Golden Sunburst
	<i>Psilocarphus brevissimus</i> var. <i>brevissimus</i>	Woolly Heads
	<i>Psilocarphus tenellus</i>	Woolly Marbles
	<i>Pyrrocoma apargioides</i>	Alpine Flames
	<i>Pyrrocoma hirta</i> var. <i>lanulosa</i>	Tacky Goldenweed
	<i>Pyrrocoma racemosus</i> ssp. <i>Paniculata</i>	Clustered Goldenweed
	<i>Rafinisquia californica</i>	California Chicory
	<i>Raillardella argentea</i>	Silky Raillardella
	<i>Rigiopappus leptocladus</i>	Rigiopappus, Wireweed
	<i>Rudbeckia occidentalis</i> var. <i>occidentalis</i>	Western Coneflower
	<i>Senecio aphanactis</i>	Chaparral Ragwort
	<i>Senecio aronicoides</i>	California Butterweed
	<i>Senecio canus</i>	Woolly Ragwort
	<i>Senecio clarkianus</i>	Clark's Ragwort
	<i>Senecio hydrophiloides</i>	Sweet Marsh Ragwort
	<i>Senecio integerrimus</i> var. <i>exaltatus</i>	Columbia Mountain Butterweed
	<i>Senecio integerrimus</i> var. <i>major</i>	Lambstongue Ragwort
	<i>Senecio jacobaea</i>	Stinking Willie
	<i>Senecio pauciflorus</i>	Rayless Alpine Ragwort
	<i>Senecio pseudoaureus</i> var. <i>pseudoaureus</i>	Streambank Butterweed
	<i>Senecio serra</i> var. <i>serra</i>	Tall Ragwort
	<i>Senecio streptanthifolius</i>	Cleft-Leaved Groundsel
	<i>Senecio triangularis</i>	Arrowhead Butterweed
	<i>Senecio vulgaris</i>	Common Groundsel
	<i>Silybum marianum</i>	Milk Thistle
	<i>Solidago californica</i>	California Goldenrod
	<i>Solidago canadensis</i> ssp. <i>elongata</i>	Canada Goldenrod
	<i>Solidago spectabilis</i>	Showy Goldenrod
	<i>Soliva sessilis</i>	Common Soliva, Field Burrweed
	<i>Sonchus asper</i> ssp. <i>asper</i>	Prickly Sow Thistle



<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Sonchus oleraceus</i>	Common Sow Thistle
	<i>Stenotus acaulis</i>	Stemless Mock Goldenweed
	<i>Stephanomeria elata</i>	Santa Barbara Wirelettuce
	<i>Stephanomeria lactucina</i>	Large-Flowered Stephanomeria
	<i>Stephanomeria virgata ssp. pleurocarpa</i>	Tall Stephanomeria
	<i>Tanacetum parthenium</i>	Feverfew
	<i>Tanacetum vulgare</i>	Common Tansy
	<i>Taraxacum officinale</i>	Common Dandelion
	<i>Tragopogon dubius</i>	Yellow Salsify
	<i>Tragopogon porrifolius</i>	Purple Salsify, Oyster Plant
	<i>Uropappus lindleyi</i>	Silver Puffs
	<i>Whitneya dealbata</i>	Whitneya, Mock Leopardbane
	<i>Wyethia angustifolia</i>	Narrowleaf Mule Ears
	<i>Wyethia bolanderi</i>	Bolander Mule Ears
	<i>Wyethia helenioides</i>	Gray Mule Ears
	<i>Wyethia mollis</i>	Mountain Mule Ears
	<i>Xanthium spinosum</i>	Spiny Cocklebur
	<i>Xanthium strumarium var. canadense</i>	Cocklebur
<b>Berberidaceae</b>		<b>Barberry Family</b>
	<i>Berberis aquifolium var. repens</i>	Creeping Oregon Grape
<b>Betulaceae</b>		<b>Birch Family</b>
	<i>Alnus incana ssp. tenuifolia</i>	Mountain Alder
	<i>Alnus rhombifolia</i>	White Alder
	<i>Corylus cornuta var. californica</i>	California Hazelnut
<b>Boraginaceae</b>		
	<i>Amsinckia eastwoodae</i>	Eastwood's Fiddleneck
	<i>Amsinckia menziesii var. intermedia</i>	Common Fiddleneck
	<i>Amsinckia menziesii var. menziesii</i>	Menzies' Fiddleneck
	<i>Borago officinalis</i>	Common Borage
	<i>Cryptantha affinis</i>	Side-Grooved Cryptantha
	<i>Cryptantha ambigua</i>	Wilke's Cryptantha
	<i>Cryptantha circumcissa</i>	Cushion Cryptantha
	<i>Cryptantha echinella</i>	Prickly Popcorn-Flower
	<i>Cryptantha flaccida</i>	Flaccid Cryptantha
	<i>Cryptantha glomeriflora</i>	Truckee Cryptantha
	<i>Cryptantha humilis</i>	Roundspike Cryptantha
	<i>Cryptantha muricata</i>	Prickly Cryptantha
	<i>Cryptantha pterocarya</i>	Winged-Nut Forget-Me-Not
	<i>Cryptantha simulans</i>	Pine Cryptantha
	<i>Cryptantha torreyana</i>	Torrey Cryptantha
	<i>Cynoglossum grande</i>	Hounds Tongue
	<i>Cynoglossum occidentale</i>	Western Hound's Tongue
	<i>Hackelia californica</i>	California Stickseed
	<i>Hackelia floribunda</i>	Manyflower Stickseed
	<i>Hackelia micrantha</i>	Smallflowered-Stickseed
	<i>Hackelia nervosa</i>	Sierra Stickseed
	<i>Hackelia velutina</i>	Velvety Stickseed
	<i>Lithospermum californicum</i>	California Stoneseed
	<i>Mertensia ciliata</i>	Tall Fringed Bluebells
	<i>Myosotis discolor</i>	Forget-Me-Not
	<i>Pectocarya pusilla</i>	Little Pectocarya

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Plagiobothrys bracteatus</i>	Bracted Popcorn Flower
	<i>Plagiobothrys canescens</i>	Valley Popcorn Flower
	<i>Plagiobothrys cognatus</i>	Cognate Popcorn Flower
	<i>Plagiobothrys cusickii</i>	Cusick's Popcorn Flower
	<i>Plagiobothrys fulvus</i>	Common Popcorn Flower
	<i>Plagiobothrys glyptocarpus</i> var. <i>modestus</i>	Cedar Crest Popcorn-Flower
	<i>Plagiobothrys greenei</i>	Greene's Popcorn Flower
	<i>Plagiobothrys hispidulus</i>	Harsh Popcorn Flower
	<i>Plagiobothrys hispidus</i>	Cascade Popcorn Flower
	<i>Plagiobothrys nothofulvus</i>	Rusty Popcornflower
	<i>Plagiobothrys stipitatus</i> var. <i>micranthus</i>	Stalked Popcornflower
	<i>Plagiobothrys stipitatus</i> var. <i>stipitatus</i>	Common Vernal Pool Allocarya
	<i>Plagiobothrys tenellus</i>	Pacific Popcornflower
	<i>Plagiobothrys tener</i>	Slender Popcornflower
	<i>Plagiobothrys torreyi</i> var. <i>diffusus</i>	Torrey Popcorn Flower
<b>Brassicaceae</b>		<b>Mustard Family</b>
	<i>Alyssum alyssoides</i>	Sweet Alyssum
	<i>Arabis breweri</i>	Brewer Rock Cress
	<i>Arabis davidsonii</i>	Davidson's Rock-Cress
	<i>Arabis drummondii</i>	Drummond's Rock-Cress
	<i>Arabis glabra</i>	Tower Mustard
	<i>Arabis holboellii</i> var. <i>pinetorum</i>	Pinewoods Holboell's Rock-Cress
	<i>Arabis holboellii</i> var. <i>retrofracta</i>	Backward-Splitting Holboell's Rock-Cress
	<i>Arabis lyallii</i>	Lyall Rockcress
	<i>Arabis platysperma</i>	Broad-Seeded Rockcress
	<i>Arabis platysperma</i> var. <i>howellii</i>	Howell's Broad-Seeded Rock-Cress
	<i>Arabis rectissima</i> var. <i>rectissima</i>	Bristly-Leaved Rock-Cress
	<i>Arabis repanda</i>	Yosemite Rockcress
	<i>Arabis sparsiflora</i>	Sicklepod Rockcress
	<i>Arabis sparsiflora</i> var. <i>arcuata</i>	Arched Elegant Rock-Cress
	<i>Arabis suffrutescens</i>	Woody Rockcress
	<i>Arabis x divaricarpa</i>	Spreadingpod Rockcress
	<i>Athysanus pusillus</i>	Dwarf Athysanus
	<i>Barbarea orthoceras</i>	American Wintercress
	<i>Barbarea vulgaris</i>	Common Wintercress
	<i>Brassica rapa</i>	Field Mustard
	<i>Capsella bursa-pastoris</i>	Shepherd's Purse
	<i>Cardamine breweri</i> var. <i>breweri</i>	Brewer Bittercress
	<i>Cardamine californica</i>	Milk Maids, Toothwort
	<i>Cardamine cordifolia</i> var. <i>lyallii</i>	Heartleaf Bittercress
	<i>Cardamine oligosperma</i>	Idaho Bittercress
	<i>Cardamine pachystigma</i> var. <i>dissectifolia</i>	Dissected-Leaf Toothwort
	<i>Cardamine pachystigma</i> var. <i>pachystigma</i>	Serpentine Bittercress
	<i>Cardamine pennsylvanica</i>	Pennsylvania Bittercress
	<i>Cardaria chalapensis</i>	Lens-Podded Hoary Cress
	<i>Cardaria draba</i>	Heart-Podded Hoarycress
	<i>Cardaria pubescens</i>	White Top
	<i>Coronopus didymus</i>	Wart Cress
	<i>Cusickiella douglasii</i>	Alkali Draba
	<i>Descurainia californica</i>	Sierra Tansymustard
	<i>Descurainia incana</i>	Soft Mountain Tansy-Mustard

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Descurainia incisa ssp. filipes</i>	Erect-Fruited Mountain Tansy-Mustard
	<i>Descurainia pinnata ssp. halictorum</i>	Western Tansy Mustard
	<i>Descurainia sophia</i>	Herb Sophia
	<i>Diplotaxis tenuifolia</i>	Perennial Wall Rocket
	<i>Draba albertina</i>	Alberta Whitlow Grass
	<i>Draba densifolia</i>	Denseleaf Draba
	<i>Draba verna</i>	Whitlow Grass
	<i>Erysimum capitatum ssp. capitatum</i>	Western Wallflower
	<i>Erysimum capitatum ssp. perenne</i>	Mountain Wallflower
	<i>Hesperis matronalis</i>	Dame's Rocket
	<i>Hirschfeldia incana</i>	Shortpod Mustard
	<i>Isatis tinctoria</i>	Dyer's Woad
	<i>Lepidium campestre</i>	Field Pepperweed
	<i>Lepidium densiflorum</i>	Common Pepperweed
	<i>Lepidium latifolium</i>	Broadleaved Pepperweed
	<i>Lepidium nitidum</i>	Shining Peppergrass
	<i>Lepidium perfoliatum</i>	Shield Cress
	<i>Lepidium strictum</i>	Pepper-Grass
	<i>Lepidium virginicum var. pubescens</i>	Hairy Pepperweed
	<i>Phoenicaulis cheiranthoides</i>	Dagger Pod
	<i>Raphanus sativus</i>	Wild Radish
	<i>Rorippa curvisiliqua</i>	Western Yellow Cress
	<i>Rorippa nasturtium-aquaticum</i>	Water Cress
	<i>Rorippa palustris var. occidentalis</i>	Western Bog Yellow-Cress
	<i>Sisymbrium altissimum</i>	Tumble Mustard
	<i>Sisymbrium officinale</i>	Hedge Mustard
	<i>Streptanthus polygaloides</i>	Milkwort Jewelflower
	<i>Streptanthus tortuosus var. orbiculatus</i>	Mountain Jewelflower
	<i>Streptanthus tortuosus var. suffrutescens</i>	Bush Mountain Jewelflower
	<i>Subularia aquatica var. americana</i>	American Awlwort
	<i>Thlaspi arvense</i>	Fan Weed
	<i>Thysanocarpus curvipes</i>	Fringepod
	<i>Thysanocarpus radians</i>	Ribbed Fringepod
	<i>Tropidocarpum gracile</i>	Lacepod, Slender Tropidocarpum
<b>Cabombaceae</b>		<b>Water-Shield Family</b>
	<i>Brasenia schreberi</i>	Water Shield
<b>Callitrichaceae</b>		<b>Water-Starwort Family</b>
	<i>Callitriche heterophylla</i>	Water Starwort
	<i>Callitriche verna</i>	Vernal Water Starwort
<b>Calycanthaceae</b>		<b>Sweet-Shrub Family</b>
	<i>Calycanthus occidentalis</i>	Spicebush
<b>Campanulaceae</b>		<b>Bellflower Family</b>
	<i>Campanula prenanthoides</i>	California Harebell
	<i>Downingia bacigalupii</i>	Bach's Downingia
	<i>Downingia elegans</i>	Elegant Calicoflower
	<i>Downingia montana</i>	Sierra Calicoflower
	<i>Downingia ornatissima</i>	Folded Calicoflower
	<i>Githopsis specularioides</i>	Common Bluecup
	<i>Heterocodon rariflorum</i>	Heterocodon
	<i>Porterella carnosula</i>	Porterella
<b>Caprifoliaceae</b>		<b>Honeysuckle Family</b>

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Linnaea borealis</i> var. <i>longiflora</i>	Twinflower
	<i>Lonicera cauriana</i>	Sweetberry Honeysuckle
	<i>Lonicera conjugialis</i>	Double Honeysuckle
	<i>Lonicera hispidula</i> var. <i>vacillans</i>	Hairy Honeysuckle
	<i>Lonicera interrupta</i>	Chaparral Honeysuckle
	<i>Lonicera involucrata</i> var. <i>involucrata</i>	Twinberry
	<i>Sambucus melanocarpa</i>	Black Elderberry
	<i>Sambucus mexicana</i>	Blue Elderberry
	<i>Sambucus racemosa</i> var. <i>microbotrys</i>	Red Elderberry
	<i>Symphoricarpos mollis</i>	Creeping Snowberry, Tripvine
	<i>Symphoricarpos rotundifolius</i> var. <i>rotundifolius</i>	Roundleaved Snowberry
	<i>Symphoricarpos albus</i> var. <i>laevigatus</i>	Snowberry
Caryophyllaceae		<b>Pink Family</b>
	<i>Arenaria aculeata</i>	Prickly Sandwort
	<i>Arenaria congesta</i> var. <i>subcongesta</i>	Subcongesta Sandwort
	<i>Arenaria congesta</i> var. <i>suffrutescens</i>	Ballhead Sandwort
	<i>Arenaria kingii</i> var. <i>glabrescens</i>	King's Smooth Sandwort
	<i>Cerastium fontanum</i> ssp. <i>vulgare</i>	Common Chickweed
	<i>Cerastium glomeratum</i>	Mouse Ear Chickweed
	<i>Gypsophila paniculata</i> var. <i>paniculata</i>	Baby's Breath
	<i>Lychnis coronaria</i>	Rose Campion
	<i>Minuartia californica</i>	California Sandwort
	<i>Minuartia douglasii</i>	Douglas' Sandwort
	<i>Minuartia nuttallii</i> ssp. <i>gracilis</i>	Nuttall's Sandwort
	<i>Moehringia macrophylla</i>	Largeleaf Sandwort
	<i>Petrorhagia dubia</i>	Windmill Pink
	<i>Pseudostellaria jamesiana</i>	Sticky Starwort
	<i>Sagina apetala</i>	Dwarf Pearlwort
	<i>Sagina decumbens</i> ssp. <i>occidentalis</i>	Western Pearlwort
	<i>Sagina saginoides</i>	Alpine Pearlwort
	<i>Saponaria officinalis</i>	Bouncing Bet, Soapwort
	<i>Scleranthus annuus</i> ssp. <i>annuus</i>	Knawel
	<i>Silene bernardina</i>	Palmer's Catchfly
	<i>Silene bridgesii</i>	Bridge's Catchfly
	<i>Silene californica</i>	Indian Pink
	<i>Silene dichotoma</i>	Branching Campion
	<i>Silene douglasii</i>	Douglas Catchfly
	<i>Silene gallica</i>	Windmill Pink
	<i>Silene invisa</i>	Short-Petaled Campion
	<i>Silene lemmonii</i>	Lemmon's Catchfly
	<i>Silene menziesii</i>	Menzies' Campion
	<i>Silene sargentii</i>	Sargent's Catchfly
	<i>Spergula arvensis</i> ssp. <i>arvensis</i>	Corn Spurrey
	<i>Spergularia rubra</i>	Ruby Sand Spurry
<i>Stellaria calycanthes</i>	Northern Starwort	
<i>Stellaria crispa</i>	Ruffled Starwort	
<i>Stellaria longipes</i> var. <i>longipes</i>	Long-Stalked Starwort	
<i>Stellaria media</i>	Common Chickweed	
<i>Stellaria nitens</i>	Shining Chickweed	
<i>Stellaria obtusa</i>	Obtuse Starwort	
<i>Stellaria umbellata</i>	Umbrella Starwort	

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
Celastraceae	<i>Paxistima myrsinites</i>	<b>Staff-Tree Family</b> Oregon Boxwood
Chenopodiaceae	<i>Atriplex rosea</i>	<b>Goosefoot Family</b> Tumbling Oracle
	<i>Atriplex truncata</i>	Wedgescale
	<i>Chenopodium album</i>	Lambs Quarters
	<i>Chenopodium ambrosioides</i>	Mexican Tea
	<i>Chenopodium atrovirens</i>	Dark-Green Goosefoot
	<i>Chenopodium berlandieri</i>	Pitseed Goosefoot
	<i>Chenopodium botrys</i>	Jerusalem Oak
	<i>Chenopodium denticatum</i>	Aridland Goosefoot
	<i>Chenopodium incanum</i> var. <i>occidentale</i>	Pigweed
	<i>Chenopodium incognitum</i>	Masked Goosefoot
	<i>Chenopodium pumilio</i>	Clammy Goosefoot
	<i>Chenopodium strictum</i> var. <i>glaucophyllum</i>	White-Leaved Goosefoot
	<i>Halogeton glomeratus</i>	Saltlover
	<i>Kochia scoparia</i>	Summer Cypress
	<i>Monolepis nuttalliana</i>	Nuttall's Poverty Weed
	<i>Salsola tragus</i>	Tumbleweed
Convolvulaceae	<i>Calystegia malacophylla</i> ssp. <i>malacophylla</i>	<b>Morning Glory Family</b> Sierra Morning-Glory
	<i>Calystegia occidentalis</i> ssp. <i>occidentalis</i>	Western Morning Glory
	<i>Calystegia stebbinsii</i>	Stebbins' Morning Glory
	<i>Convolvulus arvensis</i>	Bindweed
Cornaceae	<i>Cornus glabrata</i>	<b>Dogwood Family</b> Brown Dogwood
	<i>Cornus nuttallii</i>	Mountain Dogwood
	<i>Cornus sericea</i> ssp. <i>occidentalis</i>	Western Dogwood
	<i>Cornus sericea</i> ssp. <i>sericea</i>	American Dogwood
	<i>Cornus sessilis</i>	
Crassulaceae	<i>Crassula aquatica</i>	<b>Stonecrop Family</b> Pygmy Weed
	<i>Crassula connata</i>	Sand Pygmy Weed
	<i>Crassula tillaea</i>	Moss Pygmyweed
	<i>Dudleya cymosa</i>	Canyon Dudleya
	<i>Parvisedum congdonii</i>	Congdon's Stonecrop
	<i>Parvisedum pumilum</i>	Sierra Stonecrop
	<i>Sedum lanceolatum</i>	Lance-Leaf Stonecrop
	<i>Sedum obtusatum</i> ssp. <i>obtusatum</i>	Sierra Stonecrop
	<i>Sedum roseum</i> ssp. <i>integrifolium</i>	King's Crown, Rosy Stonecrop
	<i>Sedum spathulifolium</i>	Pacific Stonecrop
Cucurbitaceae	<i>Marah fabaceus</i>	<b>Gourd Family</b> Common Manroot
	<i>Marah watsonii</i>	Watson's Wild-Cucumber
Cuscutaceae	<i>Cuscuta californica</i>	<b>Dodder Family</b> California Dodder
	<i>Cuscuta californica</i> var. <i>breviflora</i>	Shortflower Dodder, Chaparral Dodder
	<i>Cuscuta subinclusa</i>	Canyon Dodder
Datisceae		
Droseraceae		<b>Sundew Family</b>

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Drosera anglica</i>	English Sundew
	<i>Drosera anglica x rotundifolia</i>	Hybrid English Sundew
	<i>Drosera rotundifolia</i>	Round-Leaved Sundew
Elatinaceae		<b>Waterwort Family</b>
	<i>Elatine chilensis</i>	Chilean Waterwort
Ericaceae		<b>Heath Family</b>
	<i>Allotropa virgata</i>	Sugarstick
	<i>Arbutus menziesii</i>	Madrone
	<i>Arctostaphylos mewukka</i>	Indian Manzanita
	<i>Arctostaphylos nevadensis</i>	Pinemat Manzanita
	<i>Arctostaphylos patula</i>	Greenleaf Manzanita
	<i>Arctostaphylos patula x nevadensis</i>	(None)
	<i>Arctostaphylos viscida ssp. viscida</i>	Sticky Whiteleaf Manzanita
	<i>Cassiope mertensiana</i>	White Mountain Heather
	<i>Chimaphila menziesii</i>	Little Prince's Pine
	<i>Chimaphila umbellata</i>	Prince's Pine, Pipsissiwa
	<i>Gaultheria ovatifolia</i>	Oregon Spicy Wintergreen
	<i>Kalmia porfolia</i>	Mountain Laurel
	<i>Ledum glandulosum</i>	Western Labrador Tea
	<i>Leucothoe davisiae</i>	Sierra Laurel
	<i>Orthilia secunda</i>	One-Sided Wintergreen
	<i>Phyllodoce breweri</i>	Brewer's Mountain Heather
	<i>Pleuricospora fimbriolata</i>	Fringed Pinesap
	<i>Pterospora andromedea</i>	Pine Drops
	<i>Pyrola asarifolia ssp. asarifolia</i>	Bog Wintergreen
	<i>Pyrola picta</i>	White-Veined Wintergreen
	<i>Rhododendron occidentale</i>	Western Azalea
	<i>Sarcodes sanguinea</i>	Snow Plant
	<i>Vaccinium caespitosum</i>	Dwarf Bilberry
	<i>Vaccinium macrocarpon</i>	Cranberry
	<i>Vaccinium parvifolium</i>	Red Huckleberry
	<i>Vaccinium uliginosum ssp. occidentale</i>	Western Blueberry
Euphorbiaceae		<b>Spurge Family</b>
	<i>Chamaesyce maculata</i>	Spotted Spurge
	<i>Chamaesyce nutans</i>	Eyebane
	<i>Chamaesyce ocellata</i>	Valley Spurge, Contura Creek Spurge
	<i>Chamaesyce serpyllifolia</i>	Thymeleaf Sandmat
	<i>Eremocarpus setigerus</i>	Doveweed, Turkey Mullein
	<i>Euphorbia crenulata</i>	Chinese Caps
	<i>Euphorbia peplus</i>	Petty Spurge
	<i>Euphorbia spathulata</i>	Warty Spurge
Fabaceae		<b>Legume Family</b>
	<i>Astragalus austiniiae</i>	Austin's Milkvetch
	<i>Astragalus bolanderi</i>	Bolander's Milkvetch
	<i>Astragalus canadensis var. brevidens</i>	Shorttooth Canadian Milkvetch
	<i>Astragalus gambelianus</i>	Gambel's Locoweed
	<i>Astragalus purshii</i>	Pursh's Sheep-Pod
	<i>Astragalus purshii var. tinctus</i>	Woollypod Milkvetch
	<i>Astragalus whitneyi</i>	Whitney's Milkvetch
	<i>Astragalus whitneyi var. lenophyllus</i>	Balloonpod Milkvetch
	<i>Cercis occidentalis</i>	Western Redbud

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Colutea arborescens</i>	Bladder Senna
	<i>Cytisus scoparius</i>	Scotch Broom
	<i>Hoita macrostachya</i>	California Hemp
	<i>Hoita orbicularis</i>	Roundleaf Leather-Root
	<i>Lathyrus brownii</i>	Brown's Brush Pea
	<i>Lathyrus hirsutus</i>	Caley Pea
	<i>Lathyrus jepsonii ssp. californicus</i>	California Tule Pea
	<i>Lathyrus lanzwertii ssp. aridus</i>	Dryland Nevada Pea
	<i>Lathyrus latifolius</i>	Perennial Sweetpea
	<i>Lathyrus nevadensis var. nevadensis</i>	Sierra Nevada Pea
	<i>Lathyrus sulphureus</i>	Sulphur Pea
	<i>Lathyrus sulphureus var. argillaceus</i>	Dubious Pea
	<i>Lotus argophyllus var. fremontii</i>	Fremont's Silver-Lotus
	<i>Lotus corniculatus</i>	Bird's Foot Trefoil
	<i>Lotus crassifolius var. crassifolius</i>	Buck Lotus, Broad-Leaved Lotus
	<i>Lotus grandiflorus var. grandiflorus</i>	Large-Leaved Lotus
	<i>Lotus humistratus</i>	Hill Lotus
	<i>Lotus incanus</i>	Woolly Lotus
	<i>Lotus micranthus</i>	Smallflower Lotus
	<i>Lotus nevadensis var. nevadensis</i>	Sierra Nevada Lotus
	<i>Lotus oblongifolius var. oblongifolius</i>	Narrow-Leaved Lotus
	<i>Lotus pinnatus</i>	Pinnate-Leaved Lotus
	<i>Lotus purshianus var. purshianus</i>	Spanish Lotus
	<i>Lotus stipularis var. ottleyi</i>	Ottley's Stipulate Lotus
	<i>Lotus uliginosus</i>	Marsh Lotus
	<i>Lotus wrangelianus</i>	Calf Lotus
	<i>Lupinus adsurgens</i>	Drew's Silky Lupine
	<i>Lupinus albicaulis</i>	Pine Lupine, White-Stemmed Lupine
	<i>Lupinus albifrons var. albifrons</i>	Silver Bush Lupine
	<i>Lupinus andersonii</i>	Anderson's Lupine
	<i>Lupinus angustiflorus</i>	Narrowflower Lupine
	<i>Lupinus apertus</i>	Summit Lupine
	<i>Lupinus arbustus</i>	Spur Lupine
	<i>Lupinus argenteus var. heteranthus</i>	Silvery Lupine
	<i>Lupinus argenteus var. meionanthus</i>	Lake Tahoe Lupine
	<i>Lupinus benthamii</i>	Spider Lupine
	<i>Lupinus bicolor</i>	Miniature Lupine
	<i>Lupinus breweri</i>	Brewer Lupine
	<i>Lupinus grayii</i>	Sierra Lupine
	<i>Lupinus latifolius var. columbianus</i>	Broadleaf Lupine
	<i>Lupinus lepidus var. confertus</i>	Clustered Tidy-Lupine
	<i>Lupinus lepidus var. lobbii</i>	Lobb's Lupine
	<i>Lupinus lepidus var. sellulus</i>	Stool Lupine
	<i>Lupinus microcarpus var. densiflorus</i>	Dense-Flowered Platycarpus
	<i>Lupinus nanus</i>	Valley Sky Lupine
	<i>Lupinus obtusilobus</i>	Bluntlobe Lupine
	<i>Lupinus pachylobus</i>	Big-Pod Lupine
	<i>Lupinus polyphyllus var. burkei</i>	Meadow Lupine
	<i>Lupinus stiversii</i>	Harlequin Lupine
	<i>Medicago arabica</i>	Spotted Burclover
	<i>Medicago lupulina</i>	Black Medick

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Medicago polymorpha</i>	Burclover
	<i>Medicago sativa</i>	Alfalfa
	<i>Melilotus alba</i>	White Sweetclover
	<i>Melilotus indica</i>	Sour Clover
	<i>Melilotus officinalis</i>	Yellow Sweetclover
	<i>Pickeringia montana</i> var. <i>montana</i>	Chaparral Pea
	<i>Robinia pseudoacacia</i>	Black Locust
	<i>Trifolium albopurpureum</i>	Rancheria Clover
	<i>Trifolium andersonii</i>	Fiveleaf Clover
	<i>Trifolium barbigerum</i>	Bearded Clover
	<i>Trifolium bifidum</i>	Notchleaf Clover
	<i>Trifolium breweri</i>	Forest Clover
	<i>Trifolium campestre</i>	Field Clover
	<i>Trifolium ciliolatum</i>	Tree Clover
	<i>Trifolium cyathiferum</i>	Bowl Clover
	<i>Trifolium depauperatum</i>	Cowbag Clover
	<i>Trifolium dubium</i>	Little Hop Clover, Shamrock Clover
	<i>Trifolium glomeratum</i>	Clustered Clover
	<i>Trifolium gracilentum</i>	Pinpoint Clover
	<i>Trifolium hirtum</i>	Rose Clover
	<i>Trifolium hybridum</i>	Hybrid Clover, Alsike Clover
	<i>Trifolium incarnatum</i>	Crimson Clover
	<i>Trifolium kingii</i> var. <i>productum</i>	Shasta Clover
	<i>Trifolium lemmonii</i>	Lemmon Clover
	<i>Trifolium longipes</i>	Long-Stalked Clover
	<i>Trifolium microcephalum</i>	Smallhead Clover
	<i>Trifolium microdon</i>	Valparaiso Clover
	<i>Trifolium monanthum</i> var. <i>monanthum</i>	Mountain Carpet Clover
	<i>Trifolium obtusiflorum</i>	Creek Clover
	<i>Trifolium oliganthum</i>	Fewflower Clover
	<i>Trifolium pratense</i>	Red Clover
	<i>Trifolium repens</i>	White Clover
	<i>Trifolium subterraneum</i>	Subterranean Clover
	<i>Trifolium variegatum</i>	Whitetip Clover
	<i>Trifolium willdenovii</i>	Tomcat Clover
	<i>Trifolium wormskioldii</i>	Springbank Clover
	<i>Ulex europaeus</i>	Gorse
	<i>Vicia americana</i> var. <i>americana</i>	American Vetch
	<i>Vicia benghalensis</i>	Purple Vetch
	<i>Vicia sativa</i> ssp. <i>nigra</i>	Narrowleaf Vetch, Spring Vetch
	<i>Vicia sativa</i> ssp. <i>sativa</i>	Pubescent Common Vetch
	<i>Vicia villosa</i> ssp. <i>varia</i>	Smooth Vetch
	<i>Vicia villosa</i> var. <i>villosa</i>	Hairy Vetch
<b>Fagaceae</b>		<b>Oak Family</b>
	<i>Chrysolepis sempervirens</i>	Bush Chinquapin
	<i>Lithocarpus densiflorus</i> var. <i>densiflorus</i>	Tanoak
	<i>Lithocarpus densiflorus</i> var. <i>echinoides</i>	Tanbark Oak, Tanoak Shrub
	<i>Quercus berberidifolia</i>	Scrub Oak
	<i>Quercus chrysolepis</i>	Canyon Live Oak, Maul Oak
	<i>Quercus douglasii</i>	Blue Oak
	<i>Quercus durata</i> var. <i>durata</i>	Leather Oak



<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
Garryaceae	<i>Quercus garryana</i> var. <i>breweri</i>	Oregon White Oak
	<i>Quercus kelloggii</i>	Calif. Black Oak
	<i>Quercus lobata</i>	Valley Oak
	<i>Quercus vaccinifolia</i>	Huckleberry Oak
	<i>Quercus wislizenii</i> var. <i>frutescens</i>	Interior Live Oak, Chaparral Oak
	<i>Quercus wislizenii</i> var. <i>wislizenii</i>	Interior Live Oak
	<i>Quercus x morehus</i>	Oracle Oak
		<b>Silk Tassel Family</b>
		Ashy Silktassel
Gentianaceae	<i>Garrya flavescens</i>	Bearbrush
	<i>Garrya fremontii</i>	
Geraniaceae		<b>Gentian Family</b>
	<i>Centaurium muehlenbergii</i>	Monterey Centaury
	<i>Centaurium venustum</i>	Canchalagua, Charming Centaury
	<i>Gentiana newberryi</i> var. <i>newberryi</i>	Alpine Gentian
	<i>Gentiana newberryi</i> var. <i>tiogana</i>	Sierra Alpine Gentian
	<i>Gentianella amarella</i> ssp. <i>acuta</i>	Autumn Dwarf-Gentian
	<i>Gentianopsis simplex</i>	Hiker's Fringed Gentian
	<i>Swertia albicaulis</i> var. <i>nitida</i>	White-Stem Green-Gentian
Grossulariaceae		<b>Geranium Family</b>
	<i>Erodium botrys</i>	Broadleaf Filaree
	<i>Erodium brachycarpum</i>	Shortfruit Stork's-Bill
	<i>Erodium cicutarium</i>	Redstem Filaree
	<i>Erodium moschatum</i>	Whitestem Filaree
	<i>Geranium carolinianum</i>	Carolina Geranium
	<i>Geranium dissectum</i>	Cutleaf Geranium
	<i>Geranium molle</i>	Dovefoot Geranium
	<i>Geranium retrorsum</i>	New Zealand Geranium
	<i>Geranium richardsonii</i>	Richardson's Geranium
Haloragaceae		<b>Gooseberry Family</b>
	<i>Ribes cereum</i> var. <i>cereum</i>	Wax Currant
	<i>Ribes inerme</i> var. <i>inerme</i>	White-Stemmed Gooseberry
	<i>Ribes lasianthum</i>	Alpine Gooseberry
	<i>Ribes montigenum</i>	Mountain Gooseberry
	<i>Ribes nevadense</i>	Mountain Pink Currant
	<i>Ribes roezlii</i> var. <i>roezlii</i>	Sierra Gooseberry
	<i>Ribes velutinum</i>	Desert Gooseberry
Hippocastanaceae	<i>Ribes viscosissimum</i>	Sticky Currant
		<b>Water-Milfoil Family</b>
Hydrophyllaceae	<i>Myriophyllum sibiricum</i>	Siberian Water-Milfoil
	<i>Myriophyllum spicatum</i>	Eurasian Milfoil
Hippocastanaceae		<b>Buckeye Family</b>
	<i>Aesculus californica</i>	California Buckeye
Hydrophyllaceae		<b>Waterleaf Family</b>
	<i>Draperia systyla</i>	Draperia
	<i>Eriodictyon californicum</i>	Yerba Santa
	<i>Hesperochiron californicus</i>	California Hesperochiron
	<i>Hesperochiron pumilus</i>	Dwarf Hesperochiron
	<i>Hydrophyllum capitatum</i> var. <i>alpinum</i>	Woolen-Breeches
	<i>Hydrophyllum occidentale</i>	Wild Heliotrope, California Waterleaf
	<i>Nama densum</i>	Purple Mat
	<i>Nama lobbii</i>	Lobb's Nama

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Nemophila heterophylla</i>	White Nemophila
	<i>Nemophila maculata</i>	Fivespot
	<i>Nemophila menziesii</i>	Baby Blue Eyes
	<i>Nemophila parviflora</i> var. <i>austinae</i>	Small-Flowered Nemophila
	<i>Nemophila pedunculata</i>	Meadow Nemophila
	<i>Nemophila spatulata</i>	Sierra Nemophila
	<i>Phacelia cicutaria</i> var. <i>cicutaria</i>	Caterpillar Phacelia
	<i>Phacelia egena</i>	Rock Phacelia
	<i>Phacelia hastata</i>	Silverleaf Phacelia
	<i>Phacelia hastata</i> ssp. <i>compacta</i>	Timberline Phacelia
	<i>Phacelia hastata</i> ssp. <i>hastata</i>	Mountain Phacelia
	<i>Phacelia heterophylla</i> ssp. <i>virgata</i>	Varyleaf Phacelia
	<i>Phacelia humilis</i>	Low Phacelia
	<i>Phacelia hydrophyloides</i>	Waterleaf Phacelia
	<i>Phacelia imbricata</i> ssp. <i>imbricata</i>	Imbricate Phacelia
	<i>Phacelia marcesens</i>	Persistentflower Phacelia
	<i>Phacelia mutabilis</i>	Changeable Phacelia
	<i>Phacelia procera</i>	Tall Phacelia
	<i>Phacelia racemosa</i>	Racemose Phacelia
	<i>Phacelia ramosissima</i> var. <i>eremophila</i>	Branched Phacelia
	<i>Phacelia ramosissima</i> var. <i>subglabra</i>	Branching Phacelia
	<i>Phacelia stebbinsii</i>	Stebbins' Phacelia
	<i>Phacelia vallicola</i>	Mariposa Phacelia
Hypericaceae		<b>St. John's Wort Family</b>
	<i>Hypericum anagalloides</i>	Tinker's Penny
	<i>Hypericum concinnum</i>	Gold Wire
	<i>Hypericum formosum</i> var. <i>scouleri</i>	Scouler's St Johnswort
	<i>Hypericum perforatum</i>	Klamath Weed
Lamiaceae		<b>Mint Family</b>
	<i>Agastache urticifolia</i>	Horse-Mint
	<i>Lamium amplexicaule</i>	Giraffe Head
	<i>Lepechinia calycina</i>	Pitcher Sage
	<i>Lycopus americanus</i>	American Water Horehound
	<i>Marrubium vulgare</i>	Horehound
	<i>Melissa officinalis</i>	Bee Balm
	<i>Mentha arvensis</i>	Field Mint
	<i>Mentha pulegium</i>	Pennyroyal
	<i>Mentha spicata</i> var. <i>spicata</i>	Spearmint
	<i>Mentha x piperata</i>	Peppermint
	<i>Monardella follettii</i>	Follett's Monardella
	<i>Monardella glauca</i>	Pale Monardella
	<i>Monardella lanceolata</i>	Mustang Mint
	<i>Monardella odoratissima</i> ssp. <i>odoratissima</i>	Western Pennyroyal
	<i>Monardella odoratissima</i> ssp. <i>pallida</i>	Pallid Mountain Monardella
	<i>Monardella sheltonii</i>	Shelton's Monardella
	<i>Monardella villosa</i>	Coyote Mint
	<i>Monardella viridis</i>	Green Monardella
	<i>Pogogyne serpylloides</i>	Thyme-Leaf Mesa Mint
	<i>Prunella vulgaris</i> ssp. <i>lanceolata</i>	Lance-Leaf Self-Heal
	<i>Prunella vulgaris</i> var. <i>vulgaris</i>	Self-Heal
	<i>Pycnanthemum californicum</i>	Mountain Mint

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Salvia sonomensis</i>	Sonoma Sage
	<i>Scutellaria antirrhinoides</i>	Snapdragon Skullcap
	<i>Scutellaria californica</i>	California Skullcap
	<i>Scutellaria galericulata</i>	Marsh Skullcap
	<i>Scutellaria siphocampyloides</i>	Grayleaf Skullcap
	<i>Scutellaria tuberosa</i>	Common Skullcap
	<i>Stachys albens</i>	Whitestem Hedge Nettle
	<i>Stachys ajugoides</i> var. <i>rigida</i>	Rigid Hedge Nettle
	<i>Trichostema lanceolatum</i>	Vinegar Weed
	<i>Trichostema oblongum</i>	Mountain Bluecurls
	<i>Trichostema simulatum</i>	Siskiyou Blue Curls
<b>Lauraceae</b>		<b>Laurel Family</b>
	<i>Umbellaria californica</i>	California Bay Tree
<b>Lentibulariaceae</b>		<b>Bladderwort Family</b>
	<i>Utricularia gibba</i>	Humped Bladderwort
	<i>Utricularia minor</i>	Lesser Bladderwort
	<i>Utricularia vulgaris</i>	Common Bladderwort
<b>Limnanthaceae</b>		<b>Meadowfoam Family</b>
	<i>Floerkea proserpinacoides</i>	False Mermaid
	<i>Limnanthes alba</i> ssp. <i>alba</i>	Meadowfoam
	<i>Limnanthes alba</i> ssp. <i>versicolor</i>	White Meadowfoam
<b>Linaceae</b>		<b>Flax Family</b>
	<i>Hesperolinon micranthum</i>	Smallflower Dwarf-Flax
	<i>Linum lewisii</i> var. <i>alpicola</i>	Alpine Lewis' Flax
<b>Loasaceae</b>		<b>Loasa Family</b>
	<i>Mentzelia albicaulis</i>	White-Stemmed Stickleaf
	<i>Mentzelia dispersa</i>	Nada Stickleaf
	<i>Mentzelia laevicaulis</i>	Giant Blazing Star
	<i>Mentzelia montana</i>	Mountain Blazing Star
	<i>Mentzelia veatchiana</i>	Veatch's Blazing Star
<b>Lythraceae</b>		<b>Loosestrife Family</b>
	<i>Lythrum hyssopifolium</i>	Hyssop Loosestrife
	<i>Lythrum portula</i>	Broad-Leaved Loosestrife
	<i>Lythrum salicaria</i>	Purple Loosestrife
<b>Malvaceae</b>		<b>Mallow Family</b>
	<i>Malva neglecta</i>	Common Mallow
	<i>Malva parviflora</i>	Cheeseweed, Little Mallow
	<i>Sidalcea glaucescens</i>	Glaucous Checker-Mallow
	<i>Sidalcea hartwegii</i>	Hartweg's Checkerbloom
	<i>Sidalcea malvaeflora</i> ssp. <i>asprella</i>	Harsh Checker-Mallow
	<i>Sidalcea oregana</i> ssp. <i>spicata</i>	Oregon Checker Mallow
	<i>Sidalcea stipularis</i>	Scadden Flat Checkerbloom
<b>Martyniaceae</b>		<b>Unicorn-Plant Family</b>
	<i>Proboscidea lutea</i>	Yellow Devil's Claw
<b>Menyanthaceae</b>		<b>Buckbean Family</b>
	<i>Menyanthes trifoliata</i>	Bogbean
<b>Molluginaceae</b>		<b>Carpet-Weed Family</b>
	<i>Mollugo verticillata</i>	Green Carpetweed
<b>Moraceae</b>		<b>Mulberry Family</b>
	<i>Ficus carica</i>	Common Fig

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
Nymphaeaceae	<i>Morus alba</i>	White Mulberry
	<i>Nuphar luteum ssp. polysepalum</i>	<b>Waterlily Family</b> Cow Lily, Yellow Pond-Lily
Oleaceae	<i>Fraxinus dipetala</i>	<b>Olive Family</b> Foothill Ash
	<i>Fraxinus latifolia</i>	Oregon Ash
	<i>Olea europaea</i>	Olive
Onagraceae	<i>Camissonia andina</i>	<b>Evening-Primrose Family</b> Sundrops Evening-Primrose
	<i>Camissonia subacaulis</i>	Long-Leaved Suncup
	<i>Camissonia tanacetifolia</i>	Tansyleaf Evening-Primrose
	<i>Circaea alpina ssp. pacifica</i>	Enchanter's Nightshade
	<i>Clarkia biloba ssp. biloba</i>	Two-Lobed Clarkia
	<i>Clarkia biloba ssp. brandegeae</i>	Brandegee's Clarkia
	<i>Clarkia gracilis ssp. gracilis</i>	Summers Darling, Graceful Clarkia
	<i>Clarkia heterandra</i>	Mountain Clarkia
	<i>Clarkia purpurea ssp. quadrivulnera</i>	Winecup Clarkia
	<i>Clarkia purpurea ssp. viminea</i>	Purple Clarkia
	<i>Clarkia rhomboidea</i>	Tongue Clarkia
	<i>Clarkia unguiculata</i>	Elegant Clarkia
	<i>Clarkia williamsonii</i>	Fort Miller Clarkia
	<i>Epilobium anagallidifolium</i>	Pimpernel Willow Herb
	<i>Epilobium angustifolium ssp. circumvagum</i>	Fireweed
	<i>Epilobium brachycarpum</i>	Panicled Willow Herb
	<i>Epilobium canum ssp. latifolium</i>	California Fuchsia
	<i>Epilobium ciliatum ssp. ciliatum</i>	Fringed Willow Herb
	<i>Epilobium ciliatum ssp. glandulosum</i>	Glandular Willow Herb
	<i>Epilobium densiflorum</i>	Denseflower Willow Herb
	<i>Epilobium glaberrimum ssp. fastigiatum</i>	Glaucous Willow Herb
	<i>Epilobium halleanum</i>	Slender Willow Herb
	<i>Epilobium hornemannii ssp. hornemannii</i>	Hornemann's Willow Herb
	<i>Epilobium lactiflorum</i>	Milkflower Willowherb
	<i>Epilobium minutum</i>	Minute Willow Herb
	<i>Epilobium obcordatum</i>	Rockfringe
	<i>Epilobium oregonense</i>	Oregon Willow Herb
	<i>Epilobium oreganum</i>	Oregon Fireweed
	<i>Epilobium pygmaeum</i>	Smooth Spike-Primrose
	<i>Epilobium torreyi</i>	Narrow-Leaved Willowherb
	<i>Gayophytum decipiens</i>	Deceptive Groundsmoke
	<i>Gayophytum diffusum ssp. parviflorum</i>	Spreading Groundsmoke
	<i>Gayophytum heterozygum</i>	Zig-Zag Groundsmoke
	<i>Gayophytum humile</i>	Dwarf Groundsmoke
	<i>Gayophytum racemosum</i>	Blackfoot Groundsmoke
	<i>Gayophytum ramosissimum</i>	Pinyon Groundsmoke
	<i>Ludwigia palustris</i>	Marsh Purslane
<i>Ludwigia peploides</i>	Floating Water-Primrose	
<i>Oenothera caespitosa ssp. marginata</i>	White Desert-Primrose	
<i>Oenothera elata ssp. hookeri</i>	Common Evening Primrose	
<i>Oenothera villosa ssp. strigosa</i>	Hairy Evening Primrose	
Orobanchaceae		<b>Broom-Rape Family</b>
	<i>Boschniakia strobilacea</i>	California Groundcone

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Orobanche californica ssp. grayana</i>	Gray's Broomrape
	<i>Orobanche californica ssp. jepsonii</i>	Jepson's California Broomrape
	<i>Orobanche corymbosa</i>	Flat-Topped Broomrape
	<i>Orobanche fasciculata</i>	Clustered Broomrape
	<i>Orobanche uniflora</i>	Naked Broomrape
<b>Oxalidaceae</b>		<b>Oxalis Family</b>
	<i>Oxalis corniculata</i>	Creeping Oxalis, Creeping Wood-Sorrel
	<i>Oxalis laxa</i>	Dwarf Woodsorrel
<b>Paeoniaceae</b>		<b>Peony Family</b>
	<i>Paeonia brownii</i>	Western Peony
<b>Papaveraceae</b>		<b>Poppy Family</b>
	<i>Argemone munita</i>	Prickly Poppy, Chicalote
	<i>Corydalis caseana ssp. caseana</i>	Sierra Corydalis, Sierra Fumewort
	<i>Dendromecon rigida</i>	Bush Poppy
	<i>Dicentra formosa</i>	Pacific Bleeding Heart
	<i>Dicentra uniflora</i>	Steer's Head
	<i>Eschscholzia caespitosa</i>	Tufted Poppy
	<i>Eschscholzia californica</i>	California Poppy
	<i>Eschscholzia lobbii</i>	Frying Pans
	<i>Platystemon californicus</i>	Cream Cups
<b>Philadelphaceae</b>		<b>Mock Orange Family</b>
	<i>Philadelphus lewisii</i>	Wild Mock Orange
<b>Phytolaccaceae</b>		<b>Pokeweed Family</b>
	<i>Phytolacca americana</i>	Pokeweed
<b>Plantaginaceae</b>		<b>Plantain Family</b>
	<i>Plantago coronopus</i>	Cut-Leaf Plantain
	<i>Plantago erecta</i>	California Plantain
	<i>Plantago lanceolata</i>	English Plantain
	<i>Plantago major</i>	Common Plantain
<b>Polemoniaceae</b>		<b>Phlox Family</b>
	<i>Allophyllum divaricatum</i>	Purple False-Gilia
	<i>Allophyllum gilioides ssp. gilioides</i>	Dense False-Gilia
	<i>Allophyllum gilioides ssp. violaceum</i>	Violet Dense False-Gilia
	<i>Allophyllum integrifolium</i>	False-Gilia
	<i>Collomia grandiflora</i>	Largeflower Collomia
	<i>Collomia heterophylla</i>	Varied-Leaf Collomia
	<i>Collomia linearis</i>	Tiny Trumpet
	<i>Collomia tinctoria</i>	Staining Collomia
	<i>Eriastrum wilcoxii</i>	Wilcox's Woollystar
	<i>Gilia capillaris</i>	Miniature Gilia
	<i>Gilia capitata ssp. capitata</i>	Bluehead Gilia
	<i>Gilia capitata ssp. medio-montana</i>	Foothill Gilia
	<i>Gilia capitata ssp. pedemontana</i>	Blue Field-Gilia
	<i>Gilia capitata ssp. staminea</i>	Globe Gilia
	<i>Gilia leptalea ssp. bicolor</i>	Purple-Throat Gilia
	<i>Gilia leptalea ssp. leptalea</i>	Bridges' Gilia
	<i>Gilia tricolor ssp. diffusa</i>	Bird's-Eye Gilia
	<i>Gymnosteris parvula</i>	Smallflower Gymnosteris
	<i>Ipomopsis aggregata</i>	Scarlet Gilia, Skyrocket
	<i>Ipomopsis congesta</i>	Ballhead Ipomopsis
	<i>Ipomopsis tenuituba</i>	Slendertube Skyrocket

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Leptodactylon pungens</i>	Prickly Phlox
	<i>Linanthus bicolor</i>	Bicolor Linanthus
	<i>Linanthus ciliatus</i>	Whisker Brush
	<i>Linanthus filipes</i>	Filiform Linanthus
	<i>Linanthus harknessii</i>	Harkness Linanthus
	<i>Linanthus liniflorus</i>	Narrowflower Flaxflower
	<i>Linanthus pygmaeus ssp. continentalis</i>	Pygmy Linanthus
	<i>Navarretia breweri</i>	Brewer's Navarretia
	<i>Navarretia divaricata ssp. divaricata</i>	Divericate Navarretia
	<i>Navarretia divaricata ssp. vividior</i>	Mountain Navarretia
	<i>Navarretia filicaulis</i>	Thin-Stemmed Navarretia
	<i>Navarretia intertextata ssp. intertextata</i>	Needleleaf Navarretia
	<i>Navarretia intertextata ssp. propinqua</i>	Great Basin Navarretia
	<i>Navarretia leucocephala ssp. minima</i>	Little White Navarretia
	<i>Navarretia prolifera</i>	Burr Pincushionplant
	<i>Navarretia pubescens</i>	Downy Pincushionplant
	<i>Navarretia subuligera</i>	Awl-Leaf Pincushionplant
	<i>Navarretia tagetina</i>	Marigold Navaretia
	<i>Phlox austromontana</i>	Mountain Phlox
	<i>Phlox diffusa</i>	Spreading Phlox
	<i>Phlox gracilis</i>	Slender Phlox
	<i>Phlox speciosa ssp. occidentalis</i>	Showy Phlox
	<i>Polemonium californicum</i>	Jacob's Ladder, California Polemonium
	<i>Polemonium occidentale</i>	Western Polemonium
	<i>Polemonium pulcherrimum var. pulcherrimum</i>	Sky Pilot
<b>Polygalaceae</b>		<b>Milkwort Family</b>
	<i>Polygala cornuta var. cornuta</i>	Sierra Milkwort
<b>Polygonaceae</b>		<b>Buckwheat Family</b>
	<i>Chorizanthe membranacea</i>	Pink Spineflower
	<i>Chorizanthe polygonoides var. polygonoides</i>	Knotweed Spineflower
	<i>Eriogonum baileyi var. baileyi</i>	Bailey's Buckwheat
	<i>Eriogonum baileyi var. praebens</i>	Bailey's Buckwheat
	<i>Eriogonum cernuum</i>	Nodding Buckwheat
	<i>Eriogonum douglasii var. douglasii</i>	Douglas' Buckwheat
	<i>Eriogonum elatum</i>	Tall Buckwheat
	<i>Eriogonum elatum var. villosum</i>	Tall Woolly Buckwheat
	<i>Eriogonum incanum</i>	Frosted Buckwheat
	<i>Eriogonum lobbii var. lobbii</i>	Lobb's Buckwheat
	<i>Eriogonum luteolum var. luteolum</i>	Goldencarpet Buckwheat
	<i>Eriogonum marifolium</i>	Marumleaf Buckwheat
	<i>Eriogonum microthecum var. ambiguum</i>	Obscure Buckwheat
	<i>Eriogonum nudum var. deductum</i>	Naked Buckwheat
	<i>Eriogonum nudum var. nudum</i>	Naked-Stemmed Eriogonum
	<i>Eriogonum nudum var. oblongifolium</i>	Oblong-Leaved Buckwheat
	<i>Eriogonum nudum var. pubiflorum</i>	Hairy-Flowered Buckwheat
	<i>Eriogonum ovalifolium var. nivale</i>	Cushion Buckwheat
	<i>Eriogonum prattenianum var. prattenianum</i>	Nevada City Buckwheat
	<i>Eriogonum roseum</i>	Wand Buckwheat
	<i>Eriogonum spergulinum var. reddingianum</i>	Redding Buckwheat
	<i>Eriogonum spergulinum var. spergulinum</i>	Spurry Buckwheat
	<i>Eriogonum strictum var. proliferum</i>	Blue Mountain Buckwheat

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Eriogonum umbellatum</i> var. <i>covillei</i>	Sulphur-Flower Buckwheat
	<i>Eriogonum umbellatum</i> var. <i>polyanthum</i>	Many-Flowered Sulfur Buckwheat
	<i>Eriogonum umbellatum</i> var. <i>furcosum</i>	Desert Sulphur Buckwheat
	<i>Eriogonum umbellatum</i> var. <i>nevadense</i>	Nevada Buckwheat
	<i>Eriogonum umbellatum</i> var. <i>torreyanum</i>	Donner Pass Buckwheat
	<i>Eriogonum ursinum</i>	Bear Valley Buckwheat
	<i>Eriogonum vimineum</i>	Wicker Buckwheat
	<i>Eriogonum wrightii</i> ssp. <i>subscaposum</i>	Wright's Buckwheat
	<i>Eriogonum wrightii</i> ssp. <i>trachygonum</i>	Bastardsage
	<i>Oxyria digyna</i>	Mountain Sorrel
	<i>Polygonum amphibium</i> var. <i>stipulaceum</i>	Water Smartweed, Swamp Knotweed
	<i>Polygonum arenastrum</i>	Common Knotweed
	<i>Polygonum bistortoides</i>	Western Bistort
	<i>Polygonum californicum</i>	California Knotweed
	<i>Polygonum cuspidatum</i>	Japanese Knotweed
	<i>Polygonum davisiae</i>	Davis' Knotweed
	<i>Polygonum douglasii</i> ssp. <i>douglasii</i>	Douglas' Knotweed
	<i>Polygonum douglasii</i> ssp. <i>majus</i>	Large Douglas' Knotweed
	<i>Polygonum douglasii</i> ssp. <i>spergulariiforme</i>	Scatter Knotweed
	<i>Polygonum hydropiper</i>	Marsh Pepper
	<i>Polygonum lapathifolium</i>	Willow Weed
	<i>Polygonum minimum</i>	Leafy Dwarf Knotweed
	<i>Polygonum parryi</i>	Parry's Knotweed
	<i>Polygonum persicaria</i>	Lady's Thumb
	<i>Polygonum phytolaccifolium</i>	Alpine Knotweed
	<i>Polygonum polygaloides</i> ssp. <i>confertiflorum</i>	Dense Knotweed
	<i>Polygonum polygaloides</i> ssp. <i>kelloggii</i>	Kellogg's Knotweed
	<i>Polygonum punctatum</i>	Water Smartweed
	<i>Polygonum sachalinense</i>	Giant Knotweed
	<i>Polygonum shastense</i>	Shasta Knotweed
	<i>Pterostegia drymarioides</i>	Pterostegia, Fairy Mist
	<i>Rumex acetosella</i>	Sheep Sorrel
	<i>Rumex conglomeratus</i>	Green Dock
	<i>Rumex crispus</i>	Curly Dock
	<i>Rumex obtusifolius</i>	Bitter Dock
	<i>Rumex paucifolius</i>	Alpine Sheep Sorrel
	<i>Rumex pulcher</i>	Fiddle Dock
	<i>Rumex salicifolius</i> var. <i>salicifolius</i>	Willow-Leaved Dock
	<i>Rumex salicifolius</i> var. <i>transitorius</i>	Willow Dock
	<i>Rumex salicifolius</i> var. <i>triangulivalvis</i>	Triangular-Fruited Dock
<b>Portulacaceae</b>		<b>Purslane Family</b>
	<i>Calandrinia ciliata</i>	Red Maids
	<i>Calyptridium monospermum</i>	One-Seeded Pussypaws
	<i>Calyptridium umbellatum</i>	Pussy Paws
	<i>Claytonia lanceolata</i>	Western Spring Beauty
	<i>Claytonia megarhiza</i>	Fell-Fields Claytonia
	<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	Utah Miner's Lettuce
	<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	Miner's Lettuce
	<i>Claytonia rubra</i> ssp. <i>depressa</i>	Redstem Spring Beauty
	<i>Claytonia rubra</i> ssp. <i>rubra</i>	Red-Stemmed Miner's Lettuce
	<i>Lewisia cantelovii</i>	Cantelow's Lewisia, Wet-Cliff Lewisia

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Lewisia longipetala</i>	Long-Petaled Lewisia
	<i>Lewisia nevadensis</i>	Sierra Lewisia
	<i>Lewisia pygmaea</i>	Pygmy Bitter Root
	<i>Lewisia triphylla</i>	Threeleaf Lewisia
	<i>Montia chamissoi</i>	Toad Lily
	<i>Montia fontana</i>	Water Montia, Water Chickweed
	<i>Montia linearis</i>	Linear-Leaved Montia
	<i>Montia parvifolia</i>	Littleleaf Miner's Lettuce
	<i>Portulaca oleracea</i>	Common Purslane
<b>Primulaceae</b>		<b>Primrose Family</b>
	<i>Anagallis arvensis</i>	Scarlet Pimpernel
	<i>Centunculus minimus</i>	Chaffweed
	<i>Dodecatheon alpinum</i>	Alpine Shooting Star
	<i>Dodecatheon hendersonii</i>	Foothill Shooting Star
	<i>Dodecatheon jeffreyi</i>	Sierra Shooting Star
	<i>Primula suffrutescens</i>	Sierra Primrose
	<i>Trientalis latifolia</i>	Western Star Flower
<b>Ranunculaceae</b>		<b>Buttercup Family</b>
	<i>Aconitum columbianum</i>	Monkshood
	<i>Actaea rubra</i>	Red Baneberry
	<i>Anenome drummondii</i>	Drummond's Anenome
	<i>Anenome occidentalis</i>	Western Pasque Flower
	<i>Aquilegia formosa</i>	Western Columbine
	<i>Caltha leptosepala</i> var. <i>biflora</i>	Marsh Marigold
	<i>Clematis lasiantha</i>	Chaparral Clematis, Pipestem
	<i>Delphinium depauperatum</i>	Dwarf Larkspur
	<i>Delphinium glaucum</i>	Sierra Larkspur
	<i>Delphinium gracilentum</i>	Pine Forest Larkspur
	<i>Delphinium hansenii</i> ssp. <i>hansenii</i>	Hansen's Larkspur
	<i>Delphinium nutallianum</i>	Meadow Larkspur
	<i>Delphinium patens</i>	Spreading Larkspur
	<i>Delphinium variegatum</i> ssp. <i>variegatum</i>	Royal Larkspur
	<i>Isopyrum occidentale</i>	Western False Rue Anemone
	<i>Kumlienia hystricula</i>	Waterfall False Buttercup
	<i>Myosurus apetalus</i>	Bristly Mousetail
	<i>Ranunculus acris</i>	Blister Buttercup, Acrid Buttercup
	<i>Ranunculus alismifolius</i> var. <i>alismifolius</i>	Plantainleaf Buttercup
	<i>Ranunculus alismifolius</i> var. <i>alismellus</i>	Small Water-Plantain Buttercup
	<i>Ranunculus aquatilis</i> var. <i>capillaceus</i>	Water Buttercup
	<i>Ranunculus aquatilis</i> var. <i>hispidulus</i>	Water Buttercup
	<i>Ranunculus arvensis</i>	Corn Buttercup
	<i>Ranunculus californicus</i>	California Buttercup
	<i>Ranunculus cymbalaria</i> var. <i>saximontanus</i>	Rocky Mountain Buttercup
	<i>Ranunculus eschscholtzii</i> var. <i>oxynotus</i>	Alpine Buttercup
	<i>Ranunculus flammula</i>	Crowfoot, Creeping Buttercup
	<i>Ranunculus glaberrimus</i> var. <i>ellipticus</i>	Sagebrush Buttercup
	<i>Ranunculus hebecarpus</i>	Downy Buttercup
	<i>Ranunculus muricatus</i>	Pricklefruit Buttercup
	<i>Ranunculus occidentalis</i>	Western Buttercup
	<i>Ranunculus orthorhyncus</i> var. <i>orthorhyncus</i>	Birdsfoot Buttercup
	<i>Ranunculus repens</i>	Creeping Buttercup



<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Ranunculus testiculatus</i>	Male Buttercup, Tubercled Crowfoot
	<i>Ranunculus uncinatus</i>	Woodland Buttercup
	<i>Thalictrum fendleri</i> var. <i>fendleri</i>	Fendler's Meadow Rue
	<i>Thalictrum fendleri</i> var. <i>polycarpum</i>	Torrey's Meadow Rue
	<i>Thalictrum sparsiflorum</i>	Few-Flowered Meadow Rue
<b>Rhamnaceae</b>		<b>Buckthorn Family</b>
	<i>Ceanothus cordulatus</i>	Mountain Whitethorn
	<i>Ceanothus cuneatus</i> var. <i>cuneatus</i>	Buckbrush
	<i>Ceanothus diversifolius</i>	Pinemat
	<i>Ceanothus integerrimus</i>	Deerbrush
	<i>Ceanothus fresnensis</i>	Fresno Ceanothus
	<i>Ceanothus lemmonii</i>	Lemmon's Ceanothus
	<i>Ceanothus prostratus</i>	Mahala-Mats, Pinemat
	<i>Ceanothus velutinus</i>	Tobacco Brush
	<i>Rhamnus alnifolia</i>	Alderleaf Buckthorn
	<i>Rhamnus californica</i> ssp. <i>californica</i>	Spiny Redberry, California Coffeeberry
	<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry
	<i>Rhamnus purshiana</i>	Cascara Sagrada
	<i>Rhamnus rubra</i>	Sierra Coffeeberry
	<i>Rhamnus tomentella</i> ssp. <i>tomentella</i>	Hoary Coffeeberry
<b>Rosaceae</b>		<b>Rose Family</b>
	<i>Agrimonia gryposepala</i>	Common Agrimony
	<i>Amelanchier alnifolia</i> var. <i>pumila</i>	Glabrous Serviceberry
	<i>Amelanchier utahensis</i>	Pale-Leaved Serviceberry
	<i>Aphanes occidentalis</i>	Western Dewcup, Lady's Mantle
	<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birch-Leaf Mountain-Mahogany
	<i>Cercocarpus ledifolius</i> var. <i>intermontanus</i>	Curl-Leaf Mountain-Mahogany
	<i>Chamaebatia foliolosa</i>	Mountain Misery
	<i>Fragaria vesca</i>	Wood Strawberry
	<i>Fragaria virginiana</i>	Mountain Strawberry
	<i>Geum macrophyllum</i>	Largeleaf Avens
	<i>Geum triflorum</i>	Old Man's Whiskers
	<i>Heteromeles arbutifolia</i>	Toyon
	<i>Holodiscus discolor</i>	Cream Bush
	<i>Holodiscus microphyllus</i> var. <i>microphyllus</i>	Rock Spiraea, Little-Leaf Creambush
	<i>Horkelia fusca</i> ssp. <i>capitata</i>	Bighead Horkelia
	<i>Horkelia fusca</i> ssp. <i>parviflora</i>	Dusky Horkelia
	<i>Horkelia tridentata</i> ssp. <i>flavescens</i>	Threetooth Horkelia
	<i>Horkelia tridentata</i> ssp. <i>tridentata</i>	Three-Toothed Horkelia
	<i>Ivesia gordonii</i>	Gordon's Ivesia, Alpine Ivesia
	<i>Ivesia sericoleuca</i>	Plumas Ivesia
	<i>Malus sylvestris</i>	Common Apple
	<i>Physocarpus capitatus</i>	Ninebark
	<i>Potentilla biennis</i>	Biennial Cinquefoil
	<i>Potentilla drummondii</i> ssp. <i>breweri</i>	Brewer Cinquefoil
	<i>Potentilla drummondii</i> ssp. <i>bruceae</i>	Bruce's Cinquefoil
	<i>Potentilla drummondii</i> ssp. <i>drummondii</i>	Drummond Cinquefoil
	<i>Potentilla flabellifolia</i>	Fan-Leaved Cinquefoil
	<i>Potentilla fruticosa</i>	Shrubby Cinquefoil
	<i>Potentilla glandulosa</i> ssp. <i>ashlandica</i>	Mountain Cinquefoil
	<i>Potentilla glandulosa</i> ssp. <i>glandulosa</i>	Sticky Cinquefoil

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Potentilla glandulosa ssp. hansenii</i>	Hansen's Cinquefoil
	<i>Potentilla glandulosa ssp. nevadensis</i>	Nevada Cinquefoil
	<i>Potentilla gracilis ssp. fastigiata</i>	Fivefinger Cinquefoil
	<i>Potentilla millefolia</i>	Cutleaf Cinquefoil
	<i>Potentilla palustris</i>	Marsh Cinquefoil
	<i>Potentilla rivalis</i>	Brook Cinquefoil
	<i>Prunus andersonii</i>	Desert Peach
	<i>Prunus emarginata</i>	Bitter Cherry
	<i>Prunus subcordata</i>	Sierra Plum
	<i>Prunus virginiana var. demissa</i>	Western Chokecherry
	<i>Purshia tridentata var. tridentata</i>	Antelope Bush, Bitter Brush
	<i>Rosa bridgesii</i>	Pygmy Rose
	<i>Rosa californica</i>	California Wild Rose
	<i>Rosa canina</i>	Dog Rose
	<i>Rosa gymnocarpa</i>	Wood Rose
	<i>Rosa pinetorum</i>	Pine Rose
	<i>Rosa pisocarpa</i>	Cluster Rose
	<i>Rosa woodsii var. ultramontana</i>	Interior Rose
	<i>Rubus discolor</i>	Himalayan Blackberry
	<i>Rubus glaucifolius</i>	Raspberry
	<i>Rubus laciniatus</i>	Cutleaf Blackberry
	<i>Rubus leucodermis</i>	Blackcap Raspberry
	<i>Rubus parviflorus</i>	Thimbleberry
	<i>Sanguisorba minor ssp. muricata</i>	Garden Burnet
	<i>Sanguisorba occidentalis</i>	Western Burnett
	<i>Sibbaldia procumbens</i>	Creeping Sibbaldia
	<i>Sorbus californica</i>	California Mountain Ash
	<i>Sorbus scopulina var. scopulina</i>	Green's Mountain Ash
	<i>Spiraea densiflora</i>	Mountain Spiraea
	<i>Spiraea douglasii</i>	Douglas Spiraea
<b>Rubiaceae</b>		<b>Madder Family</b>
	<i>Cephalanthus occidentalis var. californicus</i>	Buttonwillow, California Buttonbush
	<i>Crucianella angustifolia</i>	Narrow-Leaved Crosswort
	<i>Galium ambiguum var. ambiguum</i>	Yolla Bolly Bedstraw
	<i>Galium aparine</i>	Goosegrass, Cleavers
	<i>Galium bifolium</i>	Low Mountain Bedstraw
	<i>Galium bolanderi</i>	Bolander's Bedstraw
	<i>Galium divaricatum</i>	Lamarck's Bedstraw
	<i>Galium grayanum</i>	Gray's Bedstraw
	<i>Galium mexicanum var. asperulum</i>	Mexican Bedstraw
	<i>Galium mollugo</i>	Hedge Bedstraw, Wild Madder
	<i>Galium munzii</i>	Munz's Bedstraw
	<i>Galium parisiense</i>	Wall Bedstraw
	<i>Galium porrigens var. tenue</i>	Climbing Bedstraw, Graceful Bedstraw
	<i>Galium sparsiflorum ssp. sparsiflorum</i>	Sequoia Bedstraw
	<i>Galium tricornutum</i>	Roughfruit Corn Bedstraw
	<i>Galium trifidum var. pacificum</i>	Pacific Bedstraw
	<i>Galium trifidum var. pusillum</i>	Small Bedstraw
	<i>Galium triflorum</i>	Sweet-Scented Bedstraw
	<i>Kelloggia galioides</i>	Kelloggia
	<i>Sherardia arvensis</i>	Blue Field Madder

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
Salicaceae	<i>Populus alba</i>	<b>Willow Family</b> White Poplar
	<i>Populus balsamifera ssp. trichocarpa</i>	Black Cottonwood
	<i>Populus fremontii ssp. fremontii</i>	Fremont Cottonwood
	<i>Populus tremuloides</i>	Quaking Aspen
	<i>Salix arctica</i>	Arctic Willow, Alpine Willow
	<i>Salix eastwoodiae</i>	Sierra Willow, Mountain Willow
	<i>Salix exigua</i>	Narrowleaf Willow, Sandbar Willow
	<i>Salix geyeriana</i>	Geyer Willow
	<i>Salix gooddingii</i>	Gooding's Willow
	<i>Salix jepsonii</i>	Jepson Willow
	<i>Salix laevigata</i>	Red Willow
	<i>Salix lasiolepis</i>	Arroyo Willow
	<i>Salix lemmonii</i>	Lemmon's Willow
	<i>Salix lucida ssp. lasiandra</i>	Shining Willow
	<i>Salix lutea</i>	Yellow Willow
	<i>Salix melanopsis</i>	Dusky Willow
	<i>Salix orestera</i>	Grayleaf Sierra Willow
	<i>Salix scouleriana</i>	Scouler Willow
	Sarraceniaceae	
<i>Darlingtonia californica</i>	Cobra Lily, California Pitcherplant	
Saxifragaceae		<b>Saxifrage Family</b>
	<i>Boykinia major</i>	Mountain Brookfoam, Stream Boykinia
	<i>Boykinia occidentalis</i>	Brook Foam
	<i>Darmera peltata</i>	Indian Rhubarb
	<i>Heuchera micrantha</i>	Crevice Heuchera, Alum Root
	<i>Heuchera rubescens var. glandulosa</i>	Jack O' The Rocks, Pink Alumroot
	<i>Lithophragma bolanderi</i>	Bolander Woodland Star
	<i>Lithophragma glabrum</i>	Bulbous Woodland Star
	<i>Lithophragma heterophyllum</i>	Woodland Star
	<i>Lithophragma parviflorum var. trifoliatum</i>	Prairie Woodland Star
	<i>Mitella breweri</i>	Brewer Bishop's Cap
	<i>Mitella pentandra</i>	Five-Point Bishop's Cap
	<i>Parnassia californica</i>	California Grass Of Parnassus
	<i>Parnassia fimbriata</i>	Fringed Grass Of Parnassus
	<i>Saxifraga aprica</i>	Sierra Saxifrage
	<i>Saxifraga bryophora</i>	Bud Saxifrage
	<i>Saxifraga californica</i>	California Saxifrage
	<i>Saxifraga integrifolia</i>	Wholeleaf Saxifrage
	<i>Saxifraga mertensiana</i>	Wood Saxifrage
	<i>Saxifraga nidifica var. nidifica</i>	Peak Saxifrage
<i>Saxifraga odontoloma</i>	Streambank Saxifrage	
<i>Saxifraga oregana</i>	Bog Saxifrage	
<i>Tellima grandiflora</i>	Fringe Cups	
Scrophulariaceae		<b>Figwort Family</b>
	<i>Antirrhinum leptaleum</i>	Spurred Snapdragon
	<i>Antirrhinum cornutum</i>	Spurred Snapdragon
	<i>Antirrhinum vexillo-calyculatum ssp. breweri</i>	Brewer's Sail-Flower Snapdragon
	<i>Bacopa rotundifolia</i>	Round-Leaf Water-Hyssop
<i>Castilleja affinis</i>	Indian Paintbrush	

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Castilleja ambigua</i>	Johnny Nip
	<i>Castilleja applegatei ssp. pinetorum</i>	Wavyleaf Indian Paintbrush
	<i>Castilleja attenuata</i>	Valley Tassels
	<i>Castilleja exserta ssp. exserta</i>	Purple Owl's Clover
	<i>Castilleja lacera</i>	Cut-Leaved Owl's Clover
	<i>Castilleja lemmonii</i>	Lemmon's Paintbrush
	<i>Castilleja miniata ssp. miniata</i>	Giant Red Indian Paintbrush
	<i>Castilleja nana</i>	Dwarf Alpine-Paintbrush
	<i>Castilleja pilosa</i>	Parrothead Indian Paintbrush
	<i>Castilleja pruinosa</i>	Frosted Paintbrush
	<i>Castilleja tenuis</i>	Hairy Owl's Clover
	<i>Collinsia heterophylla</i>	Chinese Houses
	<i>Collinsia linearis</i>	Narrowleaf Blue-Eyed Mary
	<i>Collinsia parviflora</i>	Blue-Eyed Mary
	<i>Collinsia sparsiflora var. collina</i>	Spinster's Blue-Eyed Mary
	<i>Collinsia sparsiflora var. sparsiflora</i>	Few-Flowered Collinsia
	<i>Collinsia tinctoria</i>	Sticky Chinese Houses
	<i>Collinsia torreyi var. torreyi</i>	Torrey's Blue-Eyed Mary
	<i>Collinsia torreyi var. wrightii</i>	Wright's Blue-Eyed Mary
	<i>Cordylanthus pilosus ssp. hansenii</i>	Hansen's Bird's Beak
	<i>Cordylanthus pilosus ssp. trifidus</i>	Hairy Bird's Beak
	<i>Cordylanthus tenuis ssp. tenuis</i>	Slender Bird's Beak
	<i>Digitalis purpurea</i>	Purple Foxglove
	<i>Gratiola ebracteata</i>	Bractless Hedge Hyssop
	<i>Gratiola neglecta</i>	Clammy Hedge-Hyssop
	<i>Keckiella breviflora</i>	Gaping Keckiella, Bush Beardtongue
	<i>Keckiella lemmonii</i>	Lemmon Beardtongue
	<i>Kickxia elatine</i>	Sharpleaf Cancerwort
	<i>Kickxia spuria</i>	Roundleaf Cancerwort
	<i>Limosella aquatica</i>	Water Mudwort
	<i>Linaria genistifolia ssp. dalmatica</i>	Dalmatian Toad-Flax
	<i>Lindernia dubia var. anagallidea</i>	False Pimpernel
	<i>Lindernia dubia var. dubia</i>	Yellowseed False Pimpernel
	<i>Mimulus angustatus</i>	Narrowleaf Monkeyflower
	<i>Mimulus aurantiacus</i>	Bush Lupine
	<i>Mimulus bicolor</i>	Yellow & White Monkeyflower
	<i>Mimulus breviflorus</i>	Shortflower Monkeyflower
	<i>Mimulus breweri</i>	Brewer Monkeyflower
	<i>Mimulus cardinalis</i>	Cardinal Monkeyflower
	<i>Mimulus floribundus</i>	Long-Flowering Monkeyflower
	<i>Mimulus guttatus</i>	Seepspring Monkeyflower
	<i>Mimulus jepsonii</i>	Jepson's Monkeyflower
	<i>Mimulus kelloggii</i>	Kellogg Monkeyflower
	<i>Mimulus layneae</i>	Layne Monkeyflower
	<i>Mimulus leptaleus</i>	Sierra Monkeyflower
	<i>Mimulus lewisii</i>	Lewis Monkeyflower
	<i>Mimulus mephiticus</i>	Skunky Monkeyflower
	<i>Mimulus moschatus</i>	Musk Monkeyflower
	<i>Mimulus nanus</i>	Dwarf Monkeyflower
	<i>Mimulus pilosus</i>	Downy Monkeyflower
	<i>Mimulus primuloides ssp. primuloides</i>	Primrose Monkeyflower

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
	<i>Mimulus pulsiferae</i>	Candlelabrum Monkeyflower
	<i>Mimulus rubellus</i>	Little Red Stem Monkeyflower
	<i>Mimulus suksdorfii</i>	Suksdorf's Monkeyflower
	<i>Mimulus tilingii</i>	Mountain Monkeyflower
	<i>Mimulus torreyi</i>	Torrey's Monkeyflower
	<i>Orthocarpus cuspidatus ssp. cryptanthus</i>	Short-Flowered Owl's-Clover
	<i>Pedicularis attollens</i>	Little Elephantshead
	<i>Pedicularis densiflora</i>	Indian Warrior
	<i>Pedicularis groenlandica</i>	Elephant Heads
	<i>Pedicularis racemosa</i>	Leafy Lousewort
	<i>Pedicularis semibarbata</i>	Dwarf Lousewort
	<i>Penstemon azureus ssp. azureus</i>	Azure Penstemon
	<i>Penstemon azureus ssp. angustissimus</i>	Azure Penstemon
	<i>Penstemon deustus var. pedicellatus</i>	Hot-Rock Penstemon
	<i>Penstemon gracilentus</i>	Slender Beardtongue
	<i>Penstemon heterodoxus</i>	Sierra Penstemon
	<i>Penstemon heterophyllus var. purdyi</i>	Purdy's Foothill Penstemon
	<i>Penstemon laetus var. laetus</i>	Gay Penstemon
	<i>Penstemon laetus var. leptosepalus</i>	Mountain Blue Penstemon
	<i>Penstemon newberryi var. newberryi</i>	Mountain Pride
	<i>Penstemon roezlii</i>	Regel's Mountain Penstemon
	<i>Penstemon rydbergii var. oreocharis</i>	Meadow Penstemon
	<i>Penstemon speciosus</i>	Showy Penstemon
	<i>Scrophularia californica</i>	California Figwort
	<i>Triphysaria eriantha ssp. eriantha</i>	Butter 'N' Eggs, Johnny-Tuck
	<i>Triphysaria pusilla</i>	Dwarf Owl's Clover
	<i>Verbascum blattaria</i>	Moth Mullein
	<i>Verbascum thapsus</i>	Woolly Mullein
	<i>Veronica americana</i>	American Brooklime
	<i>Veronica anagallis-aquatica</i>	Water Speedwell
	<i>Veronica arvensis</i>	Common Speedwell
	<i>Veronica chamaedrrys</i>	Germander Speedwell
	<i>Veronica hederifolia</i>	Ivyleaf Speedwell
	<i>Veronica peregrina ssp. xalapensis</i>	Purslane Speedwell
	<i>Veronica persica</i>	Persian Speedwell, Bird's Eye Speedwell
	<i>Veronica serpyllifolia ssp. humifusa</i>	Sprawling Speedwell
<b>Simaroubaceae</b>		<b>Quassia Family</b>
	<i>Ailanthus altissima</i>	Tree Of Heaven
<b>Solanaceae</b>		<b>Nightshade Family</b>
	<i>Chamaesaracha nana</i>	Dwarf Chamaesaracha
	<i>Datura stramonium</i>	Jimson Weed
	<i>Nicotiana acuminata var. multiflora</i>	Manyflower Tobacco
	<i>Nicotiana attenuata</i>	Coyote Tobacco
	<i>Physalis lancifolia</i>	Narrow-Leaf Tomatillo
	<i>Solanum americanum</i>	Small-Flowered Nightshade
	<i>Solanum carolinense</i>	Carolina Horsenettle
	<i>Solanum eleagnifolium</i>	Silverleaf Nightshade
	<i>Solanum parishii</i>	Parish's Purple Nightshade
	<i>Solanum rostratum</i>	Buffalo Berry
	<i>Solanum triflorum</i>	Cutleaf Nightshade
	<i>Solanum xanti</i>	Purple Nightshade

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
<b>Sterculiaceae</b>	<i>Fremontodendron californicum ssp. californicum</i> <i>Fremontodendron californicum ssp. decumbens</i>	<b>Cacao Family</b> Flannelbush, California Fremontia Pine Hill Fremontia (Flannelbush)
<b>Styracaceae</b>	<i>Styrax officinalis var. redivivus</i>	<b>Styrax Family</b> Snowdrop Bush
<b>Urticaceae</b>	<i>Hesperocnide tenella</i> <i>Urtica dioica ssp. holosericea</i> <i>Urtica urens</i>	<b>Nettle Family</b> Western Nettle Hoary Nettle Dwarf Nettle
<b>Valerianaceae</b>	<i>Centranthus ruber</i> <i>Plectritis ciliosa ssp. ciliosa</i> <i>Plectritis macrocera</i> <i>Valeriana californica</i> <i>Valerianella locusta</i>	<b>Valerian Family</b> Red Valerian Long-Spurred Plectritis Longhorn Plectritis California Valerian Corn Salad
<b>Verbenaceae</b>	<i>Phyla nodiflora var. rosea</i> <i>Verbena bonariensis</i> <i>Verbena lasiostachys var. lasiostachys</i> <i>Verbena litoralis</i>	<b>Vervain Family</b> Lemon Verbena, Garden Lippia Purpletop Vervain Western Verbena Seashore Vervain
<b>Violaceae</b>	<i>Viola adunca</i> <i>Viola bakeri</i> <i>Viola beckwithii</i> <i>Viola cuneata</i> <i>Viola douglasii</i> <i>Viola glabella</i> <i>Viola lobata ssp. integrifolia</i> <i>Viola lobata ssp. lobata</i> <i>Viola macloskeyi</i> <i>Viola odorata</i> <i>Viola pinetorum ssp. pinetorum</i> <i>Viola praemorsa ssp. liguifolia</i> <i>Viola purpurea ssp. integrifolia</i> <i>Viola purpurea ssp. purpurea</i> <i>Viola purpurea ssp. quercetorum</i> <i>Viola sheltonii</i> <i>Viola sororia ssp. affinis</i> <i>Viola tomentosa</i>	<b>Violet Family</b> Western Dog Violet Baker's Violet Great Basin Violet Wedgeleaf Violet Douglas Violet Stream Violet Pine Violet Pine Violet Macloskey Violet English Violet Goosefoot Yellow Violet Astoria Violet Smooth-Leaved Violet Goosefoot Violet Mountain Violet Shelton's Violet Leconte Violet Woolly Violet
<b>Viscaceae</b>	<i>Arceuthobium abietinum</i> <i>Arceuthobium americanum</i> <i>Arceuthobium campylopodum</i> <i>Arceuthobium occidentale</i> <i>Phoradendron densum</i> <i>Phoradendron juniperinum</i> <i>Phoradendron libocedri</i> <i>Phoradendron macrophyllum</i> <i>Phoradendron villosum</i>	<b>Mistletoe Family</b> Fir Dwarf Mistletoe American Dwarf-Mistletoe Pine Dwarf-Mistletoe Foothill-Pine Dwarf Mistletoe Dense Mistletoe Juniper Mistletoe Incense Cedar Mistletoe Big Leaf Mistletoe Oak Mistletoe
<b>Vitaceae</b>	<i>Vitis californica</i>	<b>Grape Family</b> California Wild Grape

<i>Family</i>	<i>Scientific name</i>	<i>Common Name</i>
Zygophyllaceae	<i>Tribulus terrestris</i>	Caltrop Family Puncturevine

List includes only taxa with documented or specimen records in Nevada County. List does not include taxa known to occur in Nevada County only from range described in literature or reported occurrences. List compiled May 2002. Taxa shown in bold type are native to California; non-native plants are indicated in regular typeface.

## Vascular Plants with Known Occurrence in Nevada County: Index to Common Names

<i>Common Name</i>	<i>Scientific name</i>
Abrupt-Beaked Sedge	<i>Carex abrupta</i>
Alaska Oniongrass	<i>Melica subulata</i>
Alaska Rein Orchid	<i>Piperia unalascensis</i>
Alberta Whitlow Grass	<i>Draba albertina</i>
Alderleaf Buckthorn	<i>Rhamnus alnifolia</i>
Alfalfa	<i>Medicago sativa</i>
Alisma-Leaved Coyote-Thistle	<i>Eryngium alismaefolium</i>
Alkali Draba	<i>Cusickiella douglasii</i>
Alpine Aster	<i>Aster alpigenus</i> var. <i>andersonii</i>
Alpine Buttercup, Eschscholtz's Buttercup	<i>Ranunculus eschscholtzii</i> var. <i>oxynotus</i>
Alpine Dusty Maidens	<i>Chaenactis douglasii</i> var. <i>alpina</i>
Alpine Flames	<i>Pyrrcoma apargioides</i>
Alpine Gentian	<i>Gentiana newberryi</i> var. <i>newberryi</i>
Alpine Gooseberry	<i>Ribes lasianthum</i>
Alpine Hawkweed	<i>Hieracium gracile</i>
Alpine Knotweed	<i>Polygonum phytolaccifolium</i>
Alpine Lady Fern	<i>Athyrium alpestre</i> var. <i>americanum</i>
Alpine Lewis' Flax	<i>Linum lewisii</i> var. <i>alpicola</i>
Alpine Lily	<i>Lilium parvum</i>
Alpine Pearlwort	<i>Sagina saginoides</i>
Alpine Pondweed	<i>Potamogeton alpinus</i> ssp. <i>tenuifolius</i>
Alpine Pussytoes	<i>Antennaria media</i>
Alpine Sheep Sorrel	<i>Rumex paucifolius</i>
Alpine Shooting Star	<i>Dodecatheon alpinum</i>
American Awlwort	<i>Subularia aquatica</i> var. <i>americana</i>
American Brooklime	<i>Veronica americana</i>
American Bulrush	<i>Scirpus americanus</i>
American Cold-Loving Sedge	<i>Carex luzulina</i> var. <i>ablata</i>
American Dogwood	<i>Cornus sericea</i> ssp. <i>sericea</i>
American Dwarf-Mistletoe	<i>Arceuthobium americanum</i>
American Vetch	<i>Vicia americana</i> var. <i>americana</i>
American Water Horehound	<i>Lycopus americanus</i>
American Wintercress	<i>Barbarea orthoceras</i>
Ample-Leaved Sedge	<i>Carex amplifolia</i>

*Common Name**Scientific name*

---

Anderson's Lupine	<i>Lupinus andersonii</i>
Anderson's Thistle	<i>Cirsium andersonii</i>
Annual Agoseris	<i>Agoseris heterophylla</i>
Annual Hairgrass	<i>Deschampsia danthonioides</i>
Annual Psathyrotes	<i>Psathyrotes anuua</i>
Antelope Bush, Bitter Brush	<i>Purshia tridentata</i> var. <i>tridentata</i>
Arched Elegant Rock-Cress	<i>Arabis sparsiflora</i> var. <i>arcuata</i>
Arctic Willow, Alpine Willow	<i>Salix arctica</i>
Aridland Goosefoot	<i>Chenopodium dessicatum</i>
Arrowhead Butterweed	<i>Senecio triangularis</i>
Arrowleaf Balsamroot	<i>Balsamorhiza sagittata</i>
Arroyo Willow	<i>Salix lasiolepis</i>
Arum-Leaf Arrowhead	<i>Sagittaria cuneata</i>
Ashy Silktassel	<i>Garrya flavescens</i>
Astoria Violet	<i>Viola praemorsa</i> ssp. <i>liguifolia</i>
Austin's Milkvetch	<i>Astragalus austiniae</i>
Autumn Dwarf-Gentian	<i>Gentianella amarella</i> ssp. <i>acuta</i>
Awl-Leaf Pincushionplant	<i>Navarretia subuligera</i>
Awned Melic	<i>Melica aristata</i>
Azure Penstemon	<i>Penstemon azureus</i> ssp. <i>angustissimus</i>
Azure Penstemon	<i>Penstemon azureus</i> ssp. <i>azureus</i>
Baby Blue Eyes	<i>Nemophila menziesii</i>
Baby's Breath	<i>Gypsophila paniculata</i> var. <i>paniculata</i>
Bach's Downingia	<i>Downingia bacigalupii</i>
Bacigalupi's Yampah	<i>Perideridia bacigalupii</i>
Backward-Splitting Holboell's Rock-Cress	<i>Arabis holboellii</i> var. <i>retrofracta</i>
Bailey's Buckwheat	<i>Eriogonum baileyi</i> var. <i>baileyi</i>
Bailey's Buckwheat	<i>Eriogonum baileyi</i> var. <i>praebens</i>
Baker's Violet	<i>Viola bakeri</i>
Ballhead Ipomopsis	<i>Ipomopsis congesta</i>
Ballhead Sandwort, Suffrutescent Sandwort	<i>Arenaria congesta</i> var. <i>suffrutescens</i>
Balloonpod Milkvetch	<i>Astragalus whitneyi</i> var. <i>lenophyllus</i>
Baltic Rush	<i>Juncus balticus</i>
Barbed Goatgrass	<i>Aegilops triuncialis</i>
Barnyard Grass	<i>Echinochloa crus-galli</i>
Bastardsage	<i>Eriogonum wrightii</i> ssp. <i>trachygonum</i>
Batchelor Button	<i>Centaurea cyanus</i>
Beaked Sedge	<i>Carex utriculata</i>
Beaked Spikerush	<i>Eleocharis rostellata</i>
Bear Valley Buckwheat	<i>Eriogonum ursinum</i>
Bearbrush	<i>Garrya fremontii</i>
Bearded Clover	<i>Trifolium barbigerum</i>
Bearded Fescue	<i>Festuca subulata</i>
Bearded Flatsedge	<i>Cyperus squarrosus</i>
Bearded Wheatgrass	<i>Elymus trachycaulus</i> ssp. <i>subsecundus</i>
Beardless Oatgrass	<i>Trisetum wolfii</i>
Beargrass	<i>Xerophyllum tenax</i>
Beautiful Pussytoes	<i>Antennaria pulchella</i>
Beautiful Spikerush	<i>Eleocharis acicularis</i> var. <i>bella</i>
Bee Balm	<i>Melissa officinalis</i>
Bermuda Grass	<i>Cynodon dactylon</i>



*Common Name**Scientific name*


---

Bicolor Linanthus	<i>Linanthus bicolor</i>
Biennial Cinquefoil	<i>Potentilla biennis</i>
Bifid Sedge	<i>Carex serratodens</i>
Big Leaf Mistletoe	<i>Phoradendron macrophyllum</i>
Big Squirreltail	<i>Elymus multisetus</i>
Bigelow's Sneezeweed	<i>Helenium bigelovii</i>
Bighead Horkelia	<i>Horkelia fusca ssp. capitata</i>
Bigleaf Maple	<i>Acer macrophyllum</i>
Big-Pod Lupine	<i>Lupinus pachylobus</i>
Bigseed Biscuitroot	<i>Lomatium macrocarpum</i>
Bindweed	<i>Convolvulus arvensis</i>
Birch-Leaf Mountain-Mahogany	<i>Cercocarpus betuloides var. betuloides</i>
Bird's Foot Trefoil	<i>Lotus corniculatus</i>
Bird's-Eye Gilia	<i>Gilia tricolor ssp. diffusa</i>
Birdsfoot Buttercup, Straightbeak Buttercup	<i>Ranunculus orthorhyncus var. orthorhyncus</i>
Birdsfoot Fern	<i>Pellaea mucronata var. mucronata</i>
Bisigna	<i>Ammi visnaga</i>
Bitter Cherry	<i>Prunus emarginata</i>
Bitter Dock	<i>Rumex obtusifolius</i>
Bitter Dogbane	<i>Apocynum androsaemifolium</i>
Black Alpine Sedge	<i>Carex nigricans</i>
Black Cottonwood	<i>Populus balsamifera ssp. trichocarpa</i>
Black Elderberry	<i>Sambucus melanocarpa</i>
Black Locust	<i>Robinia pseudoacacia</i>
Black Medick	<i>Medicago lupulina</i>
Black Sand Spikerush	<i>Eleocharis pachycarpa</i>
Blackcap Raspberry, White-Bark Raspberry	<i>Rubus leucodermis</i>
Blackfoot Groundsmoke	<i>Gayophytum racemosum</i>
Bladder Senna	<i>Colutea arborescens</i>
Blessed Thistle	<i>Cnicus benedictus</i>
Blister Buttercup, Acrid Buttercup	<i>Ranunculus acris</i>
Bloomer's Goldenbush	<i>Ericameria bloomeri</i>
Blue Dicks	<i>Dichelostemma capitatum ssp. capitatum</i>
Blue Elderberry	<i>Sambucus mexicana</i>
Blue Field Madder	<i>Sherardia arvensis</i>
Blue Field-Gilia	<i>Gilia capitata ssp. pedemontana</i>
Blue Mountain Buckwheat	<i>Eriogonum strictum var. proliferum</i>
Blue Oak	<i>Quercus douglasii</i>
Blue Star-Tulip	<i>Calochortus coeruleus</i>
Blue Wildrye	<i>Elymus glaucus ssp. glaucus</i>
Blue-Eyed Grass	<i>Sisyrinchium bellum</i>
Blue-Eyed Mary	<i>Collinsia parviflora</i>
Bluehead Gilia	<i>Gilia capitata ssp. capitata</i>
Bluejoint	<i>Calamagrostis canadensis</i>
Blunt Spikerush	<i>Eleocharis obtusa var. engelmannii</i>
Bluntlobe Lupine	<i>Lupinus obtusilobus</i>
Bog Bluegrass	<i>Poa leptocoma ssp. leptocoma</i>
Bog Club-Moss	<i>Lycopodiella inundata</i>
Bog Saxifrage	<i>Saxifraga oregana</i>
Bog Wintergreen	<i>Pyrola asarifolia ssp. asarifolia</i>
Bogbean	<i>Menyanthes trifoliata</i>

---

*Common Name**Scientific name*

---

Bolander Mule Ears	<i>Wyethia bolanderi</i>
Bolander Tarweed	<i>Madia bolanderi</i>
Bolander Woodland Star	<i>Lithophragma bolanderi</i>
Bolander's Bedstraw	<i>Galium bolanderi</i>
Bolander's Bluegrass	<i>Poa bolanderi</i>
Bolander's Milkvetch	<i>Astragalus bolanderi</i>
Bolander's Mock Dandelion	<i>Phalacroseris bolanderi</i>
Bolander's Quillwort	<i>Isoetes bolanderi</i>
Bolander's Sedge	<i>Carex bolanderi</i>
Bolander's Yampah	<i>Perideridia bolanderi</i> ssp. <i>bolanderi</i>
Bolander's Yampah	<i>Perideridia bolanderi</i> ssp. <i>involucrata</i>
Bouncing Bet, Soapwort	<i>Saponaria officinalis</i>
Bowl Clover	<i>Trifolium cyathiferum</i>
Bracken Fern	<i>Pteridium aquilinum</i> var. <i>pubescens</i>
Bracted Popcorn Flower	<i>Plagiobothrys bracteatus</i>
Bracted Sedge	<i>Carex scopulorum</i> var. <i>bracteosa</i>
Bractless Hedge Hyssop	<i>Gratiola ebracteata</i>
Brainerd's Sedge	<i>Carex brainerdii</i>
Branched Phacelia	<i>Phacelia ramosissima</i> var. <i>eremophila</i>
Branching Campion	<i>Silene dichotoma</i>
Branching Phacelia	<i>Phacelia ramosissima</i> var. <i>subglabra</i>
Brandegee's Clarkia	<i>Clarkia biloba</i> ssp. <i>brandegeae</i>
Brewer Bishop's Cap, Brewer's Miterwort	<i>Mitella breweri</i>
Brewer Bittercress	<i>Cardamine breweri</i> var. <i>breweri</i>
Brewer Cinquefoil	<i>Potentilla drummondii</i> ssp. <i>breweri</i>
Brewer Lupine	<i>Lupinus breweri</i>
Brewer Monkeyflower	<i>Mimulus breweri</i>
Brewer Rock Cress	<i>Arabis breweri</i>
Brewer's Angelica	<i>Angelica breweri</i>
Brewer's Aster	<i>Aster breweri</i>
Brewer's Cliffbrake	<i>Pellaea breweri</i>
Brewer's Mountain Heather	<i>Phyllodoce breweri</i>
Brewer's Navarretia	<i>Navarretia breweri</i>
Brewer's Sail-Flower Snapdragon	<i>Antirrhinum vexillo-calyculatum</i> ssp. <i>breweri</i>
Bridges' Brodiaea	<i>Triteleia bridgesii</i>
Bridge's Catchfly	<i>Silene bridgesii</i>
Bridge's Cliffbrake	<i>Pellaea bridgesii</i>
Bridges' Gilia	<i>Gilia leptalea</i> ssp. <i>leptalea</i>
Bristly Mousetail	<i>Myosurus apetalus</i>
Bristly-Leaved Rock-Cress	<i>Arabis rectissima</i> var. <i>rectissima</i>
Broadleaf Arrowhead	<i>Sagittaria latifolia</i>
Broadleaf Cattail	<i>Typha latifolia</i>
Broadleaf Filaree	<i>Erodium botrys</i>
Broadleaf Lupine	<i>Lupinus latifolius</i> var. <i>columbianus</i>
Broad-Leaved Loosestrife	<i>Lythrum portula</i>
Broadleaved Pepperweed	<i>Lepidium latifolium</i>
Broad-Leaved Tway-Blade	<i>Listera convallarioides</i>
Broad-Seeded Rockcress	<i>Arabis platysperma</i>
Broad-Stemmed Onion	<i>Allium platycaule</i>
Brome Fescue, Six-Weeks Fescue	<i>Vulpia bromoides</i>
Brook Cinquefoil	<i>Potentilla rivalis</i>

*Common Name**Scientific name*

---

Brook Foam	<i>Boykinia occidentalis</i>
Broomsedge Bluestem	<i>Andropogon virginicus</i> var. <i>virginicus</i>
Brown Beaked-Rush	<i>Rhynchospora capitellata</i>
Brown Bells	<i>Fritillaria micrantha</i>
Brown Dogwood	<i>Cornus glabrata</i>
Brown Umbrella Sedge	<i>Cyperus niger</i>
Brown's Brush Pea	<i>Lathyrus brownii</i>
Bruce's Cinquefoil	<i>Potentilla drummondii</i> ssp. <i>bruceae</i>
Buck Lotus, Broad-Leaved Lotus	<i>Lotus crassifolius</i> var. <i>crassifolius</i>
Buckbrush	<i>Ceanothus cuneatus</i> var. <i>cuneatus</i>
Bud Saxifrage	<i>Saxifraga bryophora</i>
Buffalo Berry	<i>Solanum rostratum</i>
Bulbous Bluegrass	<i>Poa bulbosa</i>
Bulbous Woodland Star	<i>Lithophragma glabrum</i>
Bull Thistle	<i>Cirsium vulgare</i>
Bulrush	<i>Scirpus setaceus</i>
Bur-Chervil	<i>Anthriscus caucalis</i>
Burclover	<i>Medicago polymorpha</i>
Burhead	<i>Echinodorus berteroi</i>
Burr Pincushionplant	<i>Navarretia prolifera</i>
Bush Chinquapin	<i>Chrysolepis sempervirens</i>
Bush Lupine	<i>Mimulus aurantiacus</i>
Bush Mountain Jewelflower	<i>Streptanthus tortuosus</i> var. <i>suffrutescens</i>
Bush Poppy	<i>Dendromecon rigida</i>
Butte County Fritillary	<i>Fritillaria eastwoodiae</i>
Butte Desert Parsley	<i>Lomatium marginatum</i> var. <i>marginatum</i>
Butter 'N' Eggs, Johnny-Tuck	<i>Triphysaria eriantha</i> ssp. <i>eriantha</i>
Buttonwillow, California Buttonbush	<i>Cephalanthus occidentalis</i> var. <i>californicus</i>
Caley Pea	<i>Lathyrus hirsutus</i>
Calf Lotus	<i>Lotus wrangelianus</i>
Calif. Black Oak	<i>Quercus kelloggii</i>
California Bay Tree	<i>Umbellaria californica</i>
California Bog Asphodel	<i>Narthecium californicum</i>
California Brickelbush	<i>Brickellia californica</i>
California Brodiaea	<i>Brodiaea californica</i> var. <i>californica</i>
California Brome	<i>Bromus carinatus</i> var. <i>carinatus</i>
California Buckeye	<i>Aesculus californica</i>
California Buttercup	<i>Ranunculus californicus</i>
California Butterweed	<i>Senecio aronicoides</i>
California Chicory	<i>Rafinisquia californica</i>
California Cliff-Brake	<i>Pellaea mucronata</i> var. <i>californica</i>
California Dodder	<i>Cuscuta californica</i>
California Everlasting	<i>Gnaphalium californicum</i>
California Figwort	<i>Scrophularia californica</i>
California Fuchsia	<i>Epilobium canum</i> ssp. <i>latifolium</i>
California Goldenrod	<i>Solidago californica</i>
California Grass Of Parnassus	<i>Parnassia californica</i>
California Greenbriar	<i>Smilax californica</i>
California Groundcone	<i>Boschniakia strobilacea</i>
California Harebell	<i>Campanula prenanthoides</i>
California Hazelnut	<i>Corylus cornuta</i> var. <i>californica</i>

*Common Name**Scientific name*


---

California Hedge Parsley	<i>Yabea microcarpa</i>
California Helianthella	<i>Helianthella californica</i> var. <i>nevadensis</i>
California Hemp	<i>Hoita macrostachya</i>
California Hesperochiron	<i>Hesperochiron californicus</i>
California Indian Potato	<i>Orogenia fusiformis</i>
California Knotweed	<i>Polygonum californicum</i>
California Lace Fern	<i>Aspidotis californica</i>
California Lady's Slipper	<i>Cypripedium californicum</i>
California Meadow Barley	<i>Hordeum brachyantherum</i> ssp. <i>californicum</i>
California Melicgrass	<i>Melica californica</i>
California Mountain Ash	<i>Sorbus californica</i>
California Mugwort	<i>Artemisia douglasiana</i>
California Needlegrass	<i>Achnatherum occidentale</i> ssp. <i>californicum</i>
California Needlegrass	<i>Achnatherum occidentale</i> ssp. <i>californicum</i>
California Nutmeg	<i>Torreya californica</i>
California Oatgrass	<i>Danthonia californica</i> var. <i>americana</i>
California Pigweed	<i>Amaranthus californicus</i>
California Plantain	<i>Plantago erecta</i>
California Polypody	<i>Polypodium californicum</i>
California Poppy	<i>Eschscholzia californica</i>
California Rayless Daisy	<i>Erigeron inornatus</i> var. <i>inornatus</i>
California Rayless Daisy	<i>Erigeron reductus</i> var. <i>reductus</i>
California Sandwort	<i>Minuartia californica</i>
California Saxifrage	<i>Saxifraga californica</i>
California Skullcap	<i>Scutellaria californica</i>
California Stickseed	<i>Hackelia californica</i>
California Stoneseed	<i>Lithospermum californicum</i>
California Sunflower	<i>Helianthus californicus</i>
California Sweet Cicely	<i>Osmorhiza brachypoda</i>
California Thistle	<i>Cirsium occidentale</i> var. <i>californicum</i>
California Tule Pea	<i>Lathyrus jepsonii</i> ssp. <i>californicus</i>
California Valerian	<i>Valeriana californica</i>
California Wild Grape	<i>Vitis californica</i>
California Wild Rose	<i>Rosa californica</i>
California Wood Fern	<i>Dryopteris arguta</i>
Canada Bluegrass	<i>Poa compressa</i>
Canada Goldenrod	<i>Solidago canadensis</i> ssp. <i>elongata</i>
Canada Thistle	<i>Cirsium arvense</i>
Canchalagua, Charming Centaury	<i>Centaureum venustum</i>
Candlelabrum Monkeyflower	<i>Mimulus pulsiferae</i>
Cantelow's Lewisia, Wet-Cliff Lewisia	<i>Lewisia cantelovii</i>
Canyon Dodder	<i>Cuscuta subinclusa</i>
Canyon Dudleya	<i>Dudleya cymosa</i>
Canyon Live Oak, Maul Oak	<i>Quercus chrysolepis</i>
Capitate Sedge	<i>Carex capitata</i>
Cardinal Monkeyflower	<i>Mimulus cardinalis</i>
Carolina Geranium	<i>Geranium carolinianum</i>
Carolina Horsenettle	<i>Solanum carolinense</i>
Cascade Popcorn Flower	<i>Plagiobothrys hispidus</i>
Cascara Sagrada	<i>Rhamnus purshiana</i>
Caterpillar Phacelia	<i>Phacelia cicutaria</i> var. <i>cicutaria</i>

---

*Common Name**Scientific name*

---

Cedar Crest Popcorn-Flower	<i>Plagiobothrys glyptocarpus</i> var. <i>modestus</i>
Center Basin Rush	<i>Juncus hemiendytus</i> var. <i>abjectus</i>
Chaffweed	<i>Centunculus minimus</i>
Changeable Phacelia	<i>Phacelia mutabilis</i>
Chaparral Clematis, Pipestem	<i>Clematis lasiantha</i>
Chaparral Honeysuckle	<i>Lonicera interrupta</i>
Chaparral Pea	<i>Pickeringia montana</i> var. <i>montana</i>
Chaparral Ragwort	<i>Senecio aphanactis</i>
Cheatgrass, Chess Brome	<i>Bromus secalinus</i>
Cheeseweed, Little Mallow	<i>Malva parviflora</i>
Chicory	<i>Cichorium intybus</i>
Chilean Beard Grass	<i>Polypogon australis</i>
Chilean Waterwort	<i>Elatine chilensis</i>
Chinese Caps	<i>Euphorbia crenulata</i>
Chinese Houses	<i>Collinsia heterophylla</i>
Chinook Brome	<i>Bromus laevipes</i>
Clammy Goosefoot	<i>Chenopodium pumilio</i>
Clammy Hedge-Hyssop	<i>Gratiola neglecta</i>
Clark's Ragwort	<i>Senecio clarkianus</i>
Cleft Sedge	<i>Carex fissuricola</i>
Cleft-Leaved Groundsel	<i>Senecio streptanthifolius</i>
Cliff Goldenbush	<i>Ericameria cuneata</i> var. <i>cuneata</i>
Climbing Bedstraw, Graceful Bedstraw	<i>Galium porrigens</i> var. <i>tenu</i>
Cluster Rose	<i>Rosa pisocarpa</i>
Clustered Broomrape	<i>Orobanche fasciculata</i>
Clustered Clover	<i>Trifolium glomeratum</i>
Clustered Goldenweed	<i>Pyrrocoma racemosus</i> ssp. <i>Paniculata</i>
Clustered Lady's-Slipper	<i>Cypripedium fasciculatum</i>
Clustered Tidy-Lupine	<i>Lupinus lepidus</i> var. <i>confertus</i>
Coast Range Mariposa	<i>Calochortus vestae</i>
Cobra Lily, California Pitcherplant	<i>Darlingtonia californica</i>
Cocklebur	<i>Xanthium strumarium</i> var. <i>canadense</i>
Coffee Fern	<i>Pellaea andromedaefolia</i>
Cognate Popcorn Flower	<i>Plagiobothrys cognatus</i>
Colonial Bent	<i>Agrostis capillaris</i>
Colorado Rush	<i>Juncus confusus</i>
Columbia Mountain Butterweed	<i>Senecio integerrimus</i> var. <i>exaltatus</i>
Columbian Water Meal	<i>Wolffia columbiana</i>
Common Agrimony	<i>Agrimonia gryposepala</i>
Common Apple	<i>Malus sylvestris</i>
Common Bladderwort	<i>Utricularia vulgaris</i>
Common Blennosperma	<i>Blennosperma nanum</i>
Common Bluecup	<i>Githopsis specularioides</i>
Common Borage	<i>Borago officinalis</i>
Common Brome	<i>Bromus vulgaris</i>
Common California Aster	<i>Aster chilensis</i>
Common Camas Lily	<i>Camassia quamash</i> ssp. <i>quamash</i>
Common Chickweed	<i>Cerastium fontanum</i> ssp. <i>vulgare</i>
Common Chickweed	<i>Stellaria media</i>
Common Dandelion	<i>Taraxacum officinale</i>
Common Duckweed	<i>Lemna minor</i>

*Common Name**Scientific name*

---

Common Evening Primrose	<i>Oenothera elata ssp. hookeri</i>
Common Fiddleneck	<i>Amsinckia menziesii var. intermedia</i>
Common Fig	<i>Ficus carica</i>
Common Groundsel	<i>Senecio vulgaris</i>
Common Horsetail	<i>Equisetum arvense</i>
Common Indian Blanket	<i>Gaillardia aristata</i>
Common Juniper	<i>Juniperus communis</i>
Common Knotweed	<i>Polygonum arenastrum</i>
Common Maidenhair Fern	<i>Adiantum jordanii</i>
Common Mallow	<i>Malva neglecta</i>
Common Manroot	<i>Marah fabaceus</i>
Common Monolopia	<i>Monolopia lanceolata</i>
Common Moonwort	<i>Botrychium lunaria</i>
Common Pepperweed	<i>Lepidium densiflorum</i>
Common Plantain	<i>Plantago major</i>
Common Popcorn Flower	<i>Plagiobothrys fulvus</i>
Common Purslane	<i>Portulaca oleracea</i>
Common Rabbitbrush	<i>Chrysothamnus nauseosus</i>
Common Ragweed	<i>Ambrosia artemisiifolia</i>
Common Skullcap	<i>Scutellaria tuberosa</i>
Common Soliva, Field Burrweed	<i>Soliva sessilis</i>
Common Sow Thistle	<i>Sonchus oleraceus</i>
Common Speedwell	<i>Veronica arvensis</i>
Common Sunflower	<i>Helianthus annuus</i>
Common Tansy	<i>Tanacetum vulgare</i>
Common Tarweed	<i>Madia elegans ssp. elegans</i>
Common Trillium, Giant Wakerobin	<i>Trillium chloropetalum</i>
Common Velvetgrass	<i>Holcus lanatus</i>
Common Vernal Pool Allocarya	<i>Plagiobothrys stipitatus var. stipitatus</i>
Common Water Nymph	<i>Najas guadalupensis</i>
Common Water Plantain	<i>Alisma plantago-aquatica</i>
Common Waterweed, Anacharis	<i>Elodea canadensis</i>
Common Wheat	<i>Triticum aestivum</i>
Common Wintercress	<i>Barbarea vulgaris</i>
Common Woolly Sunflower	<i>Eriophyllum lanatum var. grandiflorum</i>
Confusing Fescue	<i>Vulpia microstachys var. confusa</i>
Congdon's Bulrush	<i>Scirpus congdonii</i>
Congdon's Onion	<i>Allium sanbornii var. congdonii</i>
Congdon's Stonecrop	<i>Parvisedum congdonii</i>
Coriander, Cilantro	<i>Coriandrum sativum</i>
Corn Buttercup	<i>Ranunculus arvensis</i>
Corn Salad	<i>Valerianella locusta</i>
Corn Spurrey	<i>Spergula arvensis ssp. arvensis</i>
Corn-Lily	<i>Veratrum californicum var. californicum</i>
Cotton Grass	<i>Eriophorum gracile</i>
Cotton-Batting	<i>Gnaphalium stramineum</i>
Coulter's Daisy	<i>Erigeron coulteri</i>
Coulter's Horseweed	<i>Conyza coulteri</i>
Coville Rush	<i>Juncus covillei var. obtusatus</i>
Cow Lily, Yellow Pond-Lily	<i>Nuphar luteum ssp. polysepalum</i>
Cow Parsnip	<i>Heracleum lanatum</i>

*Common Name**Scientific name*

---

Cowbag Clover	<i>Trifolium depauperatum</i>
Coyote Brush	<i>Baccharis pilularis</i>
Coyote Mint	<i>Monardella villosa</i>
Coyote Tobacco	<i>Nicotiana attenuata</i>
Coyote-Thistle	<i>Eryngium vaseyi</i>
Cranberry	<i>Vaccinium macrocarpon</i>
Cream Bush	<i>Holodiscus discolor</i>
Cream Cups	<i>Platystemon californicus</i>
Creek Clover	<i>Trifolium obtusiflorum</i>
Creeping Bent	<i>Agrostis stolonifera</i>
Creeping Buttercup	<i>Ranunculus repens</i>
Creeping Oregon Grape	<i>Berberis aquifolium var. repens</i>
Creeping Oxalis, Creeping Wood-Sorrel	<i>Oxalis corniculata</i>
Creeping Sibbaldia	<i>Sibbaldia procumbens</i>
Creeping Snowberry, Tripvine	<i>Symphoricarpos mollis</i>
Creeping Wild-Rye	<i>Leymus triticoides</i>
Crete Weed	<i>Hedypnois cretica</i>
Crevice Heuchera, Alum Root	<i>Heuchera micrantha</i>
Crimson Clover	<i>Trifolium incarnatum</i>
Crowfoot, Creeping Buttercup	<i>Ranunculus flammula</i>
Cultivated Oat	<i>Avena sativa</i>
Cultivated Timothy	<i>Phleum pratense</i>
Curly-Leaf Mountain-Mahogany	<i>Cercocarpus ledifolius var. intermontanus</i>
Curly Dock	<i>Rumex crispus</i>
Curlycup Gumweed	<i>Grindelia squarrosa var. serrulata</i>
Cushion Buckwheat	<i>Eriogonum ovalifolium var. nivale</i>
Cushion Cryptantha	<i>Cryptantha circumcissa</i>
Cusick's Bluegrass	<i>Poa cusickii ssp. cusickii</i>
Cusick's Popcorn Flower	<i>Plagiobothrys cusickii</i>
Cusick's Sedge	<i>Carex cusickii</i>
Cutleaf Blackberry	<i>Rubus laciniatus</i>
Cutleaf Cinquefoil	<i>Potentilla millefolia</i>
Cutleaf Daisy	<i>Erigeron compositus</i>
Cutleaf Geranium	<i>Geranium dissectum</i>
Cutleaf Nightshade	<i>Solanum triflorum</i>
Cut-Leaf Plantain	<i>Plantago coronopus</i>
Cut-Leaved Owl's Clover	<i>Castilleja lacera</i>
Dagger Pod	<i>Phoenicaulis cheiranthoides</i>
Dallis Grass	<i>Paspalum dilatatum</i>
Dalmatian Toad-Flax	<i>Linaria genistifolia ssp. dalmatica</i>
Dame's Rocket	<i>Hesperis matronalis</i>
Dark-Green Goosefoot	<i>Chenopodium atrovirens</i>
Darnel Ryegrass	<i>Lolium temulentum</i>
Davidson's Rock-Cress	<i>Arabis davidsonii</i>
Davis' Knotweed	<i>Polygonum davisiae</i>
Davy's Gumweed	<i>Grindelia hirsutula var. davyi</i>
Davy's Sedge	<i>Carex davyi</i>
Death Camas	<i>Zigadenus venenosus var. venenosus</i>
Deceptive Groundsmoke	<i>Gayophytum decipiens</i>
Deerbrush	<i>Ceanothus integerrimus</i>
Deergrass	<i>Muhlenbergia rigens</i>

*Common Name**Scientific name*

---

Deltoid Balsamroot	<i>Balsamorhiza deltoidea</i>
Dense False-Gilia	<i>Allophyllum gilioides ssp. gilioides</i>
Dense Knotweed	<i>Polygonum polygaloides ssp. confertiflorum</i>
Dense Mistletoe	<i>Phoradendron densum</i>
Dense Sedge	<i>Carex densa</i>
Denseflower Rein Orchid	<i>Piperia elongata</i>
Denseflower Willow Herb	<i>Epilobium densiflorum</i>
Dense-Flowered Platycarpos	<i>Lupinus microcarpus var. densiflorus</i>
Denseleaf Draba	<i>Draba densifolia</i>
Desert Crested Wheatgrass	<i>Agopyron desertorum</i>
Desert Gooseberry	<i>Ribes velutinum</i>
Desert Peach	<i>Prunus andersonii</i>
Desert Sulphur Buckwheat	<i>Eriogonum umbellatum var. furcosum</i>
Desert Yellow Fleabane	<i>Erigeron linearis</i>
Devil's Beggartick, Sticktight	<i>Bidens frondosa</i>
Diffus Daisy	<i>Erigeron divergens</i>
Diffuse Knapweed	<i>Centaurea diffusa</i>
Diffuse Rush	<i>Scirpus diffusus</i>
Dissected-Leaf Toothwort	<i>Cardamine pachystigma var. dissectifolia</i>
Divericate Navarretia	<i>Navarretia divaricata ssp. divaricata</i>
Dog Rose	<i>Rosa canina</i>
Donner Pass Buckwheat	<i>Eriogonum umbellatum var. torreyanum</i>
Donner Woodrush	<i>Luzula subcongesta</i>
Double Honeysuckle	<i>Lonicera conjugialis</i>
Douglas' Buckwheat	<i>Eriogonum douglasii var. douglasii</i>
Douglas Catchfly	<i>Silene douglasii</i>
Douglas' Dustymaiden	<i>Chaenactis douglasii var. douglasii</i>
Douglas Fir	<i>Pseudotsuga menziesii</i>
Douglas' Knotweed	<i>Polygonum douglasii ssp. douglasii</i>
Douglas' Sandwort	<i>Minuartia douglasii</i>
Douglas' Sedge	<i>Carex douglasii</i>
Douglas Spiraea	<i>Spiraea douglasii</i>
Douglas Violet	<i>Viola douglasii</i>
Dovefoot Geranium	<i>Geranium molle</i>
Doveweed, Turkey Mullein	<i>Eremocarpus setigerus</i>
Downy Brome, Cheatgrass	<i>Bromus tectorum</i>
Downy Buttercup, Pubescent-Fruited Buttercup	<i>Ranunculus hebecarpus</i>
Downy Monkeyflower	<i>Mimulus pilosus</i>
Downy Pincushionplant	<i>Navarretia pubescens</i>
Draperia	<i>Draperia systyla</i>
Drew's Silky Lupine	<i>Lupinus adsurgens</i>
Drooping Woodreed	<i>Cinna latifolia</i>
Drummond Cinquefoil	<i>Potentilla drummondii ssp. drummondii</i>
Drummond Rush	<i>Juncus drummondii</i>
Drummond's Anenome	<i>Anenome drummondii</i>
Drummond's Rock-Cress	<i>Arabis drummondii</i>
Dryland Nevada Pea	<i>Lathyrus lanzwertii ssp. aridus</i>
Dubious Pea	<i>Lathyrus sulphureus var. argillaceus</i>
Duckweed	<i>Lemna minuscula</i>
Dusky Horkelia	<i>Horkelia fusca ssp. parviflora</i>
Dusky Willow	<i>Salix melanopsis</i>



*Common Name**Scientific name*

---

Dutchman's Pipe, California Pipevine	<i>Aristolochia californica</i>
Dwarf Alpine-Paintbrush	<i>Castilleja nana</i>
Dwarf Athysanus	<i>Athysanus pusillus</i>
Dwarf Bilberry	<i>Vaccinium caespitosum</i>
Dwarf Chamaesaracha	<i>Chamaesaracha nana</i>
Dwarf Groundsmoke	<i>Gayophytum humile</i>
Dwarf Hesperochiron	<i>Hesperochiron pumilus</i>
Dwarf Larkspur	<i>Delphinium depauperatum</i>
Dwarf Lousewort, Pinewoods Lousewort	<i>Pedicularis semibarbata</i>
Dwarf Madia	<i>Madia minima</i>
Dwarf Monkeyflower	<i>Mimulus nanus</i>
Dwarf Nettle	<i>Urtica urens</i>
Dwarf Onion	<i>Allium parvum</i>
Dwarf Owl's Clover	<i>Triphysaria pusilla</i>
Dwarf Pearlwort	<i>Sagina apetala</i>
Dwarf Woodsorrel	<i>Oxalis laxa</i>
Dyer's Woad	<i>Isatis tinctoria</i>
Eastern Daisy Fleabane	<i>Erigeron annuus</i>
Eastwood's Fiddleneck	<i>Amsinckia eastwoodae</i>
Eaton's Aster	<i>Aster eatonii</i>
Elegant Calicoflower	<i>Downingia elegans</i>
Elegant Clarkia	<i>Clarkia unguiculata</i>
Elephant Heads	<i>Pedicularis groenlandica</i>
Elk Clover	<i>Aralia californica</i>
Elk Thistle	<i>Cirsium scariosum</i>
Elmer Fescue	<i>Festuca elmeri</i>
Elmer Yellow-Eyed Grass	<i>Sisyrinchium elmeri</i>
Emersed Bur Reed	<i>Sparganium emersum ssp. emersum</i>
Enchanter's Nightshade	<i>Circaea alpina ssp. pacifica</i>
English Ivy	<i>Hedera helix</i>
English Plantain	<i>Plantago lanceolata</i>
English Sundew	<i>Drosera anglica</i>
English Violet	<i>Viola odorata</i>
Entire-Leaved Aster	<i>Aster integrifolius</i>
Erect-Fruited Mountain Tansy-Mustard	<i>Descurainia incisa ssp. filipes</i>
Eurasian Milfoil	<i>Myriophyllum spicatum</i>
Eyebane	<i>Chamaesyce nutans</i>
Fairy Lantern	<i>Calochortus albus</i>
Fall Panicgrass	<i>Panicum dichotomiflorum</i>
False Dandelion	<i>Agoseris glauca var. laciniata</i>
False Foxtail Fescue	<i>Vulpia myuros var. myuros</i>
False Mermaid	<i>Floerkea proserpinacoides</i>
False Nutsedge	<i>Cyperus strigosus</i>
False Pimpernel	<i>Lindernia dubia var. anagallidea</i>
False-Gilia	<i>Allophyllum integrifolium</i>
Fan Weed	<i>Thlaspi arvense</i>
Fan-Leaved Cinquefoil	<i>Potentilla flabellifolia</i>
Fat-Fruited Sedge	<i>Carex lenticularis var. lipocarpa</i>
Fell-Fields Claytonia	<i>Claytonia megarhiza</i>
Fendler's Meadow Rue	<i>Thalictrum fendleri var. fendleri</i>
Fern-Leaved Lomatium	<i>Lomatium dissectum var. multifidum</i>

<i>Common Name</i>	<i>Scientific name</i>
Feverfew	<i>Tanacetum parthenium</i>
Fewflower Clover	<i>Trifolium oliganthum</i>
Few-Flowered Collinsia	<i>Collinsia sparsiflora</i> var. <i>sparsiflora</i>
Few-Flowered Fescue	<i>Vulpia microstachys</i> var. <i>pauciflora</i>
Few-Flowered Meadow Rue	<i>Thalictrum sparsiflorum</i>
Few-Flowered Spikerush	<i>Eleocharis pauciflora</i>
Few-Ribbed Sedge	<i>Carex lenticularis</i> var. <i>impressa</i>
Fiddle Dock	<i>Rumex pulcher</i>
Field Clover	<i>Trifolium campestre</i>
Field Mint	<i>Mentha arvensis</i>
Field Mustard	<i>Brassica rapa</i>
Field Pepperweed	<i>Lepidium campestre</i>
Field Sedge	<i>Carex praegracilis</i>
Filiform Linanthus	<i>Linanthus filipes</i>
Fir Dwarf Mistletoe	<i>Arceuthobium abietinum</i>
Fireweed	<i>Epilobium angustifolium</i> ssp. <i>circumvagum</i>
Fitch Spikeweed	<i>Hemizonia fitchii</i>
Fivefinger Cinquefoil, Slender Cinquefoil	<i>Potentilla gracilis</i> ssp. <i>fastigiata</i>
Five-Finger Maidenhair	<i>Adiantum aleuticum</i>
Fiveleaf Clover	<i>Trifolium andersonii</i>
Five-Point Bishop's Cap, Alpine Bishop's-Cap	<i>Mitella pentandra</i>
Fivespot	<i>Nemophila maculata</i>
Flaccid Cryptantha	<i>Cryptantha flaccida</i>
Flannelbush, California Fremontia	<i>Fremontodendron californicum</i> ssp. <i>californicum</i>
Flat-Scale Balsam-Root	<i>Balsamorhiza macrolepis</i> var. <i>platylepis</i>
Flat-Top Pussytoes	<i>Antennaria corymbosa</i>
Flat-Topped Broomrape	<i>Orobanche corymbosa</i>
Floating Water-Primrose	<i>Ludwigia peploides</i>
Floating-Leaved Pondweed	<i>Potamogeton natans</i>
Flowering Quillwort	<i>Lilaea scilloides</i>
Fluffweed, Narrow-Leaved Filago	<i>Filago gallica</i>
Folded Calicoflower	<i>Downingia ornatissima</i>
Follett's Monardella	<i>Monardella follettii</i>
Foothill Ash	<i>Fraxinus dipetala</i>
Foothill Gilia	<i>Gilia capitata</i> ssp. <i>medio-montana</i>
Foothill Shooting Star	<i>Dodecatheon hendersonii</i>
Foothill-Pine Dwarf Mistletoe	<i>Arceuthobium occidentale</i>
Forest Clover	<i>Trifolium breweri</i>
Forget-Me-Not	<i>Myosotis discolor</i>
Fort Miller Clarkia	<i>Clarkia williamsonii</i>
Fowl Bluegrass	<i>Poa palustris</i>
Fowl Meadowgrass	<i>Glyceria striata</i>
Foxtail Barley	<i>Hordeum jubatum</i>
Foxtail Chess	<i>Bromus madritensis</i> ssp. <i>madritensis</i>
Foxtail Fescue, Hairy Rattail Fescue	<i>Vulpia myuros</i> var. <i>hirsuta</i>
Foxtail Muhly	<i>Muhlenbergia andina</i>
Fragile Fern	<i>Cystopteris fragilis</i>
Fragile-Sheathed Sedge	<i>Carex fracta</i>
Fragrant Everlasting	<i>Gnaphalium canescens</i> ssp. <i>beneolens</i>
Fremont Cottonwood	<i>Populus fremontii</i> ssp. <i>fremontii</i>
Fremont's Silver-Lotus	<i>Lotus argophyllus</i> var. <i>fremontii</i>

*Common Name**Scientific name*


---

Fremont's Tidy-Tips	<i>Layia fremontii</i>
Fresno Ceanothus	<i>Ceanothus fresnensis</i>
Fringe Cups	<i>Tellima grandiflora</i>
Fringed Brome	<i>Bromus ciliatus</i>
Fringed Grass Of Parnassus	<i>Parnassia fimbriata</i>
Fringed Pinesap	<i>Pleuricospora fimbriolata</i>
Fringed Willow Herb	<i>Epilobium ciliatum ssp. ciliatum</i>
Fringepod	<i>Thysanocarpus curvipes</i>
Frogflower, Parry's Arnica	<i>Arnica parryi</i>
Frosted Buckwheat	<i>Eriogonum incanum</i>
Frosted Paintbrush	<i>Castilleja pruinosa</i>
Frying Pans	<i>Eschscholzia lobbii</i>
Fuzzy Sedge	<i>Carex hirtissima</i>
Gambel's Locoweed	<i>Astragalus gambelianus</i>
Gamble Weed	<i>Sanicula crassicaulis</i>
Gaping Keckiella, Bush Beardtongue	<i>Keckiella breviflora</i>
Garden Burnet	<i>Sanguisorba minor ssp. muricata</i>
Gay Penstemon	<i>Penstemon laetus var. laetus</i>
Germander Speedwell	<i>Veronica chamaedrys</i>
Geyer Willow	<i>Salix geyeriana</i>
Geyer's Oniongrass	<i>Melica geyeri</i>
Geyer's Pussytoes	<i>Antennaria geyeri</i>
Giant Blazing Star	<i>Mentzelia laevicaulis</i>
Giant Chain Fern	<i>Woodwardia fimbriata</i>
Giant Horsetail	<i>Equisetum telmateia var. braunii</i>
Giant Knotweed	<i>Polygonum sachalinense</i>
Giant Red Indian Paintbrush	<i>Castilleja miniata ssp. miniata</i>
Giraffe Head	<i>Lamium amplexicaule</i>
Glabrous Serviceberry	<i>Amelanchier alnifolia var. pumila</i>
Glandular Hareleaf	<i>Lagophylla glandulosa</i>
Glandular Willow Herb	<i>Epilobium ciliatum ssp. glandulosum</i>
Glaucous Checker-Mallow	<i>Sidalcea glaucescens</i>
Glaucous Willow Herb	<i>Epilobium glaberrimum ssp. fastigiatum</i>
Globe Gilia	<i>Gilia capitata ssp. staminea</i>
Gold Wire	<i>Hypericum concinnum</i>
Goldback Fern	<i>Pentagramma triangularis ssp. triangularis</i>
Golden Fleece	<i>Ericameria arborescens</i>
Golden Marguerite	<i>Anthemis tinctoria</i>
Golden Sashay	<i>Brickellia grandiflora</i>
Goldencarpet Buckwheat	<i>Eriogonum luteolum var. luteolum</i>
Goldenfruit Sedge	<i>Carex aurea</i>
Goldfields	<i>Lasthenia californica</i>
Gooding's Willow	<i>Salix gooddingii</i>
Goosefoot Violet	<i>Viola purpurea ssp. purpurea</i>
Goosefoot Yellow Violet	<i>Viola pinetorum ssp. pinetorum</i>
Goosegrass, Cleavers	<i>Galium aparine</i>
Gordon's Ivesia, Alpine Ivesia	<i>Ivesia gordonii</i>
Gorse	<i>Ulex europaeus</i>
Grass-Leaf Pondweed	<i>Potamogeton gramineus</i>
Gray Cushion Pussytoes	<i>Antennaria dimorpha</i>
Gray Mugwort	<i>Artemisia ludoviciana ssp. candicans</i>

---

<i>Common Name</i>	<i>Scientific name</i>
Gray Mule Ears	<i>Wyethia helenioides</i>
Gray Pine	<i>Pinus sabiniana</i>
Gray Wild-Rye	<i>Leymus cinereus</i>
Gray-Green Thistle	<i>Cirsium canovirens</i>
Grayleaf Sierra Willow	<i>Salix orestera</i>
Grayleaf Skullcap	<i>Scutellaria siphocampyloides</i>
Gray's Bedstraw	<i>Galium grayanum</i>
Gray's Broomrape	<i>Orobanche californica ssp. grayana</i>
Gray's Lovage	<i>Ligusticum grayi</i>
Great Basin Navarretia	<i>Navarretia intertexta ssp. propinqua</i>
Great Basin Violet	<i>Viola beckwithii</i>
Green Bentgrass	<i>Agrostis viridis</i>
Green Carpetweed	<i>Mollugo verticillata</i>
Green Dock	<i>Rumex conglomeratus</i>
Green Foxtail	<i>Setaria viridis</i>
Green Monardella	<i>Monardella viridis</i>
Greene's Brickelbush	<i>Brickellia greenei</i>
Greene's Goldenbush	<i>Ericameria greenei</i>
Greene's Popcorn Flower	<i>Plagiobothrys greenei</i>
Greenhead Rush	<i>Juncus chlorocephalus</i>
Greenleaf Manzanita	<i>Arctostaphylos patula</i>
Green's Mountain Ash	<i>Sorbus scopulina var. scopulina</i>
Greensheath Sedge	<i>Carex feta</i>
Ground Iris	<i>Iris macrosiphon</i>
Gum Plant	<i>Grindelia camporum</i>
Hairy Arnica	<i>Arnica mollis</i>
Hairy Bird's Beak	<i>Cordylanthus pilosus ssp. trifidus</i>
Hairy Crabgrass	<i>Digitaria sanguinalis</i>
Hairy Evening Primrose	<i>Oenothera villosa ssp. strigosa</i>
Hairy Goldenaster	<i>Heterotheca villosa var. hispida</i>
Hairy Honeysuckle	<i>Lonicera hispidula var. vacillans</i>
Hairy Owl's Clover	<i>Castilleja tenuis</i>
Hairy Pepperweed	<i>Lepidium virginicum var. pubescens</i>
Hairy Vetch	<i>Vicia villosa var. villosa</i>
Hairy Woodrush	<i>Luzula comosa</i>
Hairy-Flowered Buckwheat	<i>Eriogonum nudum var. pubiflorum</i>
Hansen's Bird's Beak	<i>Cordylanthus pilosus ssp. hansenii</i>
Hansen's Cinquefoil	<i>Potentilla glandulosa ssp. hansenii</i>
Hansen's Larkspur	<i>Delphinium hansenii ssp. hansenii</i>
Hansen's Spikemoss	<i>Selaginella hansenii</i>
Harding Grass	<i>Phalaris aquatica</i>
Hare Barley	<i>Hordeum murinum ssp. leporinum</i>
Hareleaf, Whitecrown	<i>Holozonia filipes</i>
Harford's Oniongrass	<i>Melica harfordii</i>
Harkness Linanthus	<i>Linanthus harknessii</i>
Harlequin Lupine	<i>Lupinus stiversii</i>
Harsh Checker-Mallow	<i>Sidalcea malvaeflora ssp. asprella</i>
Harsh Popcorn Flower	<i>Plagiobothrys hispidulus</i>
Hartweg's Checkerbloom	<i>Sidalcea hartwegii</i>
Hartweg's Doll's-Lily	<i>Odontostomum hartwegii</i>
Hartweg's Umbrellawort	<i>Tauschia hartwegii</i>

<i>Common Name</i>	<i>Scientific name</i>
Hartweg's Wild Ginger	<i>Asarum hartwegii</i>
Hartweg's Yellow Pine Iris	<i>Iris hartwegii</i> ssp. <i>pinetorum</i>
Harvest Brodiaea	<i>Brodiaea elegans</i> ssp. <i>elegans</i>
Hasse's Sedge	<i>Carex hassei</i>
Heartleaf Arnica	<i>Arnica cordifolia</i>
Heartleaf Bittercress	<i>Cardamine cordifolia</i> var. <i>lyallii</i>
Heart-Podded Hoarycress	<i>Cardaria draba</i>
Heath Goldenrod	<i>Ericameria suffruticosa</i>
Hedge Bedstraw, Wild Madder	<i>Galium mollugo</i>
Hedge Mustard	<i>Sisymbrium officinale</i>
Hedge Parsley	<i>Torilis arvensis</i>
Hedgehog Dogtail-Grass	<i>Cynosurus echinatus</i>
Heerman's Golden Sunburst	<i>Pseudobahia heermannii</i>
Heller's Sedge	<i>Carex helleri</i>
Herb Sophia	<i>Descurainia sophia</i>
Herman's Dwarf Rush, Vernal-Pool Rush	<i>Juncus hemiendytus</i> var. <i>hemiendytus</i>
Heterocodon	<i>Heterocodon rariflorum</i>
Hiker's Fringed Gentian	<i>Gentianopsis simplex</i>
Hill Lotus	<i>Lotus humistratus</i>
Himalayan Blackberry	<i>Rubus discolor</i>
Hoary Aster	<i>Machaeranthera canescens</i> var. <i>shastensis</i>
Hoary Coffeeberry	<i>Rhamnus tomentella</i> ssp. <i>tomentella</i>
Hoary Nettle	<i>Urtica dioica</i> ssp. <i>holosericea</i>
Hoary Sedge	<i>Carex canescens</i>
Hog Fennel, Woolly-Fruited Lomatium	<i>Lomatium dasy carpum</i> ssp. <i>tomentosum</i>
Hollyleaf Redberry	<i>Rhamnus ilicifolia</i>
Hooded Ladies Tresses	<i>Spiranthes romanzoffiana</i>
Hood's Sedge	<i>Carex hoodii</i>
Hooker's Fairy Bell	<i>Disporum hookeri</i>
Horehound	<i>Marrubium vulgare</i>
Hornemann's Willow Herb	<i>Epilobium hornemannii</i> ssp. <i>hornemannii</i>
Horse-Mint	<i>Agastache urticifolia</i>
Horseweed	<i>Conyza canadensis</i>
Hot-Rock Penstemon	<i>Penstemon deustus</i> var. <i>pedicellatus</i>
Hounds Tongue	<i>Cynoglossum grande</i>
Howell's Broad-Seeded Rock-Cress	<i>Arabis platysperma</i> var. <i>howellii</i>
Howell's Quillwort	<i>Isoetes howellii</i>
Howell's Rush	<i>Juncus howellii</i>
Huckleberry Oak	<i>Quercus vaccinifolia</i>
Humboldt Lily	<i>Lilium humboldtii</i> ssp. <i>humboldtii</i>
Humped Bladderwort	<i>Utricularia gibba</i>
Hybrid Clover, Alsike Clover	<i>Trifolium hybridum</i>
Hybrid English Sundew	<i>Drosera anglica</i> x <i>rotundifolia</i>
Hybrid of Greenleaf and Nevada Manzanitas	<i>Arctostaphylos patula</i> x <i>nevadensis</i>
Hyssop Loosestrife	<i>Lythrum hyssopifolium</i>
Idaho Bentgrass	<i>Agrostis idahoensis</i>
Idaho Bittercress	<i>Cardamine oligosperma</i>
Idaho Blue-Eyed Grass	<i>Sisyrinchium idahoense</i> var. <i>occidentale</i>
Idaho Fescue, Blue Fescue	<i>Festuca idahoensis</i>
Imbricate Phacelia	<i>Phacelia imbricata</i> ssp. <i>imbricata</i>
Imbricate Sword Fern	<i>Polystichum imbricans</i> ssp. <i>imbricans</i>

*Common Name**Scientific name*

---

Incense Cedar	<i>Calocedrus decurrens</i>
Incense Cedar Mistletoe	<i>Phoradendron libocedri</i>
Indian Hemp	<i>Apocynum cannabinum</i> var. <i>glaberrimum</i>
Indian Manzanita	<i>Arctostaphylos mewukka</i>
Indian Milkweed	<i>Asclepias eriocarpa</i>
Indian Paintbrush	<i>Castilleja affinis</i>
Indian Pink	<i>Silene californica</i>
Indian Rhubarb	<i>Darmera peltata</i>
Indian Ricegrass	<i>Achnatherum hymenoides</i>
Indian Warrior	<i>Pedicularis densiflora</i>
Indian's Dream	<i>Aspidotis densa</i>
Inflated Sedge	<i>Carex vesicaria</i> var. <i>vesicaria</i>
Interior Live Oak	<i>Quercus wislizenii</i> var. <i>wislizenii</i>
Interior Live Oak, Chaparral Oak	<i>Quercus wislizenii</i> var. <i>frutescens</i>
Interior Rose	<i>Rosa woodsii</i> var. <i>ultramontana</i>
Intermediate Wheatgrass	<i>Elytrigia intermedia</i>
Iris-Leaf Rush	<i>Juncus xiphioides</i>
Italian Rye-Grass	<i>Lolium multiflorum</i>
Italian Thistle	<i>Carduus pycnocephalus</i>
Ithuriel's Spear	<i>Triteleia laxa</i>
Ivyleaf Speedwell	<i>Veronica hederifolia</i>
Ivyleaved Duckweed	<i>Lemna trisulca</i>
Jack O' The Rocks, Pink Alumroot	<i>Heuchera rubescens</i> var. <i>glandulosa</i>
Jacob's Ladder, California Polemonium	<i>Polemonium californicum</i>
Japanese Knotweed	<i>Polygonum cuspidatum</i>
Jeffrey Pine	<i>Pinus jeffreyi</i>
Jepson Blue Wildrye	<i>Elymus glaucus</i> ssp. <i>jepsonii</i>
Jepson Willow	<i>Salix jepsonii</i>
Jepson's California Broomrape	<i>Orobanche californica</i> ssp. <i>jepsonii</i>
Jepson's Monkeyflower	<i>Mimulus jepsonii</i>
Jerusalem Oak	<i>Chenopodium botrys</i>
Jimson Weed	<i>Datura stramonium</i>
Johnny Nip	<i>Castilleja ambigua</i>
Johnsongrass	<i>Sorghum halepense</i>
Jointleaf Rush	<i>Juncus articulatus</i>
Jones' Muhly	<i>Muhlenbergia jonesii</i>
Jone's Sedge	<i>Carex jonesii</i>
Junegrass	<i>Koeleria macrantha</i>
Juniper Mistletoe	<i>Phoradendron juniperinum</i>
Keck's Bluegrass	<i>Poa keckii</i>
Kellogg Monkeyflower	<i>Mimulus kelloggii</i>
Kellogg Rush	<i>Juncus kelloggii</i>
Kelloggia	<i>Kelloggia galioides</i>
Kellogg's Knotweed	<i>Polygonum polygaloides</i> ssp. <i>kelloggii</i>
Kellogg's Umbrellawort	<i>Tauschia kelloggii</i>
Kellogg's Yampah	<i>Perideridia kelloggii</i>
Kentucky Bluegrass	<i>Poa pratensis</i> ssp. <i>pratensis</i>
King's Crown, Rosy Stonecrop	<i>Sedum roseum</i> ssp. <i>integrifolium</i>
King's Smooth Sandwort	<i>Arenaria kingii</i> var. <i>glabrescens</i>
Klamath Daisy, Rockloving Erigeron	<i>Erigeron petrophilus</i> var. <i>viscidulus</i>
Klamath Weed	<i>Hypericum perforatum</i>

*Common Name**Scientific name*

---

Knawel	<i>Scleranthus annuus ssp. annuus</i>
Knobcone Pine	<i>Pinus attenuata</i>
Knotgrass	<i>Paspalum distichum</i>
Knotted Hedge Parsley	<i>Torilis nodosa</i>
Knotweed Spineflower	<i>Chorizanthe polygonoides var. polygonoides</i>
Lace Fern	<i>Cheilanthes gracillima</i>
Lacepod, Slender Tropicocarpum	<i>Tropicocarpum gracile</i>
Lady Fern	<i>Athyrium filix-femina var. cyclosorum</i>
Lady's Thumb	<i>Polygonum persicaria</i>
Lake Tahoe Lupine	<i>Lupinus argenteus var. meionanthus</i>
Lamarck's Bedstraw	<i>Galium divaricatum</i>
Lambs Quarters	<i>Chenopodium album</i>
Lambstongue Ragwort	<i>Senecio integerrimus var. major</i>
Lance Leaf Water Plantain	<i>Alisma lanceolatum</i>
Lance-Leaf Self-Heal	<i>Prunella vulgaris ssp. lanceolata</i>
Lance-Leaf Stonecrop	<i>Sedum lanceolatum</i>
Large Douglas' Knotweed	<i>Polygonum douglasii ssp. majus</i>
Largeflower Collomia	<i>Collomia grandiflora</i>
Large-Flowered Agoseris	<i>Agoseris grandiflora</i>
Large-Flowered Stephanomeria	<i>Stephanomeria lactucina</i>
Large-Fruited Amaranth	<i>Amaranthus deflexus</i>
Largeleaf Avens	<i>Geum macrophyllum</i>
Largeleaf Sandwort	<i>Moehringia macrophylla</i>
Large-Leaved Lotus	<i>Lotus grandiflorus var. grandiflorus</i>
Lawless Arnica	<i>Arnica diversifolia</i>
Layne Monkeyflower	<i>Mimulus layneae</i>
Leafy Bentgrass	<i>Agrostis pallens</i>
Leafy Dwarf Knotweed	<i>Polygonum minimum</i>
Leafy Fleabane	<i>Erigeron foliosus</i>
Leafy Lousewort	<i>Pedicularis racemosa</i>
Leafy Pondweed	<i>Potamogeton foliosus var. foliosus</i>
Leafybract Dwarf Rush	<i>Juncus capitatus</i>
Leather Oak	<i>Quercus durata var. durata</i>
Leathery Grapefern	<i>Botrychium multifidum</i>
Leconte Violet	<i>Viola sororia ssp. affinis</i>
Leichtlin's Mariposa Lily	<i>Calochortus leichtlinii</i>
Lemmon Beardtongue	<i>Keckiella lemmonii</i>
Lemmon Clover	<i>Trifolium lemmonii</i>
Lemmon's Catchfly	<i>Silene lemmonii</i>
Lemmon's Ceanothus	<i>Ceanothus lemmonii</i>
Lemmon's Needlegrass	<i>Achnatherum lemmonii</i>
Lemmon's Onion	<i>Allium lemmonii</i>
Lemmon's Paintbrush	<i>Castilleja lemmonii</i>
Lemmon's Sedge	<i>Carex lemmonii</i>
Lemmon's Wild Ginger	<i>Asarum lemmonii</i>
Lemmon's Willow	<i>Salix lemmonii</i>
Lemmon's Yampah	<i>Perideridia lemmonii</i>
Lemon Verbena, Garden Lippia	<i>Phyla nodiflora var. rosea</i>
Lemon-Scented Tarweed	<i>Madia citriodora</i>
Lens-Podded Hoary Cress	<i>Cardaria chalapensis</i>
Leopard Lily	<i>Lilium pardalinum ssp. pardalinum</i>

*Common Name**Scientific name*

---

Lesser Bladderwort	<i>Utricularia minor</i>
Lesser Burdock	<i>Arctium minus</i>
Lesser Hawkbit	<i>Leontodon taraxacoides ssp. longirostris</i>
Lewis' Lomatium	<i>Lomatium triternatum</i>
Lewis Monkeyflower	<i>Mimulus lewisii</i>
Licorice Fern	<i>Polypodium calirhiza</i>
Limestone Hawksbeard	<i>Crepis intermedia</i>
Linear-Leaved Montia	<i>Montia linearis</i>
Little Clubmoss	<i>Selaginella wallacei</i>
Little Elephantshead	<i>Pedicularis attollens</i>
Little Hop Clover, Shamrock Clover	<i>Trifolium dubium</i>
Little Oniongrass	<i>Melica fugax</i>
Little Pectocarya	<i>Pectocarya pusilla</i>
Little Prince's Pine	<i>Chimaphila menziesii</i>
Little Rattlesnake Grass	<i>Briza minor</i>
Little Red Stem Monkeyflower	<i>Mimulus rubellus</i>
Little White Navarretia	<i>Navarretia leucocephala ssp. minima</i>
Littleleaf Miner's Lettuce	<i>Montia parvifolia</i>
Littleleaf Sedge	<i>Carex luzulaifolia</i>
Lobb's Buckwheat	<i>Eriogonum lobbii var. lobbii</i>
Lobb's Lupine	<i>Lupinus lepidus var. lobbii</i>
Lobb's Nama	<i>Nama lobbii</i>
Lodgepole Pine	<i>Pinus contorta ssp. murrayana</i>
Long Anther Rush	<i>Juncus macrandus</i>
Long-Flowering Monkeyflower	<i>Mimulus floribundus</i>
Longhorn Plectritis	<i>Plectritis macrocera</i>
Longleaf Pondweed	<i>Potamogeton nodosus</i>
Long-Leaved Aster	<i>Aster ascendens</i>
Long-Leaved Hawksbeard	<i>Crepis acuminata</i>
Long-Leaved Suncup	<i>Camissonia subacaulis</i>
Long-Petaled Lewisia	<i>Lewisia longipetala</i>
Long-Spurred Plectritis	<i>Plectritis ciliosa ssp. ciliosa</i>
Long-Stalked Clover	<i>Trifolium longipes</i>
Long-Stalked Starwort	<i>Stellaria longipes var. longipes</i>
Longstyle Rush	<i>Juncus longistylis</i>
Low Mountain Bedstraw	<i>Galium bifolium</i>
Low Phacelia	<i>Phacelia humilis</i>
Low Sagebrush	<i>Artemisia arbuscula</i>
Lyall Rockcress	<i>Arabis lyallii</i>
Macloskey Violet	<i>Viola macloskeyi</i>
Madrone	<i>Arbutus menziesii</i>
Mahala-Mats, Pinemat	<i>Ceanothus prostratus</i>
Majestic Wakerobin	<i>Trillium angustipetalum</i>
Male Buttercup, Tubercled Crowfoot	<i>Ranunculus testiculatus</i>
Many Ribbed Sedge	<i>Carex multicosata</i>
Manyflower Stickseed	<i>Hackelia floribunda</i>
Manyflower Tobacco	<i>Nicotiana acuminata var. multiflora</i>
Many-Flowered Sulfur Buckwheat	<i>Eriogonum umbellatum var. polyanthum</i>
Manystem Sedge	<i>Carex multicaulis</i>
Marigold Navarretia	<i>Navarretia tagetina</i>
Mariposa Phacelia	<i>Phacelia vallicola</i>



<i>Common Name</i>	<i>Scientific name</i>
Mariposa Rush	<i>Juncus dubius</i>
Mariposa Sedge	<i>Carex mariposana</i>
Marsh Cinquefoil	<i>Potentilla palustris</i>
Marsh Lotus	<i>Lotus uliginosus</i>
Marsh Marigold	<i>Caltha leptosepala</i> var. <i>biflora</i>
Marsh Pepper	<i>Polygonum hydropiper</i>
Marsh Purslane	<i>Ludwigia palustris</i>
Marsh Skullcap	<i>Scutellaria galericulata</i>
Marumleaf Buckwheat	<i>Eriogonum marifolium</i>
Masked Goosefoot	<i>Chenopodium incognitum</i>
Mat Muhly	<i>Muhlenbergia richardsonis</i>
Mayweed	<i>Anthemis cotula</i>
McNab's Cypress	<i>Cupressus macnabiana</i>
Meadow Arnica	<i>Arnica chamissoinis</i> ssp. <i>foliosa</i>
Meadow Barley	<i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i>
Meadow Fescue	<i>Festuca pratensis</i>
Meadow Larkspur	<i>Delphinium nuttallianum</i>
Meadow Lupine	<i>Lupinus polyphyllus</i> var. <i>burkei</i>
Meadow Nemophila	<i>Nemophila pedunculata</i>
Meadow Penstemon, Rydberg's Penstemon	<i>Penstemon rydbergii</i> var. <i>oreocharis</i>
Meadowfoam	<i>Limnanthes alba</i> ssp. <i>alba</i>
Meager Tarweed	<i>Madia exigua</i>
Mediterranean Beard Grass	<i>Polypogon maritimus</i>
Mediterranean Barley	<i>Hordeum marinum</i> ssp. <i>gussoneanum</i>
Medusa-Head	<i>Taeniatherum caput-medusae</i>
Menzies' Campion	<i>Silene menziesii</i>
Menzies' Fiddleneck	<i>Amsinckia menziesii</i> var. <i>menziesii</i>
Merten's Rush	<i>Juncus mertensianus</i>
Mexican Bedstraw	<i>Galium mexicanum</i> var. <i>asperulum</i>
Mexican Mosquito Fern	<i>Azolla mexicana</i>
Mexican Rush	<i>Juncus mexicanus</i>
Mexican Tea	<i>Chenopodium ambrosioides</i>
Milk Maids, Toothwort	<i>Cardamine californica</i>
Milk Thistle	<i>Silybum marianum</i>
Milkflower Willowherb	<i>Epilobium lactiflorum</i>
Milkwort Jewelflower	<i>Streptanthus polygaloides</i>
Miner's Lettuce	<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>
Miniature Gilia	<i>Gilia capillaris</i>
Miniature Lupine	<i>Lupinus bicolor</i>
Minute Willow Herb	<i>Epilobium minutum</i>
Modoc Hawksbeard	<i>Crepis modocensis</i>
Monkshood	<i>Aconitum columbianum</i>
Monterey Centaury	<i>Centaureium muehlenbergii</i>
Montevideo Spikerush	<i>Eleocharis montevidensis</i>
Moss Pygmyweed	<i>Crassula tillaea</i>
Moss Rush	<i>Juncus bryoides</i>
Moth Mullein	<i>Verbascum blattaria</i>
Mountain Agoseris	<i>Agoseris glauca</i> var. <i>monticola</i>
Mountain Alder	<i>Alnus incana</i> ssp. <i>tenuifolia</i>
Mountain Bentgrass	<i>Agrostis variabilis</i>
Mountain Blazing Star	<i>Mentzelia montana</i>

*Common Name**Scientific name*

---

Mountain Blue Penstemon	<i>Penstemon laetus</i> var. <i>leptosepalus</i>
Mountain Bluecurls	<i>Trichostema oblongum</i>
Mountain Brookfoam, Stream Boykinia	<i>Boykinia major</i>
Mountain Bunch-Fescue	<i>Festuca viridula</i>
Mountain Carpet Clover	<i>Trifolium monanthum</i> var. <i>monanthum</i>
Mountain Cinquefoil	<i>Potentilla glandulosa</i> ssp. <i>ashlandica</i>
Mountain Clarkia	<i>Clarkia heterandra</i>
Mountain Dogwood	<i>Cornus nuttallii</i>
Mountain Gooseberry	<i>Ribes montigenum</i>
Mountain Hemlock	<i>Tsuga mertensiana</i>
Mountain Jewelflower	<i>Streptanthus tortuosus</i> var. <i>orbiculatus</i>
Mountain Laurel	<i>Kalmia porfolia</i>
Mountain Mint	<i>Pycnanthemum californicum</i>
Mountain Misery	<i>Chamaebatia foliolosa</i>
Mountain Monkeyflower	<i>Mimulus tilingii</i>
Mountain Mule Ears	<i>Wyethia mollis</i>
Mountain Navarretia	<i>Navarretia divaricata</i> ssp. <i>viduor</i>
Mountain Needlegrass	<i>Achnatherum nelsonii</i> ssp. <i>dorei</i>
Mountain Phacelia	<i>Phacelia hastata</i> ssp. <i>hastata</i>
Mountain Phlox	<i>Phlox austromontana</i>
Mountain Pink Currant	<i>Ribes nevadense</i>
Mountain Prettyface	<i>Triteleia ixioides</i> ssp. <i>anilina</i>
Mountain Pride, Newberry's Penstemon	<i>Penstemon newberryi</i> var. <i>newberryi</i>
Mountain Sagebrush	<i>Artemisia tridentata</i> ssp. <i>vaseyana</i>
Mountain Sorrel	<i>Oxyria digyna</i>
Mountain Spiraea	<i>Spiraea densiflora</i>
Mountain Strawberry	<i>Fragaria virginiana</i>
Mountain Sweet Cicely	<i>Osmorhiza chilensis</i>
Mountain Tarweed	<i>Madia glomerata</i>
Mountain Timothy	<i>Phleum alpinum</i>
Mountain Violet	<i>Viola purpurea</i> ssp. <i>quercetorum</i>
Mountain Wallflower	<i>Erysimum capitatum</i> ssp. <i>perenne</i>
Mountain Whitethorn	<i>Ceanothus cordulatus</i>
Mouse Ear Chickweed	<i>Cerastium glomeratum</i>
Munz's Bedstraw	<i>Galium munzii</i>
Musk Monkeyflower	<i>Mimulus moschatus</i>
Musk Thistle	<i>Carduus nutans</i>
Mustang Mint	<i>Monardella lanceolata</i>
Muttongrass	<i>Poa fendleriana</i> ssp. <i>longiligula</i>
Nada Stickleaf	<i>Mentzelia dispersa</i>
Naked Broomrape	<i>Orobanche uniflora</i>
Naked Buckwheat	<i>Eriogonum nudum</i> var. <i>deductum</i>
Naked Mariposa Lily	<i>Calochortus nudus</i>
Nakedstem Hawksbeard	<i>Crepis pleurocarpa</i>
Naked-Stemmed Eriogonum	<i>Eriogonum nudum</i> var. <i>nudum</i>
Narrow Oatgrass	<i>Trisetum spicatum</i>
Narrow Spike Sedge	<i>Carex angustata</i>
Narrowflower Flaxflower	<i>Linanthus liniflorus</i>
Narrowflower Lupine	<i>Lupinus angustiflorus</i>
Narrowfruit Sedge	<i>Carex specifica</i>
Narrowleaf Blue-Eyed Mary	<i>Collinsia linearis</i>

<i>Common Name</i>	<i>Scientific name</i>
Narrowleaf Bur-Reed	<i>Sparganium angustifolium</i>
Narrowleaf Cattail	<i>Typha angustifolia</i>
Narrowleaf Milkweed	<i>Asclepias fascicularis</i>
Narrowleaf Monkeyflower	<i>Mimulus angustatus</i>
Narrowleaf Mule Ears	<i>Wyethia angustifolia</i>
Narrowleaf Onion	<i>Allium amplexans</i>
Narrow-Leaf Tomatillo	<i>Physalis lancifolia</i>
Narrowleaf Vetch, Spring Vetch	<i>Vicia sativa ssp. nigra</i>
Narrowleaf Willow, Sandbar Willow	<i>Salix exigua</i>
Narrow-Leaved Crosswort	<i>Crucianella angustifolia</i>
Narrow-Leaved Lotus	<i>Lotus oblongifolius var. oblongifolius</i>
Narrow-Leaved Willowherb	<i>Epilobium torreyi</i>
Native Sedge	<i>Carex vernacula</i>
Nebraska Sedge	<i>Carex nebrascensis</i>
Needle Spikerush	<i>Eleocharis acicularis var. acicularis</i>
Needleleaf Navarretia	<i>Navarretia intertexta ssp. intertexta</i>
Nelson's Pepperwort	<i>Marsilea oligospora</i>
Nevada Blue-Eyed Grass	<i>Sisyrinchium halophilum</i>
Nevada Buckwheat	<i>Eriogonum umbellatum var. nevadense</i>
Nevada City Buckwheat	<i>Eriogonum prattenianum var. prattenianum</i>
Nevada Lomatium	<i>Lomatium nevadense var. nevadense</i>
Nevada Parry's Rabbitbrush	<i>Chrysothamnus parryi ssp. nevadensis</i>
Nevada Cinquefoil	<i>Potentilla glandulosa ssp. nevadensis</i>
New Zealand Geranium	<i>Geranium retrorsum</i>
Nimblewell	<i>Muhlenbergia schreberi</i>
Ninebark	<i>Physocarpus capitatus</i>
Nipplewort	<i>Lapsana communis</i>
Nit Grass	<i>Gastridium ventricosum</i>
Nodding Buckwheat	<i>Eriogonum cernuum</i>
Nodding Melic	<i>Melica stricta</i>
Nodding Microseris	<i>Microseris nutans</i>
Nodding Oatgrass, Tall Trisetum	<i>Trisetum canescens</i>
Northern Mannagrass	<i>Glyceria borealis</i>
Northern Starwort	<i>Stellaria calycanthes</i>
Notchleaf Clover	<i>Trifolium bifidum</i>
Nuttall's Poverty Weed	<i>Monolepis nuttalliana</i>
Nuttall's Quillwort	<i>Isoetes nuttallii</i>
Nuttall's Sandwort	<i>Minuartia nuttallii ssp. gracilis</i>
Nuttall's Waterweed	<i>Elodea nuttallii</i>
Oak Mistletoe	<i>Phoradendron villosum</i>
Oblong-Leaved Buckwheat	<i>Eriogonum nudum var. oblongifolium</i>
Obscure Buckwheat	<i>Eriogonum microthecum var. ambiguum</i>
Obtuse Starwort	<i>Stellaria obtusa</i>
Old Man's Whiskers	<i>Geum triflorum</i>
Old Witch Grass	<i>Panicum capillare</i>
Oldfield Three-Awn	<i>Aristida oligantha</i>
Olive	<i>Olea europaea</i>
One-Leaf Onion	<i>Allium unifolium</i>
One-Seeded Pussypaws	<i>Calyptidium monospermum</i>
One-Sided Bluegrass	<i>Poa secunda ssp. secunda</i>
One-Sided Wintergreen	<i>Orthilia secunda</i>

<i>Common Name</i>	<i>Scientific name</i>
One-Spike Oatgrass	<i>Danthonia unispicata</i>
Oniongrass	<i>Melica bulbosa</i>
Oracle Oak	<i>Quercus x morehus</i>
Orange Agoseris	<i>Agoseris aurantiaca</i>
Orange-Flowered Hawkweed	<i>Hieracium aurantiacum</i>
Orchard Grass	<i>Dactylis glomerata</i>
Orcutt Brome	<i>Bromus orcuttianus</i>
Orcutt's Quillwort	<i>Isoetes orcuttii</i>
Oregon Ash	<i>Fraxinus latifolia</i>
Oregon Boxwood	<i>Paxistima myrsinites</i>
Oregon Checker Mallow	<i>Sidalcea oregana ssp. spicata</i>
Oregon Fireweed	<i>Epilobium oreganum</i>
Oregon Spicy Wintergreen	<i>Gaultheria ovatifolia</i>
Oregon Sunshine	<i>Eriophyllum lanatum var. integrifolium</i>
Oregon White Oak	<i>Quercus garryana var. breweri</i>
Oregon White-Topped Aster	<i>Aster oregonensis</i>
Oregon Willow Herb	<i>Epilobium oregonense</i>
Ottley's Stipulate Lotus	<i>Lotus stipularis var. ottleyi</i>
Ox-Eye Daisy	<i>Leucanthemum vulgare</i>
Pacific Bedstraw	<i>Galium trifidum var. pacificum</i>
Pacific Bleeding Heart	<i>Dicentra formosa</i>
Pacific Bog Rush	<i>Juncus effusus var. pacificus</i>
Pacific Panic Grass	<i>Panicum acuminatum var. acuminatum</i>
Pacific Popcornflower	<i>Plagiobothrys tenellus</i>
Pacific Stonecrop	<i>Sedum spathulifolium</i>
Pale False Mannagrass	<i>Torreyochloa pallida var. pauciflora</i>
Pale Monardella	<i>Monardella glauca</i>
Pale Spikerush	<i>Eleocharis macrostachya</i>
Pale-Leaved Serviceberry	<i>Amelanchier utahensis</i>
Pallid Mountain Monardella	<i>Monardella odoratissima ssp. pallida</i>
Palmer's Catchfly	<i>Silene bernardina</i>
Panicled Willow Herb	<i>Epilobium brachycarpum</i>
Papery Onion	<i>Allium membranaceum</i>
Parish's Purple Nightshade	<i>Solanum parishii</i>
Parish's Yampah	<i>Periderida parishii ssp. latifolia</i>
Parrothead Indian Paintbrush	<i>Castilleja pilosa</i>
Parry Rush	<i>Juncus parryi</i>
Parry's Knotweed	<i>Polygonum parryi</i>
Parry's Leafy Aster	<i>Aster foliaceus var. parryi</i>
Parsley Fern, Rock Brake	<i>Cryptogramma acrostichooides</i>
Pathfinder, Trail Plant	<i>Adenocaulon bicolor</i>
Peak Saxifrage	<i>Saxifraga nidifica var. nidifica</i>
Pearly Everlasting	<i>Anaphalis margaritacea</i>
Peninsula Onion	<i>Allium peninsulare var. peninsulare</i>
Pennsylvania Bittercress	<i>Cardamine pennsylvanica</i>
Pennyroyal	<i>Mentha pulegium</i>
Pepper-Grass	<i>Lepidium strictum</i>
Peppermint	<i>Mentha x piperata</i>
Perennial Sweetpea	<i>Lathyrus latifolius</i>
Perennial Wall Rocket	<i>Diplotaxis tenuifolia</i>
Perennial Ryegrass	<i>Lolium perenne</i>

<i>Common Name</i>	<i>Scientific name</i>
Periwinkle	<i>Vinca major</i>
Persian Speedwell, Bird's Eye Speedwell	<i>Veronica persica</i>
Persistentflower Phacelia	<i>Phacelia marcesens</i>
Petty Spurge	<i>Euphorbia peplus</i>
Phantom Orchid	<i>Cephalanthera austinae</i>
Philadelphia Fleabane	<i>Erigeron philadelphicus</i>
Pigweed	<i>Chenopodium incanum</i> var. <i>occidentale</i>
Pimpernel Willow Herb	<i>Epilobium anagallidifolium</i>
Pine Cryptantha	<i>Cryptantha simulans</i>
Pine Drops	<i>Pterospora andromedea</i>
Pine Dwarf-Mistletoe	<i>Arceuthobium campylopodum</i>
Pine Forest Larkspur	<i>Delphinium gracilentum</i>
Pine Hill Fremontia (Flannelbush)	<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>
Pine Lupine, White-Stemmed Lupine	<i>Lupinus albicaulis</i>
Pine Rose	<i>Rosa pinetorum</i>
Pine Violet	<i>Viola lobata</i> ssp. <i>integrifolia</i>
Pine Violet	<i>Viola lobata</i> ssp. <i>lobata</i>
Pineapple Weed	<i>Chamomilia suaveolens</i>
Pinemat	<i>Ceanothus diversifolius</i>
Pinemat Manzanita	<i>Arctostaphylos nevadensis</i>
Pinewoods Holboell's Rock-Cress	<i>Arabis holboellii</i> var. <i>pinetorum</i>
Pink Spineflower	<i>Chorizanthe membranacea</i>
Pinnate-Leaved Lotus	<i>Lotus pinnatus</i>
Pinpoint Clover	<i>Trifolium gracilentum</i>
Pinyon Groundsmoke	<i>Gayophytum ramosissimum</i>
Pitcher Sage	<i>Lepechinia calycina</i>
Pitseed Goosefoot	<i>Chenopodium berlandieri</i>
Plantainleaf Buttercup	<i>Ranunculus alismifolius</i> var. <i>alismifolius</i>
Plumas Ivesia	<i>Ivesia sericoleuca</i>
Pointed Rush	<i>Juncus oxymeris</i>
Poison Hemlock	<i>Conium maculatum</i>
Poison Oak	<i>Toxicodendron diversilobium</i>
Poison Sanicle	<i>Sanicula bipinnata</i>
Pokeweed	<i>Phytolacca americana</i>
Ponderosa Pine	<i>Pinus ponderosa</i>
Porterella	<i>Porterella carnosula</i>
Poverty Brome	<i>Bromus sterilis</i>
Powell's Amaranth	<i>Amaranthus powellii</i>
Prairie Fleabane	<i>Erigeron strigosus</i>
Prairie Woodland Star	<i>Lithophragma parviflorum</i> var. <i>trifoliatum</i>
Presl's Sedge	<i>Carex preslii</i>
Prettyface	<i>Triteleia ixioides</i> ssp. <i>scabra</i>
Pricklefruit Buttercup	<i>Ranunculus muricatus</i>
Prickly Cryptantha	<i>Cryptantha muricata</i>
Prickly Lettuce	<i>Lactuca serriola</i>
Prickly Phlox	<i>Leptodactylon pungens</i>
Prickly Popcorn-Flower	<i>Cryptantha echinella</i>
Prickly Poppy, Chicalote	<i>Argemone munita</i>
Prickly Sandwort	<i>Arenaria aculeata</i>
Prickly Sow Thistle	<i>Sonchus asper</i> ssp. <i>asper</i>
Primrose Monkeyflower	<i>Mimulus primuloides</i> ssp. <i>primuloides</i>

<i>Common Name</i>	<i>Scientific name</i>
Prince's Pine, Pipsissiwa	<i>Chimaphila umbellata</i>
Pringle's Bluegrass	<i>Poa pringlei</i>
Prostrate Pigweed	<i>Amaranthus blitoides</i>
Pterostegia, Fairy Mist	<i>Pterostegia drymarioides</i>
Pubescent Common Vetch	<i>Vicia sativa ssp. sativa</i>
Pullup Muhly	<i>Muhlenbergia filiformis</i>
Puncturevine	<i>Tribulus terrestris</i>
Purdy's Brodiaea	<i>Brodiaea purdyi</i>
Purdy's Foothill Penstemon	<i>Penstemon heterophyllus var. purdyi</i>
Purple Clarkia	<i>Clarkia purpurea ssp. viminea</i>
Purple Cudweed	<i>Gnaphalium purpureum</i>
Purple False-Brome	<i>Brachypodium distachyon</i>
Purple False-Gilia	<i>Allophyllum divaricatum</i>
Purple Fawn Lily	<i>Erythronium purpurascens</i>
Purple Foxglove	<i>Digitalis purpurea</i>
Purple Loosestrife	<i>Lythrum salicaria</i>
Purple Mat	<i>Nama densum</i>
Purple Milkweed	<i>Asclepias cordifolia</i>
Purple Needlegrass	<i>Nassella pulchra</i>
Purple Nightshade	<i>Solanum xanti</i>
Purple Owl's Clover	<i>Castilleja exserta ssp. exserta</i>
Purple Salsify, Oyster Plant	<i>Tragopogon porrifolius</i>
Purple Sanicle	<i>Sanicula bipinnatifida</i>
Purple Star Thistle	<i>Centaurea calcitrapa</i>
Purple Vetch	<i>Vicia benghalensis</i>
Purple-Throat Gilia	<i>Gilia leptalea ssp. bicolor</i>
Purpletop Vervain	<i>Verbena bonariensis</i>
Pursh's Sheep-Pod	<i>Astragalus purshii</i>
Purslane Speedwell	<i>Veronica peregrina ssp. xalapensis</i>
Pussy Paws	<i>Calyptidium umbellatum</i>
Pygmy Bitter Root	<i>Lewisia pygmaea</i>
Pygmy Linanthus	<i>Linanthus pygmaeus ssp. continentalis</i>
Pygmy Rose	<i>Rosa bridgesii</i>
Pygmy Weed	<i>Crassula aquatica</i>
Quack Grass	<i>Elytrigia repens</i>
Quaking Aspen	<i>Populus tremuloides</i>
Queen Anne's Lace	<i>Daucus carota</i>
Rabbitfoot, Clustered Hareleaf	<i>Lagophylla ramosissima ssp. congesta</i>
Rabbitsfoot Grass	<i>Polygogon monspeliensis</i>
Racemose Phacelia	<i>Phacelia racemosa</i>
Ramm's Madia	<i>Madia rammii</i>
Rancheria Clover	<i>Trifolium albopurpureum</i>
Ranger's Button	<i>Sphenosciadium capitellatum</i>
Raspberry	<i>Rubus glaucifolius</i>
Rattlesnake Plantain	<i>Goodyera oblongifolia</i>
Rattlesnake Weed	<i>Daucus pusillus</i>
Rayless Alpine Ragwort	<i>Senecio pauciflorus</i>
Rayless Arnica	<i>Arnica discoidea</i>
Raynald's Sedge	<i>Carex raynoldsii</i>
Red Baneberry	<i>Actaea rubra</i>
Red Brome, Foxtail	<i>Bromus madritensis ssp. rubens</i>

<i>Common Name</i>	<i>Scientific name</i>
Red Clover	<i>Trifolium pratense</i>
Red Elderberry	<i>Sambucus racemosa</i> var. <i>microbotrys</i>
Red Fescue	<i>Festuca rubra</i>
Red Fir	<i>Abies magnifica</i>
Red Huckleberry	<i>Vaccinium parvifolium</i>
Red Maids	<i>Calandrinia ciliata</i>
Red Sierra Onion	<i>Allium obtusum</i>
Red Valerian	<i>Centranthus ruber</i>
Red Willow	<i>Salix laevigata</i>
Red-Anthered Rush	<i>Juncus marginatus</i> var. <i>marginatus</i>
Redding Buckwheat	<i>Eriogonum spergulinum</i> var. <i>reddingianum</i>
Red-Rooted Cyperus	<i>Cyperus erythrorhizos</i>
Redstem Filaree	<i>Erodium cicutarium</i>
Redstem Spring Beauty	<i>Claytonia rubra</i> ssp. <i>depressa</i>
Red-Stemmed Miner's Lettuce	<i>Claytonia rubra</i> ssp. <i>rubra</i>
Reed Canarygrass	<i>Phalaris arundinacea</i>
Regel's Mountain Penstemon	<i>Penstemon roezlii</i>
Rein Orchid	<i>Piperia leptopetala</i>
Ribbed Fringepod	<i>Thysanocarpus radians</i>
Rice Cutgrass	<i>Leersia oryzoides</i>
Richardson's Geranium	<i>Geranium richardsonii</i>
Rigid Hedge Nettle	<i>Stachys ajugoides</i> var. <i>rigida</i>
Rigiopappus, Wireweed	<i>Rigiopappus leptocladus</i>
Ripgut Grass	<i>Bromus diandrus</i>
Rock Phacelia	<i>Phacelia egena</i>
Rock Spiraea, Little-Leaf Creambush	<i>Holodiscus microphyllus</i> var. <i>microphyllus</i>
Rockfringe	<i>Epilobium obcordatum</i>
Rocky Mountain Buttercup	<i>Ranunculus cymbalaria</i> var. <i>saximontanus</i>
Rocky Mountain Rush	<i>Juncus saximontanus</i>
Rose Champion	<i>Lychnis coronaria</i>
Rose Clover	<i>Trifolium hirtum</i>
Rosilla, Sneezeweed	<i>Helenium puberulum</i>
Rosin Weed	<i>Calycadenia truncata</i>
Ross Sedge	<i>Carex rossii</i>
Rosy Pussytoes	<i>Antennaria rosea</i> ssp. <i>confinis</i>
Rothrock Sagebrush	<i>Artemisia rothrockii</i>
Rough Cat's Ear	<i>Hypochaeris radicata</i>
Rough Pigweed, Red-Root Pigweed	<i>Amaranthus retroflexus</i>
Rough Sedge	<i>Carex senta</i>
Roughfruit Corn Bedstraw	<i>Galium tricorutum</i>
Rough-Leaved Aster	<i>Aster radulinus</i>
Roundfruited Toad Rush	<i>Juncus bufonius</i> var. <i>occidentalis</i>
Roundleaf Cancerwort	<i>Kickxia spuria</i>
Roundleaf Leather-Root	<i>Hoita orbicularis</i>
Round-Leaf Water-Hyssop	<i>Bacopa rotundifolia</i>
Roundleaved Snowberry	<i>Symphoricarpos rotundifolius</i> var. <i>rotundifolius</i>
Round-Leaved Sundew	<i>Drosera rotundifolia</i>
Roundspike Cryptantha	<i>Cryptantha humilis</i>
Royal Larkspur	<i>Delphinium variegatum</i> ssp. <i>variegatum</i>
Royal Rein Orchid	<i>Piperia transversa</i>
Ruby Sand Spurry	<i>Spergularia rubra</i>

<i>Common Name</i>	<i>Scientific name</i>
Ruffled Starwort	<i>Stellaria crispa</i>
Rush Blue Grass	<i>Poa secunda ssp. juncifolia</i>
Russian Knapweed	<i>Acroptilon repens</i>
Rusty Popcornflower	<i>Plagiobothrys nothofulvus</i>
Rusty Slender Sedge	<i>Carex subfusca</i>
Rye	<i>Secale cereale</i>
Sagebrush Buttercup, Elliptical Buttercup	<i>Ranunculus glaberrimus var. ellipticus</i>
Saltgrass	<i>Distichlis spicata</i>
Saltlover	<i>Halogeton glomeratus</i>
Sanborn's Onion	<i>Allium sanbornii var. sanbornii</i>
Sand Corn	<i>Zigadenus paniculatus</i>
Sand Pygmy Weed	<i>Crassula connata</i>
Santa Barbara Sedge	<i>Carex barbarae</i>
Santa Barbara Wirelettuce	<i>Stephanomeria elata</i>
Sargent's Catchfly	<i>Silene sargentii</i>
Scabland Fleabane	<i>Erigeron bloomeri var. bloomeri</i>
Scadden Flat Checkerbloom	<i>Sidalcea stipularis</i>
Scarlet Fritillary	<i>Fritillaria recurva</i>
Scarlet Gilia, Skyrocket	<i>Ipomopsis aggregata</i>
Scarlet Pimpernel	<i>Anagallis arvensis</i>
Scatter Knotweed	<i>Polygonum douglasii ssp. spergulariiforme</i>
Scotch Broom	<i>Cytisus scoparius</i>
Scottish Thistle	<i>Onopodum acanthium ssp. acanthium</i>
Scouler Hawkweed	<i>Hieracium scouleri</i>
Scouler Willow	<i>Salix scouleriana</i>
Scouler's St Johnswort	<i>Hypericum formosum var. scouleri</i>
Scouring Rush	<i>Equisetum hyemale ssp. affine</i>
Scratchgrass	<i>Muhlenbergia asperifolia</i>
Scribneria	<i>Scribneria bolanderi</i>
Scrub Oak	<i>Quercus berberidifolia</i>
Seashore Vervain	<i>Verbena litoralis</i>
Seaside Arrowgrass	<i>Triglochin maritima</i>
Seep-Spring Arnica	<i>Arnica longifolia</i>
Seepspring Monkeyflower	<i>Mimulus guttatus</i>
Self-Heal	<i>Prunella vulgaris var. vulgaris</i>
Sequoia Bedstraw	<i>Galium sparsiflorum ssp. sparsiflorum</i>
Serpentine Bittercress	<i>Cardamine pachystigma var. pachystigma</i>
Sharpleaf Cancerwort	<i>Kickxia elatine</i>
Shasta Clover	<i>Trifolium kingii var. productum</i>
Shasta Knotweed	<i>Polygonum shastense</i>
Shasta Lily	<i>Lilium pardalinum ssp. shastense</i>
Sheep Sorrel	<i>Rumex acetosella</i>
Shelton's Monardella	<i>Monardella sheltonii</i>
Shelton's Violet	<i>Viola sheltonii</i>
Shepherd's Purse	<i>Capsella bursa-pastoris</i>
Shield Cress	<i>Lepidium perfoliatum</i>
Shining Chickweed	<i>Stellaria nitens</i>
Shining Daisy	<i>Erigeron barbellulatus</i>
Shining Peppergrass	<i>Lepidium nitidum</i>
Shining Willow	<i>Salix lucida ssp. lasiandra</i>
Shore Sedge	<i>Carex limosa</i>



*Common Name**Scientific name*

---

Short-Awn Foxtail	<i>Alopecurus aequalis</i>
Shortbeak Sedge	<i>Carex simulata</i>
Shortflower Dodder, Chaparral Dodder	<i>Cuscuta californica</i> var. <i>breviflora</i>
Shortflower Monkeyflower	<i>Mimulus breviflorus</i>
Short-Flowered Owl's-Clover	<i>Orthocarpus cuspidatus</i> ssp. <i>cryptanthus</i>
Shortfruit Stork's-Bill	<i>Erodium brachycarpum</i>
Shorthair Reedgrass	<i>Calamagrostis breweri</i>
Shorthair Sedge	<i>Carex filifolia</i> var. <i>erostrata</i>
Short-Petaled Campion	<i>Silene invis</i> a
Shortpod Mustard	<i>Hirschfeldia incana</i>
Shortscaled Sedge	<i>Carex deweyana</i> ssp. <i>leptopoda</i>
Shorttooth Canadian Milkvetch	<i>Astragalus canadensis</i> var. <i>brevidens</i>
Showy Goldenrod	<i>Solidago spectabilis</i>
Showy Milkweed	<i>Asclepias speciosa</i>
Showy Penstemon	<i>Penstemon speciosus</i>
Showy Phlox	<i>Phlox speciosa</i> ssp. <i>occidentalis</i>
Showy Sedge	<i>Carex spectabilis</i>
Showy Tarweed	<i>Madia elegans</i> ssp. <i>densifolia</i>
Shrubby Cinquefoil	<i>Potentilla fruticosa</i>
Siberian Water-Milfoil	<i>Myriophyllum sibiricum</i>
Sicklepod Rockcress	<i>Arabis sparsiflora</i>
Side-Grooved Cryptantha	<i>Cryptantha affinis</i>
Sierra Alpine Gentian	<i>Gentiana newberryi</i> var. <i>tiogana</i>
Sierra Arnica	<i>Arnica nevadensis</i>
Sierra Blue Grass	<i>Poa sierrae</i>
Sierra Calicoflower	<i>Downingia montana</i>
Sierra Chaenactis	<i>Chaenactis nevadensis</i>
Sierra Cliffbrake	<i>Pellaea brachyptera</i>
Sierra Coffeeberry	<i>Rhamnus rubra</i>
Sierra Corydalis, Sierra Fumewort	<i>Corydalis caseana</i> ssp. <i>caseana</i>
Sierra Fawn Lily	<i>Erythronium multiscapoideum</i>
Sierra Foothills Microseris	<i>Microseris acuminata</i>
Sierra Gooseberry	<i>Ribes roezlii</i> var. <i>roezlii</i>
Sierra Hare Sedge	<i>Carex leporinella</i>
Sierra Iris	<i>Iris hartwegii</i> ssp. <i>hartwegii</i>
Sierra Juniper	<i>Juniperus occidentalis</i> ssp. <i>australis</i>
Sierra Larkspur	<i>Delphinium glaucum</i>
Sierra Laurel	<i>Leucothoe davisiae</i>
Sierra Lewisia	<i>Lewisia nevadensis</i>
Sierra Lupine	<i>Lupinus grayii</i>
Sierra Milkwort	<i>Polygala cornuta</i> var. <i>cornuta</i>
Sierra Monkeyflower	<i>Mimulus leptaleus</i>
Sierra Morning-Glory	<i>Calystegia malacophylla</i> ssp. <i>malacophylla</i>
Sierra Needlegrass	<i>Achnatherum nevadense</i>
Sierra Nemophila	<i>Nemophila spatulata</i>
Sierra Nerved Sedge	<i>Carex nervina</i>
Sierra Nevada Lotus	<i>Lotus nevadensis</i> var. <i>nevadensis</i>
Sierra Nevada Maiden-Fern	<i>Thelypteris nevadensis</i>
Sierra Nevada Pea	<i>Lathyrus nevadensis</i> var. <i>nevadensis</i>
Sierra Onion	<i>Allium campanulatum</i>
Sierra Penstemon	<i>Penstemon heterodoxus</i>

<i>Common Name</i>	<i>Scientific name</i>
Sierra Plum	<i>Prunus subcordata</i>
Sierra Primrose	<i>Primula suffrutescens</i>
Sierra Rush	<i>Juncus nevadensis</i>
Sierra Saxifrage	<i>Saxifraga aprica</i>
Sierra Shooting Star	<i>Dodecatheon jeffreyi</i>
Sierra Snakeroot, Sierra Sanicle	<i>Sanicula graveolens</i>
Sierra Stickseed	<i>Hackelia nervosa</i>
Sierra Stonecrop	<i>Parvisedum pumilum</i>
Sierra Stonecrop	<i>Sedum obtusatum ssp. Obtusatum</i>
Sierra Tansymustard	<i>Descurainia californica</i>
Sierra Wildrye	<i>Elymus sierrae</i>
Sierra Willow, Mountain Willow	<i>Salix eastwoodiae</i>
Sierra Woolly Sunflower	<i>Eriophyllum lanatum var. croceum</i>
Silky Raillardella	<i>Raillardella argentea</i>
Silver Bush Lupine	<i>Lupinus albifrons var. albifrons</i>
Silver Puffs	<i>Uropappus lindleyi</i>
Silver Pussytoes	<i>Antennaria argentea</i>
Silver Sagebrush	<i>Artemisia cana</i>
Silverback Fern	<i>Pentagramma pallida</i>
Silverleaf Nightshade	<i>Solanum eleagnifolium</i>
Silverleaf Phacelia	<i>Phacelia hastata</i>
Silvery Hairgrass	<i>Aira caryophyllea</i>
Silvery Lupine	<i>Lupinus argenteus var. heteranthus</i>
Silvery-Brown Pussytoes	<i>Antennaria luzuloides</i>
Siskiyou Blue Curly	<i>Trichostema simulatum</i>
Sitka Sedge	<i>Carex aquatilis</i>
Skeleton Weed	<i>Chondrilla juncea</i>
Skunkbush	<i>Rhus trilobata</i>
Skunky Monkeyflower	<i>Mimulus mephiticus</i>
Sky Pilot	<i>Polemonium pulcherrimum var. pulcherrimum</i>
Skyline Bluegrass	<i>Poa cusickii ssp. epilis</i>
Slender Beardtongue	<i>Penstemon gracilentus</i>
Slender Bird's Beak	<i>Cordylanthus tenuis ssp. tenuis</i>
Slender Brodiaea	<i>Triteleia montana</i>
Slender Cotton Grass	<i>Eriophorum criniger</i>
Slender Cottonweed	<i>Micropus californicus var. californicus</i>
Slender Hairgrass	<i>Deschampsia elongata</i>
Slender Phlox	<i>Phlox gracilis</i>
Slender Popcornflower	<i>Plagiobothrys tener</i>
Slender Rush	<i>Juncus tenuis</i>
Slender Sedge	<i>Carex gracilior</i>
Slender Tarweed	<i>Madia gracilis</i>
Slender Wheatgrass	<i>Elymus trachycaulus ssp. trachycaulus</i>
Slender Wild Oats	<i>Avena barbata</i>
Slender Willow Herb	<i>Epilobium halleianum</i>
Slenderbeak Sedge	<i>Carex athrostachya</i>
Slenderstem Lessingia	<i>Lessingia nemaclada</i>
Slendertube Skyrocket	<i>Ipomopsis tenuituba</i>
Slough Grass	<i>Beckmannia syzigachne</i>
Small Bedstraw	<i>Galium trifidum var. pusillum</i>
Small Fescue	<i>Vulpia microstachys</i>

*Common Name**Scientific name*

---

Small Water-Plantain Buttercup	<i>Ranunculus alismifolius</i> var. <i>alismellus</i>
Smallflower Dwarf-Flax	<i>Hesperolinon micranthum</i>
Smallflower Gymnosteris	<i>Gymnosteris parvula</i>
Smallflower Lotus	<i>Lotus micranthus</i>
Smallflowered Camas	<i>Camassia quamash</i> ssp. <i>breviflora</i>
Small-Flowered Needlegrass	<i>Nassella lepida</i>
Small-Flowered Nemophila	<i>Nemophila parviflora</i> var. <i>austinae</i>
Small-Flowered Nightshade	<i>Solanum americanum</i>
Smallflowered Woodrush	<i>Luzula parviflora</i>
Smallflowered-Stickseed, Jessica's Stickseed	<i>Hackelia micrantha</i>
Small-Fruited Bulrush	<i>Scirpus microcarpus</i>
Smallhead Clover	<i>Trifolium microcephalum</i>
Smallhead Sedge	<i>Carex illota</i>
Small-Headed Cudweed	<i>Gnaphalium canescens</i> ssp. <i>thermale</i>
Smallwing Sedge	<i>Carex microptera</i>
Smooth Brome	<i>Bromus inermis</i> ssp. <i>inermis</i>
Smooth Cat's Ear	<i>Hypochaeris glabra</i>
Smooth Crabgrass	<i>Digitaria ischaemum</i>
Smooth Hawksbeard	<i>Crepis capillaris</i>
Smooth Horsetail	<i>Equisetum laevigatum</i>
Smooth Spike-Primrose	<i>Epilobium pygmaeum</i>
Smooth Vetch	<i>Vicia villosa</i> ssp. <i>varia</i>
Smoothbeak Sedge	<i>Carex integra</i>
Smooth-Leaved Violet	<i>Viola purpurea</i> ssp. <i>integrifolia</i>
Smoothstem Sedge	<i>Carex laeviculmis</i>
Snapdragon Skullcap	<i>Scutellaria antirrhinoides</i>
Snow Plant	<i>Sarcodes sanguinea</i>
Snowberry	<i>Symphoricarpos albus</i> var. <i>laevigatus</i>
Snowdrop Bush	<i>Styrax officinalis</i> var. <i>redivivus</i>
Snowy Thistle	<i>Cirsium occidentale</i> var. <i>candidissimum</i>
Soap Plant	<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>
Soft Blow Wives	<i>Achyrachaena mollis</i>
Soft Brome, Soft Chess	<i>Bromus hordeaceus</i>
Soft Mountain Tansy-Mustard	<i>Descurainia incana</i>
Soft Western Rosinweed	<i>Calycadenia mollis</i>
Softleaf Sedge	<i>Carex disperma</i>
Sonne's Daisy	<i>Erigeron eatonii</i> var. <i>sonnei</i>
Sonoma Sage	<i>Salvia sonomensis</i>
Sour Clover	<i>Melilotus indica</i>
Southern Cattail	<i>Typha domingensis</i>
Southern Hawkweed	<i>Hieracium argutum</i>
Spanish Lotus	<i>Lotus purshianus</i> var. <i>purshianus</i>
Sparse-Flowered Bog Orchid	<i>Platanthera sparsiflora</i>
Spearleaf Agoseris	<i>Agoseris retrorsa</i>
Spearmint	<i>Mentha spicata</i> var. <i>spicata</i>
Spicebush	<i>Calycanthus occidentalis</i>
Spider Lupine	<i>Lupinus benthamii</i>
Spike Fescue	<i>Festuca kingii</i>
Spiked Bentgrass	<i>Agrostis exarata</i>
Spiked Mannagrass	<i>Torreyochloa erecta</i>
Spiked Western Rosinweed	<i>Calycadenia spicata</i>

*Common Name**Scientific name*

---

Spinster's Blue-Eyed Mary	<i>Collinsia sparsiflora</i> var. <i>collina</i>
Spiny Cocklebur	<i>Xanthium spinosum</i>
Spiny Plumeless Thistle	<i>Carduus acanthoides</i>
Spiny Redberry, California Coffeeberry	<i>Rhamnus californica</i> ssp. <i>californica</i>
Spotted Burclover	<i>Medicago arabica</i>
Spotted Coralroot	<i>Corallorhiza maculata</i>
Spotted Knapweed	<i>Centaurea maculosa</i>
Spotted Mountain Bells	<i>Fritillaria atropurpurea</i>
Spotted Spurge	<i>Chamaesyce maculata</i>
Sprawling Speedwell	<i>Veronica serpyllifolia</i> ssp. <i>humifusa</i>
Spreading Groundsmoke	<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i>
Spreading Larkspur	<i>Delphinium patens</i>
Spreading Phlox	<i>Phlox diffusa</i>
Spreading Woodrush	<i>Luzula divaricata</i>
Spreadingpod Rockcress	<i>Arabis x divaricarpa</i>
Spring Madia	<i>Madia elegans</i> ssp. <i>vernalis</i>
Springbank Clover	<i>Trifolium wormskioldii</i>
Spur Lupine	<i>Lupinus arbustus</i>
Spurred Snapdragon	<i>Antirrhinum cornutum</i>
Spurred Snapdragon	<i>Antirrhinum leptaleum</i>
Spurry Buckwheat	<i>Eriogonum spergulinum</i> var. <i>spergulinum</i>
Squirreltail	<i>Elymus elymoides</i> ssp. <i>californicus</i>
Staining Collomia	<i>Collomia tinctoria</i>
Stalked Popcornflower	<i>Plagiobothrys stipitatus</i> var. <i>micranthus</i>
Star-Flowered Solomon's, False Solomon's Seal	<i>Smilacina stellata</i>
Starved Daisy	<i>Erigeron miser</i>
Stebbins' Blue Grass	<i>Poa stebbinsii</i>
Stebbins' Morning Glory	<i>Calystegia stebbinsii</i>
Stebbins' Phacelia	<i>Phacelia stebbinsii</i>
Stebbins' Wildrye	<i>Elymus stebbinsii</i>
Steer's Head	<i>Dicentra uniflora</i>
Stellate Sedge	<i>Carex echinata</i> ssp. <i>echinata</i>
Stemless Mock Goldenweed	<i>Stenotus acaulis</i>
Sticky Chinese Houses	<i>Collinsia tinctoria</i>
Sticky Cinquefoil	<i>Potentilla glandulosa</i> ssp. <i>glandulosa</i>
Sticky Currant	<i>Ribes viscosissimum</i>
Sticky Starwort	<i>Pseudostellaria jamesiana</i>
Sticky Western Rosinweed	<i>Calycadenia multiglandulosa</i>
Sticky Whiteleaf Manzanita	<i>Arctostaphylos viscida</i> ssp. <i>viscida</i>
Stillman's Needlegrass	<i>Achnatherum stillmanii</i>
Stinkgrass	<i>Eragrostis cilianensis</i>
Stinking Willie	<i>Senecio jacobaea</i>
Stool Lupine	<i>Lupinus lepidus</i> var. <i>sellulus</i>
Straightleaf Rush	<i>Juncus orthophyllus</i>
Straw-Like Sedge	<i>Carex stramineiformis</i>
Stream Orchid	<i>Epipactis gigantea</i>
Stream Violet	<i>Viola glabella</i>
Streambank Arnica	<i>Arnica amplexicaulis</i>
Streambank Butterweed	<i>Senecio pseud aureus</i> var. <i>pseud aureus</i>
Streambank Saxifrage	<i>Saxifraga odontoloma</i>
Striped Coral Root	<i>Corallorhiza striata</i>

<i>Common Name</i>	<i>Scientific name</i>
Subcongesta Sandwort	<i>Arenaria congesta</i> var. <i>subcongesta</i>
Subterranean Clover	<i>Trifolium subterraneum</i>
Sugar Pine	<i>Pinus lambertiana</i>
Sugarstick	<i>Allotropa virgata</i>
Suksdorf Brome	<i>Bromus suksdorfii</i>
Suksdorf's Monkeyflower	<i>Mimulus suksdorfii</i>
Sulphur Pea	<i>Lathyrus sulphureus</i>
Sulphur-Flower Buckwheat	<i>Eriogonum umbellatum</i> var. <i>covillei</i>
Summer Cypress	<i>Kochia scoparia</i>
Summers Darling, Graceful Clarkia	<i>Clarkia gracilis</i> ssp. <i>gracilis</i>
Summit Lupine	<i>Lupinus apertus</i>
Sundrops Evening-Primrose	<i>Camissonia andina</i>
Swamp Onion	<i>Allium validum</i>
Swamp Thistle	<i>Cirsium douglasii</i> var. <i>breweri</i>
Sweet Alyssum	<i>Alyssum alyssoides</i>
Sweet Fennel	<i>Foeniculum vulgare</i>
Sweet Marsh Ragwort	<i>Senecio hydrophiloides</i>
Sweet Vernal Grass	<i>Anthoxanthum odoratum</i>
Sweetberry Honeysuckle	<i>Lonicera cauriana</i>
Sweet-Scented Bedstraw	<i>Galium triflorum</i>
Swollen Duckweed	<i>Lemna gibba</i>
Sword Fern	<i>Polystichum munitum</i>
Swordleaf Rush, Three-Stemmed Rush	<i>Juncus ensifolius</i>
Sylvan Scorzonella	<i>Microseris sylvatica</i>
Tacky Goldenweed	<i>Pyrrcoma hirta</i> var. <i>lanulosa</i>
Tall Blue Lettuce	<i>Lactuca biennis</i>
Tall Buckwheat	<i>Eriogonum elatum</i>
Tall Fescue	<i>Festuca arundinacea</i>
Tall Flatsedge	<i>Cyperus eragrostis</i>
Tall Fringed Bluebells	<i>Mertensia ciliata</i>
Tall Mannagrass	<i>Glyceria elata</i>
Tall Oatgrass	<i>Arrhenatherum elatius</i>
Tall Phacelia	<i>Phacelia procera</i>
Tall Ragwort	<i>Senecio serra</i> var. <i>serra</i>
Tall Stephanomeria	<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i>
Tall Woolly Buckwheat	<i>Eriogonum elatum</i> var. <i>villosum</i>
Tanbark Oak, Tanoak Shrub	<i>Lithocarpus densiflorus</i> var. <i>echinoides</i>
Tanoak	<i>Lithocarpus densiflorus</i> var. <i>densiflorus</i>
Tansyleaf Evening-Primrose	<i>Camissonia tanacetifolia</i>
Tapertip Rush	<i>Juncus acuminatus</i>
Tarragon	<i>Artemisia dracunculus</i>
Taurian Thistle	<i>Onopordum tauricum</i>
Telegraph Weed	<i>Heterotheca grandiflora</i>
Thimbleberry	<i>Rubus parviflorus</i>
Thin-Stemmed Navarretia	<i>Navarretia filicaulis</i>
Threadleaf Beakseed	<i>Bulbostylis capillaris</i>
Three-Bracted Onion	<i>Allium tribracteatum</i>
Threelobed Lewisia	<i>Lewisia triphylla</i>
Three-Tip Sagebrush	<i>Artemisia tripartita</i>
Threetooth Horkelia	<i>Horkelia tridentata</i> ssp. <i>flavescens</i>
Three-Toothed Horkelia	<i>Horkelia tridentata</i> ssp. <i>tridentata</i>

*Common Name**Scientific name*

---

Three-Way Sedge	<i>Dulichium arundianceum</i>
Thurber Bentgrass	<i>Agrostis thurberiana</i>
Thurber's Needlegrass	<i>Achnatherum thurberianum</i>
Thyme-Leaf Mesa Mint	<i>Pogogyne serpylloides</i>
Thymeleaf Sandmat	<i>Chamaesyce serpyllifolia</i>
Ticklegrass, Rough Bentgrass	<i>Agrostis scabra</i>
Tiehm's Rush	<i>Juncus tiehmii</i>
Timber Oatgrass	<i>Danthonia intermedia</i>
Timberline Phacelia	<i>Phacelia hastata ssp. compacta</i>
Tinker's Penny	<i>Hypericum anagalloides</i>
Tiny Trumpet	<i>Collomia linearis</i>
Toad Lily	<i>Montia chamissoi</i>
Toad Rush	<i>Juncus bufonius var. bufonius</i>
Tobacco Brush	<i>Ceanothus velutinus</i>
Tocalote, Maltese Star-Thistle	<i>Centaurea melitensis</i>
Tomcat Clover	<i>Trifolium willdenovii</i>
Tongue Clarkia	<i>Clarkia rhomboidea</i>
Torrey Cryptantha	<i>Cryptantha torreyana</i>
Torrey Popcorn Flower	<i>Plagiobothrys torreyi var. diffusus</i>
Torrey's Blue-Eyed Mary	<i>Collinsia torreyi var. torreyi</i>
Torrey's Meadow Rue	<i>Thalictrum fendleri var. polycarpum</i>
Torrey's Melica	<i>Melica torreyana</i>
Torrey's Monkeyflower	<i>Mimulus torreyi</i>
Torrey's Mountain Maple	<i>Acer glabrum var. torreyi</i>
Tower Mustard	<i>Arabis glabra</i>
Toyon	<i>Hetermeles arbutifolia</i>
Tree Clover	<i>Trifolium ciliolatum</i>
Tree Of Heaven	<i>Ailanthus altissima</i>
Triangular-Fruited Dock	<i>Rumex salicifolius var. triangulivalvis</i>
Truckee Cryptantha	<i>Cryptantha glomeriflora</i>
Tuberous Sanicle	<i>Sanicula tuberosa</i>
Tufted Hairgrass	<i>Deschampsia cespitosa ssp. cespitosa</i>
Tufted Lovegrass	<i>Eragrostis pectinacea var. pectinacea</i>
Tufted Poppy	<i>Eschscholzia caespitosa</i>
Tule	<i>Scirpus acutus var. occidentalis</i>
Tumble Mustard	<i>Sisymbrium altissimum</i>
Tumbleweed	<i>Amaranthus albus</i>
Tumbleweed	<i>Salsola tragus</i>
Tumbling Oracle	<i>Atriplex rosea</i>
Turpentine Cymopterus	<i>Cymopterus terebinthinus</i>
Twinberry	<i>Lonicera involucrata var. involucrata</i>
Twincrest Onion	<i>Allium bisceptrum var. bisceptrum</i>
Twinflower	<i>Linnaea borealis var. longiflora</i>
Twining Brodiaea	<i>Dichelostemma volubile</i>
Twinleaf Onion	<i>Allium anceps</i>
Twisted Stalk	<i>Streptopus amplexifolius var. americanus</i>
Two-Lobed Clarkia	<i>Clarkia biloba ssp. biloba</i>
Umbrella Starwort	<i>Stellaria umbellata</i>
Utah Miner's Lettuce	<i>Claytonia parviflora ssp. parviflora</i>
Valley Oak	<i>Quercus lobata</i>
Valley Popcorn Flower	<i>Plagiobothrys canescens</i>

<i>Common Name</i>	<i>Scientific name</i>
Valley Sky Lupine	<i>Lupinus nanus</i>
Valley Spurge, Contura Creek Spurge	<i>Chamaesyce ocellata</i>
Valley Tassels	<i>Castilleja attenuata</i>
Valparaiso Clover	<i>Trifolium microdon</i>
Variable-Nerve Sedge	<i>Carex heteroneura</i> var. <i>heteroneura</i>
Varied-Leaf Collomia	<i>Collomia heterophylla</i>
Varyleaf Phacelia	<i>Phacelia heterophylla</i> ssp. <i>virgata</i>
Veatch's Blazing Star	<i>Mentzelia veatchiana</i>
Velvety Stickseed	<i>Hackelia velutina</i>
Venus' Needle	<i>Scandix pecten-veneris</i>
Venus Thistle	<i>Cirsium occidentale</i> var. <i>venustum</i>
Vernal Water Starwort	<i>Callitriche verna</i>
Vinegar Weed	<i>Trichostema lanceolatum</i>
Violet Dense False-Gilia	<i>Allophyllum gilioides</i> ssp. <i>violaceum</i>
Wall Bedstraw	<i>Galium parisiense</i>
Wand Buckwheat	<i>Eriogonum roseum</i>
Wand Lessingia	<i>Lessingia virgata</i>
Wandering Daisy	<i>Erigeron peregrinnus</i> var. <i>callianthemus</i>
Wart Cress	<i>Coronopus didymus</i>
Warty Spurge	<i>Euphorbia spathulata</i>
Washington Lily	<i>Lilium washingtonianum</i>
Washoe Pine	<i>Pinus washoensis</i> var. <i>menziesii</i>
Water Bulrush	<i>Scirpus subterminalis</i>
Water Buttercup	<i>Ranunculus aquatilis</i> var. <i>capillaceus</i>
Water Buttercup	<i>Ranunculus aquatilis</i> var. <i>hispidulus</i>
Water Clover	<i>Marsilea vestita</i>
Water Cress	<i>Rorippa nasturtium-aquaticum</i>
Water Montia, Water Chickweed	<i>Montia fontana</i>
Water Mudwort	<i>Limosella aquatica</i>
Water Parsnip	<i>Berula erecta</i>
Water Shield	<i>Brasenia schreberi</i>
Water Smartweed	<i>Polygonum punctatum</i>
Water Smartweed, Swamp Knotweed	<i>Polygonum amphibium</i> var. <i>stipulaceum</i>
Water Speedwell	<i>Veronica anagallis-aquatica</i>
Water Starwort	<i>Callitriche heterophylla</i>
Waterfall False Buttercup	<i>Kumlienia hystricula</i>
Waterleaf Phacelia	<i>Phacelia hydrophyloides</i>
Watson's Spikemoss	<i>Selaginella watsonii</i>
Watson's Wild-Cucumber	<i>Marah watsonii</i>
Wavyleaf Indian Paintbrush	<i>Castilleja applegatei</i> ssp. <i>pinetorum</i>
Wax Currant	<i>Ribes cereum</i> var. <i>cereum</i>
Wedgeleaf Violet	<i>Viola cuneata</i>
Wedgescale	<i>Atriplex truncata</i>
Weedy Cudweed	<i>Gnaphalium luteo-album</i>
Western Aster	<i>Aster occidentalis</i> var. <i>occidentalis</i>
Western Azalea	<i>Rhododendron occidentale</i>
Western Bistort	<i>Polygonum bistortoides</i>
Western Blueberry	<i>Vaccinium uliginosum</i> ssp. <i>occidentale</i>
Western Blueflag	<i>Iris missouriensis</i>
Western Bog Yellow-Cress	<i>Rorippa palustris</i> var. <i>occidentalis</i>
Western Burnett	<i>Sanguisorba occidentalis</i>

<i>Common Name</i>	<i>Scientific name</i>
Western Buttercup	<i>Ranunculus occidentalis</i>
Western Chokecherry	<i>Prunus virginiana</i> var. <i>demissa</i>
Western Columbine	<i>Aquilegia formosa</i>
Western Coneflower	<i>Rudbeckia occidentalis</i> var. <i>occidentalis</i>
Western Dewcup, Lady's Mantle	<i>Aphanes occidentalis</i>
Western Dog Violet	<i>Viola adunca</i>
Western Dogwood	<i>Cornus sericea</i> ssp. <i>occidentalis</i>
Western Eupatorium	<i>Ageratina occidentalis</i>
Western False Rue Anemone	<i>Isopyrum occidentale</i>
Western Fescue	<i>Festuca occidentalis</i>
Western Goldenrod	<i>Euthamia occidentalis</i>
Western Hawksbeard	<i>Crepis occidentalis</i>
Western Hound's Tongue	<i>Cynoglossum occidentale</i>
Western Labrador Tea	<i>Ledum glandulosum</i>
Western Ladies Tresses	<i>Spiranthes porrifolia</i>
Western Marsh Cudweed	<i>Gnaphalium palustre</i>
Western Morning Glory	<i>Calystegia occidentalis</i> ssp. <i>occidentalis</i>
Western Mugwort	<i>Artemisia ludoviciana</i> ssp. <i>incompta</i>
Western Needlegrass	<i>Achnatherum occidentale</i>
Western Needlegrass	<i>Achnatherum occidentale</i> ssp. <i>occidentale</i>
Western Nettle	<i>Hesperocnide tenella</i>
Western Pasque Flower	<i>Anemone occidentalis</i>
Western Pearlwort	<i>Sagina decumbens</i> ssp. <i>occidentalis</i>
Western Pennyroyal, Mountain Monardella	<i>Monardella odoratissima</i> ssp. <i>odoratissima</i>
Western Peony	<i>Paeonia brownii</i>
Western Polemonium	<i>Polemonium occidentale</i>
Western Quillwort	<i>Isoetes occidentalis</i>
Western Ragweed	<i>Ambrosia psilostachya</i> var. <i>californica</i>
Western Redbud	<i>Cercis occidentalis</i>
Western Rush	<i>Juncus occidentalis</i>
Western Solomon's Seal, Fat Solomon	<i>Smilacina racemosa</i>
Western Spring Beauty	<i>Claytonia lanceolata</i>
Western Star Flower	<i>Trientalis latifolia</i>
Western Sweet Cicely	<i>Osmorhiza occidentalis</i>
Western Tansy Mustard	<i>Descurainia pinnata</i> ssp. <i>halictorum</i>
Western Tofieldia	<i>Tofieldia occidentalis</i> ssp. <i>occidentalis</i>
Western Verbena	<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>
Western Wallflower	<i>Erysimum capitatum</i> ssp. <i>capitatum</i>
Western Water Hemlock	<i>Cicuta douglasii</i>
Western White Pine	<i>Pinus monticola</i>
Western Yellow Cress	<i>Rorippa curvisiliqua</i>
Western Yew	<i>Taxus brevifolia</i>
Wheeler's Bluegrass	<i>Poa wheeleri</i>
Whisker Brush	<i>Linanthus ciliatus</i>
White Alder	<i>Alnus rhombifolia</i>
White Beaked-Rush	<i>Rhynchospora alba</i>
White Bog Orchid	<i>Platanthera leucostachys</i>
White Brodiaea	<i>Triteleia hyacinthina</i>
White Clover	<i>Trifolium repens</i>
White Desert-Primrose	<i>Oenothera caespitosa</i> ssp. <i>marginata</i>
White Everlasting	<i>Gnaphalium canescens</i> ssp. <i>microcephalum</i>



<i>Common Name</i>	<i>Scientific name</i>
White Fir	<i>Abies concolor</i>
White Hastingsia, White Rushlily	<i>Hastingsia alba</i>
White Hawkweed	<i>Hieracium albiflorum</i>
White Meadowfoam	<i>Limnanthes alba ssp. versicolor</i>
White Mountain Heather	<i>Cassiope mertensiana</i>
White Mulberry	<i>Morus alba</i>
White Nemophila	<i>Nemophila heterophylla</i>
White Poplar	<i>Populus alba</i>
White Sweetclover	<i>Melilotus alba</i>
White Top	<i>Cardaria pubescens</i>
Whitebark Pine	<i>Pinus albicaulis</i>
Whitedaisy Tidytip	<i>Layia glandulosa</i>
White-Leaved Goosefoot	<i>Chenopodium strictum var. glaucophyllum</i>
Whitestem Filaree	<i>Erodium moschatum</i>
Whitestem Goldenbush	<i>Ericameria discoidea</i>
White-Stem Green-Gentian	<i>Swertia albicaulis var. nitida</i>
Whitestem Hedge Nettle	<i>Stachys albens</i>
White-Stemmed Gooseberry	<i>Ribes inerme var. inerme</i>
White-Stemmed Rabbitbrush	<i>Chrysothamnus nauseosus ssp. albicaulis</i>
White-Stemmed Stickleaf	<i>Mentzelia albicaulis</i>
Whitetip Clover	<i>Trifolium variegatum</i>
White-Veined Wintergreen	<i>Pyrola picta</i>
Whitlow Grass	<i>Draba verna</i>
Whitney Sedge	<i>Carex whitneyi</i>
Whitneya, Mock Leopardbane	<i>Whitneya dealbata</i>
Whitney's Bristleweed	<i>Hazardia whitneyi</i>
Whitney's Milkvetch	<i>Astragalus whitneyi</i>
Wholeleaf Saxifrage	<i>Saxifraga integrifolia</i>
Wicker Buckwheat	<i>Eriogonum vimineum</i>
Wilcox's Woollystar	<i>Eriastrum wilcoxii</i>
Wild Garlic	<i>Allium vineale</i>
Wild Heliotrope, California Waterleaf	<i>Hydrophyllum occidentale</i>
Wild Hyacinth	<i>Dichelostemma multiflorum</i>
Wild Mock Orange	<i>Philadelphus lewisii</i>
Wild Oat	<i>Avena fatua</i>
Wild Parsley, Bladder Parsnip	<i>Lomatium utriculatum</i>
Wild Radish	<i>Raphanus sativus</i>
Wilke's Cryptantha	<i>Cryptantha ambigua</i>
Willow Dock	<i>Rumex salicifolius var. transitorius</i>
Willow Lettuce	<i>Lactuca saligna</i>
Willow Weed	<i>Polygonum lapathifolium</i>
Willow-Leaved Dock	<i>Rumex salicifolius var. salicifolius</i>
Windmill Pink	<i>Petrorhagia dubia</i>
Windmill Pink	<i>Silene gallica</i>
Winecup Clarkia	<i>Clarkia purpurea ssp. quadrivulnera</i>
Winged-Nut Forget-Me-Not	<i>Cryptantha pterocarya</i>
Wood Rose	<i>Rosa gymnocarpa</i>
Wood Saxifrage	<i>Saxifraga mertensiana</i>
Wood Strawberry	<i>Fragaria vesca</i>
Woodland Buttercup	<i>Ranunculus uncinatus</i>
Woodland Star	<i>Lithophragma heterophyllum</i>

<i>Common Name</i>	<i>Scientific name</i>
Woody Rockcress	<i>Arabis suffrutescens</i>
Woolen-Breeches	<i>Hydrophyllum capitatum</i> var. <i>alpinum</i>
Woolly Balsamroot	<i>Balsamorhiza hookeri</i> var. <i>lanata</i>
Woolly Dandelion	<i>Malacothrix floccifera</i>
Woolly Distaff Thistle	<i>Carthamus lanatus</i>
Woolly Heads	<i>Psilocarphus brevissimus</i> var. <i>brevissimus</i>
Woolly Lotus	<i>Lotus incanus</i>
Woolly Marbles	<i>Psilocarphus tenellus</i>
Woolly Mullein	<i>Verbascum thapsus</i>
Woolly Ragwort	<i>Senecio canus</i>
Woolly Sedge	<i>Carex lanuginosa</i>
Woolly Violet	<i>Viola tomentosa</i>
Woolly-Fruited Sedge	<i>Carex lasiocarpa</i>
Woollypod Milkvetch	<i>Astragalus purshii</i> var. <i>tinctus</i>
Wormwood, Poverty Weed	<i>Iva axillaris</i> ssp. <i>robustior</i>
Wright's Blue-Eyed Mary	<i>Collinsia torreyi</i> var. <i>wrightii</i>
Wright's Buckwheat	<i>Eriogonum wrightii</i> ssp. <i>subscaposum</i>
Yarrow	<i>Achillea millefolium</i>
Yarrow-Leaved Woolly-Sunflower	<i>Eriophyllum lanatum</i> var. <i>achillaeoides</i>
Yellow & White Monkeyflower	<i>Mimulus bicolor</i>
Yellow Bristlegrass	<i>Setaria pumila</i>
Yellow Devil's Claw	<i>Proboscidea lutea</i>
Yellow Fritillary	<i>Fritillaria pudica</i>
Yellow Mariposa	<i>Calochortus superbus</i>
Yellow Mariposa Lily	<i>Calochortus luteus</i>
Yellow Nutgrass	<i>Cyperus esculentus</i>
Yellow Pincushion	<i>Chaenactis glabriscula</i>
Yellow Rabbitbrush	<i>Chrysothamnus viscidiflorus</i> ssp. <i>viscidiflorus</i>
Yellow Salsify	<i>Tragopogon dubius</i>
Yellow Star Thistle	<i>Centaurea solstitialis</i>
Yellow Star-Tulip	<i>Calochortus monophyllus</i>
Yellow Sweetclover	<i>Melilotus officinalis</i>
Yellow Willow	<i>Salix lutea</i>
Yellowseed False Pimpernel	<i>Lindernia dubia</i> var. <i>dubia</i>
Yerba Santa	<i>Eriodictyon californicum</i>
Yolla Bolly Bedstraw	<i>Galium ambiguum</i> var. <i>ambiguum</i>
Yosemite Rockcress	<i>Arabis repanda</i>
Zig-Zag Groundsmoke	<i>Gayophytum heterozygum</i>

## APPENDIX II

### Redlist and Yellowlist Plants with Known or Potential Occurrence in Nevada County

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Congdon's onion <i>Allium sanbornii</i> var. <i>congdonii</i>	-/ CNPS 4 1-1-3/ FSW	Nevada, El Dorado, Mariposa, Placer, and Tuolumne Counties	Chaparral, cismontane woodland, 300-700m; serpentine or volcanic-derived soils, generally open, shallow soils and rock outcrops.	Limited distribution, only single known local occurrence. Nev. Co. at northern limit of its range.	One documented occurrence on western Nevada County serpentines (CalFlora 2002), no other vouchered or reported occurrences in Nev. Co.
Sanborn's onion <i>Allium sanbornii</i> var. <i>sanbornii</i>	-/ CNPS 4 1-2-2/ FSW	Butte, Calaveras, El Dorado, Nevada, Placer, Shasta, Tehama, and Yuba Counties, and Oregon	Chaparral, cismontane woodland, lower coniferous forest, 260-1,410m; gravelly or serpentine soils, some local occurrences on lava caps and gabbro soils	Limited distribution. Known from small, widely-scattered populations. On review list in Oregon.	Several documented occurrences on western Nevada County serpentines, lava cap, and gabbro soils (GANDA 2000, CNPS-RC, True 1973).
Simple androsace <i>Androsace occidentalis</i> var. <i>simplex</i>	-/ CNPS 2 3-1-1/ FSW	Placer County, Arizona, New Mexico, Texas, Utah, and elsewhere	Upper montane conifer forest, 1,675-1,700m; generally mesic habitats	Rare in California, known in the state from only one historic occurrence at Emigrant Gap.	Documented historic collection at Emigrant Gap, not yet re-located (CalFlora 2002). Suitable habitat present within Nev. Co.
Carson Range rock cress <i>Arabis rigidissima</i> var. <i>demota</i>	SC/ CNPS 1B 3-2-2 FSS	Placer County, and Nevada	Broadleaved upland forest, upper montane conifer forest, 2,345-3,600m; rocky forest openings	Rare, threatened by logging (CNPS 2001). Known from only two California occurrences, 11 in Nevada. On watch list in Nevada.	Documented occurrences just outside Nevada County near Tahoe (CNDDDB 2001). Suitable habitat present within Nev. Co.
True's manzanita <i>Arctostaphylos mewukka</i> var. <i>truei</i>	-/ CNPS 4 1-2-3/ -	Butte, Nevada, Placer, Plumas, and Yuba Counties	Chaparral, lower montane conifer forest, 425-1,310m; forest edges, openings, including road cuts. Intergrades with ssp. <i>mewukka</i> in Nevada and Placer Counties.	Limited distribution	Species known from a single collection in montane region of western Nevada County (True, 1973), unverified report of subspecies <i>truei</i> in Nevada County. Suitable habitat present within Nev. Co.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Lemmon's milk-vetch <i>Astragalus lemmonii</i>	-/- CNPS 1B 2-2-2	Lassen, Modoc, Plumas, and Sierra Counties, and Oregon, Nevada.	Great Basin scrub, meadows and seeps, marshes and swamps (lake shores), 1,280-2,200m; meadows and lake shores	Rare; threatened by land conversion and pipeline construction (CNPS 2001)	Documented occurrences outside Nevada County at Sierra Valley (CalFlora 2002). Suitable habitat present in northeastern watersheds of Nev. Co.
Woolly-leaved milk-vetch <i>Astragalus whitneyi</i> var. <i>lenophyllus</i>	-/- CNPS 4 1-1-4/ FSW	Alpine, Butte, Nevada, Placer, Plumas, and Sierra Counties	Alpine boulder and rock field, subalpine conifer forest, 2,135-3,050m; open, rocky areas on ridge tops	Limited distribution	Two documented occurrences in upper elevations of Nevada County (True 1973).
Mexican mosquito fern <i>Azolla mexicana</i>	-/- CNPS 4 1-2-1	Butte County to Kern County, Santa Clara County to Baja, widespread outside of California	Marshes and swamps, 30-100m; ponds, slow-moving water	Too common? Difficult to distinguish from the common <i>A. filiculoides</i> , and may be overlooked.	Documented occurrence in southwestern Nevada County (CalFlora 2002), reported new occurrence in same region (GANDA unpublished).
Common moonwort <i>Botrychium lunaria</i>	FSC CNPS 2 3-1-1 FSS	Mono, Modoc, Nevada (?), and Sierra (?) Counties, and several western states	Meadows and seeps, subalpine conifer forest, upper montane conifer forest, 2,280-3,400m; fields and meadows	Rare in California, on review list in Idaho, State-listed as Sensitive in Washington, and Endangered in Oregon. Widespread but uncommon throughout range	Documented occurrence of <i>B. lunaria</i> in eastern Nevada County (True 1973), field work needed. Suitable habitat present within Nevada County.
Mingan moonwort <i>Botrychium minganense</i> (syn. <i>B. lunaria</i> var. <i>minganense</i> )	-/- CNPS 2 3-1-1 FSS	Butte, Fresno, Nevada (?), and Tehama Counties, and western states; widespread outside of California	Lower montane conifer forest; 1,500-1,830m; <i>B. minganense</i> described as occurring in conifer forest along streams; includes all of <i>B. lunaria</i> var. <i>minganense</i>	Rare in California, Sensitive in Idaho, and Endangered in Oregon. Widespread but uncommon throughout range	Does this plant occur in Nev. Co.? Documented occurrence of <i>B. lunaria</i> in eastern Nevada County (True 1973). Suitable habitat present within Nev. Co.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Bolander's bruchia (moss) <i>Bruchia bolanderi</i>	-/- CNPS 2 2-2-2 FSS	Fresno, Mariposa, Nevada, Plumas, Tehama, Tulare, and Tuolumne Counties, and Oregon.	Lower montane conifer forest, meadows, upper montane conifer forest, 1,700-2,800m; damp soil, including road cuts; in vegetative state, similar to common moss <i>Leptobryum pyriforme</i>	Rare in California, widely scattered occurrences.	Reported occurrence in Norden quadrangle (CNPS 2001). Suitable habitat throughout montane areas of Nev. Co. May be overlooked.
Thread-leaved beakseed <i>Bulbostylis capillaris</i>	-/- CNPS 4 1-2-1/ -	Butte, Fresno, Mariposa, Nevada, Plumas, Sierra, Tehama, and Tuolumne Counties, and Arizona, New Mexico, and Texas.	Lower montane conifer forest, meadows, upper montane conifer forest, 395-2,075 m; meadows and grassy clearings	Limited distribution in California, Endangered in Oregon.	Documented occurrence in Blue Canyon quadrangle (syn. <i>Fimbristylis capillaris</i> ) (True 1973).
Stebbins' morning-glory <i>Calystegia stebbinsii</i>	E/E/ CNPS 1B 3-3-3	El Dorado and Nevada Counties.	Chaparral, 185-730m; in El Dorado Co, red clay soils of the Pine Hill gabbro formation, Rescue soil series. In Nevada County, on Secca series gabbro soils. Has responded favorably to soil disturbance (Nev. Co.) in absence of natural fire.	Rare and endangered, threatened by development, vehicles, road maintenance, and alteration of fire regimes (CNPS 2001). Local occurrences decline in absence of disturbance/fire.	Known in Nev. Co. from only a few occurrences in western Nevada County (CNDDDB 2001).
Sierra Valley evening-primrose <i>Camissonia tanacetifolia</i> ssp. <i>quadriperforata</i>	-/- CNPS 4 1-1-3 FSW	Lassen, Plumas, and Sierra Counties	Great Basin scrub, lower montane conifer forest, 1,300-1,770m; clay, sandy, alluvial soils of volcanic origin. Difficult to identify from ssp. <i>tanacetifolia</i> , which has documented occurrences in the Truckee area.	Limited distribution.	No known occurrences in Nev. Co., nearest documented occurrences in eastern Sierra County. Suitable habitat in valleys of northeastern Nev. Co.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Dissected-leaved toothwort <i>Cardamine pachystigma</i> var. <i>dissectifolia</i>	-/- CNPS 3 ?-?-3/ FSW	Butte, Glen, Mendocino, Placer, Sonoma, and Tehama Counties. Recently found in Nevada County (GANDA 2001).	Chaparral, lower montane conifer forest, 255-2,100m; usually rocky, serpentine areas, also occurs on metasedimentary soils, often in partly shaded areas	Need more information; taxonomically problematic. May be upgraded to CNPS List 1B	Recently found in western Nevada County (GANDA).
Davy's sedge <i>Carex davyi</i>	-/- CNPS 4 1-1-3	Alpine, Amador, Calaveras, El Dorado, Nevada, Placer, and Tuolumne Counties	Subalpine conifer forest, upper montane conifer forest, 1,500- 3,200m; moist meadows. Similar to <i>C. petasata</i> , may be overlooked.	Limited distribution.	Documented occurrences at Sagehen and near French Lake (True 1973).
Sheldon's sedge <i>Carex sheldonii</i>	-/- CNPS 2 2-2-1	Lassen, Modoc, Placer, and Plumas Counties, to Idaho, Oregon, and other states	Lower montane conifer forest (mesic), marshes and swamps, riparian scrub, 1,200-1,755m; wet places	Rare in California, on review list in Idaho. Threatened by grazing (CNPS 2001).	No known occurrences in Nev. Co. but documented occurrences to north and south; near Graeagle in Plumas Co. (GANDA) and a historic collection in Placer Co. (CalFlora 2002). Suitable habitat in Nev. Co.
Fresno ceanothus <i>Ceanothus fresnensis</i>	-/- CNPS 4 1-1-3	Calaveras, Fresno, Madera, Mariposa, Tulare, and Tuolumne Counties	Cismontane woodland, lower conifer forest, 900-2,000m; <i>C.</i> <i>arcuatus</i> (syn. <i>C. fresnensis</i> ) occurs on serpentine in Nevada and Plumas Counties; <i>C. fresnensis</i> includes all of <i>C. x</i> <i>arcuatus</i> (CalFlora 2002)	Limited distribution.	<i>C. arcuatus</i> recently referred to under <i>C. fresnensis</i> . <i>C. arcuatus</i> documented on Nevada County serpentines (True 1973), also on Plumas Co. serpentines (Clifton, pers. comm.).
Brandegee's clarkia <i>Clarkia biloba</i> ssp. <i>brandegeae</i>	FLC CNPS 1B 2-2-3	Butte, El Dorado, Nevada, Placer, and Yuba Counties	Chaparral, cismontane woodlands, 295-885m; road cuts and slopes	Rare, threatened by road maintenance and fire suppression (CNPS 2001)	Many documented occurrences in western Nevada County (CNDDDB 2002, True 1973).

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Golden-anthered clarkia <i>Clarkia mildrediae</i> ssp. <i>lutescens</i>	-/- CNPS 4 1-2-3	Butte, Plumas, Sierra, and Yuba Counties	Cismontane woodland, lower conifer forest; openings, including road cuts and embankments	Limited distribution. Threatened by road maintenance, alteration of fire regimes, and logging (CNPS 2001)	No documented occurrences in Nev. Co. but occurs near County line on Yuba River. Suitable habitat in Nev. Co.
Fell-fields claytonia <i>Claytonia megarhiza</i>	-/- CNPS 2 2-1-1/ FSW	Alpine, Mono, Modoc, Mariposa, Nevada, and Tuolumne Counties, Oregon and other states.	Alpine boulder and rock field, subalpine conifer forest, 2,600- 3,300m; rocky or gravelly areas, talus, crevices	Rare in California, suitable habitat in Nevada County restricted to highest peaks near crest.	Known only from historic collection in Nevada County (True 1973), not yet relocated.
Clustered-flower cryptantha <i>Cryptantha glomeriflora</i>	-/- CNPS 4 1-1-3	Alpine, Inyo, Fresno, Mono, Nevada, Sierra, Tulare, and Tuolumne Counties	Great Basin scrub, meadows, subalpine conifer forest, upper montane conifer forest, 1,800- 3,750m; sandy, granitic, or volcanic areas	Limited distribution	Known in Nevada County from single documented historic collection in Truckee environs (True 1973). May be overlooked.
Clustered lady's-slipper <i>Cypripedium fasciculatum</i>	SC/- CNPS 4 1-2-2 FSS	Butte, Del Norte, Humboldt, Nevada, Plumas, Santa Clara, San Mateo, Santa Cruz (extirpated), Shasta, Sierra, Siskiyou, Tehama, Trinity, and Yuba Counties, to Washington and Wyoming, and other states	Lower montane conifer forest, North Coast conifer forest, 100-2,435m; moist slopes in mixed conifer, often associated with <i>Cornus nuttallii</i> , <i>Adenocaulon bicolor</i> , <i>Taxus brevifolia</i>	Widely scattered, but most occurrences small, many not reproducing. Not seen recently in Santa Clara or San Mateo Counties. Threatened by road maintenance, logging, horticultural collecting (CNPS 2001)	Few known occurrences in Nevada County (USFS 2002).

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
California pitcherplant <i>Darlingtonia californica</i>	-/ CNPS 4 1-2-1/ FSW	Butte, Del Norte, Nevada, Plumas, Shasta, Sierra, Siskiyou, Trinity, and Yuba Counties, and Oregon	Bogs and fens, meadows, 0-2,585m; fens, stream sides, or seeps, generally on serpentine seeps in NW California	Limited distribution, threatened by horticultural collecting, logging, and mining (CNPS 2001). On watch list in Oregon	Reaches southern limit in Sierra Nevada in Nevada County. (USFS 2002).
English sundew <i>Drosera anglica</i>	-/ CNPS 2 2-1-1/ FSW	Lassen, Nevada, Plumas, Shasta, Sierra, and Siskiyou Counties, and Pacific Northwest states. Widespread outside California	Bogs and fens, wet meadows, 1,300-2,000m; mossy portions of wet meadows or fens; areas with low meadow vegetation; intergrades with <i>D.rotundifolia</i>	Rare in California, plants occur in sensitive habitats often associated with other rare plant taxa. Threatened by grazing and horticultural collecting (CNPS 2001)	In Nevada County, known from single documented collection (True 1973).
Round-leaved sundew <i>Drosera rotundifolia</i>	-/ -/ FSW	Sierra Nevada and Coast Ranges in California, widespread outside California to eastern and southeastern U.S., and Alaska. Also in Europe and Asia	Bogs and fens, wet meadows, below 2,500m; mossy portions of wet meadows or fens; areas with low meadow vegetation; intergrades with <i>D. anglica</i>	Plants occur in sensitive habitats often associated with other rare plant taxa, uncommon in Nevada County. Threatened by horticultural collecting (CNPS 2001)	Several documented occurrences on west and east slope in Nevada County (CalFlora 2002, USFS 2000).
Subalpine fireweed <i>Epilobium howellii</i>	-/ CNPS 1B 3-1-3 FSS	Sierra, Fresno, and Mono Counties	Meadows and seeps, subalpine conifer forest (mesic), 500-2,540m; moist meadow edges, before the transition to upland, but not saturated through the season, sometimes under willows	Rare, known from only four small, widely scattered occurrences.	No Nev. Co. occurrences. Documented occurrence at Yuba Pass (Sierra Co.) extirpated by snow park development.



Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Starved daisy <i>Erigeron miser</i>	-/ CNPS 1B 2-1-3	Nevada and Placer Counties	Upper montane conifer forest, 1,840-2,620m; rocky, generally granitic, e.g., granitic sand in often small fractures of granite outcrops	Rare, known only from small region on the Tahoe National Forest, only 10 documented occurrences over its entire range.	Several documented occurrences in upper elevations of Nevada County (CNDDDB 2001, USFS 2000).
Northern Sierra daisy <i>Erigeron petrophilus</i> var. <i>sierrensis</i>	-/ CNPS 4 1-1-3/ FSW	Butte, El Dorado, Nevada, Plumas, Sierra, and Yuba Counties	Cismontane woodland, lower montane conifer forest, upper montane conifer forest, 300-1,980m; rocky places, generally on serpentine outcrops.	Limited distribution	Does this plant occur in Nev. Co.? No location information available (CalFlora 2002), reported to occur in Nev. Co. (CNPS 2001). Suitable habitat present within Nev. Co.
Hill buckwheat <i>Eriogonum collinum</i>	-/ CNPS 4 1-1-1	Lassen and Nevada Counties, and Idaho, Nevada, and Oregon	Great Basin scrub, pinyon-juniper woodland, 1,300-1,800m; vertisol clays, clays that turn from expanding/contracting, alternating wet and dry, often alkaline	Limited distribution. Not in Jepson Manual (Hickman 1993), CalFlora lists synonym <i>E. nutans</i>	Does this plant occur in Nev. Co.? No location information available (CalFlora 2002), reported to occur in Nev. Co. (CNPS 2001). Nearest known documented occurrence in "Sierra County" (CalFlora 2002). Suitable habitat present in northeastern watershed basins.
Donner Pass buckwheat <i>Eriogonum umbellatum</i> var. <i>torreyanum</i>	SC/ CNPS 1B 3-2-3 FSS	Nevada, Placer, and Sierra Counties	Dry meadows, upper montane conifer forest, 1,855-2,620m; dry, gravelly, or stony sites, exposed ridges or steep slopes, often sparse cover, often volcanic	Rare, known from fewer than 10 occurrences, endemic to Tahoe National Forest region	Several documented occurrences in upper elevations of Nevada County (CNDDDB 2001, USFS 2000).

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
<b>Pine Hill flannelbush</b> <i>Fremontodendron californicum</i> <i>ssp. decumbens</i>	E/R CNPS 1B 3-2-3	El Dorado, Nevada Counties, unverified report of occurrence in Yuba County	Chaparral, cismontane woodland, 425-760m; rocky ridges; gabbro or serpentine endemic, local occurrences on Secca soil series	Known from fewer than 10 occurrences in Pine Hill area of El Dorado County and two in Nevada County. Threatened by development, road maintenance, and alteration of fire regimes (CNPS 2001)	In Nevada County, generally co-occurs with <i>F. californicum</i> , local occurrences morphologically distinct from El Dorado plants, may be intermediate between <i>F.</i> <i>californicum</i> and <i>F. decumbens</i> , needs study. Few documented occurrences in western Nevada County (CNDDDB 2001).
Butte County fritillary <i>Fritillaria eastwoodiae</i>	FSC CNPS 3 ?-2-3 FSS	Butte, Nevada, Placer, Shasta, Tehama, and Yuba Counties	Chaparral, cismontane woodland, lower coniferous forest, 50-1,500m; dry slopes, occasionally moist, generally filtered light. Throughout its range, occurs on a wide variety of soil types and depths.	Recently moved from CNPS 1B to CNPS 3 for taxonomic questions; needs study. Occurrences in Shasta and Tehama Counties that may be a different taxon. Threatened on private lands by logging and development (CNPS 2001).	Four documented and a new reported large occurrence in western Nevada County (CNDDDB 2001, CNPS-RC).
American manna grass <i>Glyceria grandis</i>	-/- CNPS 2 3-1-1	Humboldt, Mendocino, Mono, and Placer Counties, and other states.	Bogs and fens, marshes and swamps, meadows and seeps, 15-1,980m; riparian areas, stream banks, lake margins, bogs/fens, and edge habitats.	Rare in California, widely scattered occurrences.	Documented occurrence just outside Nev. Co. in Placer County (CalFlora 2002). Suitable habitat present within Nev. Co.
Sierra Valley ivesia <i>Ivesia aperta</i> var. <i>aperta</i>	SC/- CNPS 1B 2-2-2 FSS	Lassen, Plumas, and Sierra Counties, and Nevada.	Great Basin scrub, lower montane conifer forest, meadows and seeps, pinyon- juniper woodland, vernal pools, 1,480-2,300m; vernal mesic, usually volcanic, loamy soils (CNPS 2001, alkaline flats and meadows (USFS 2000)	Rare, threatened by residential development, agriculture, grazing, and vehicles (CNPS 2001). Interim management guidelines prepared by USFS in 1992.	Documented occurrences outside Nevada County in Sierra Valley (CalFlora 2002). Suitable habitat present in northeastern watersheds of Nevada County.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Dog Valley ivesia <i>Ivesia aperta</i> var. <i>canina</i>	SC/- CNPS 1B 2-2-2 FSS	Sierra County.	Lower montane conifer forest, meadows and seeps (xeric), 1,600-2,000m; forest openings, rocky volcanic habitat.	Rare, Sierra County endemic, known only from Dog Valley. Threatened by reservoir and recreation, development, and possibly vehicles and grazing (CNPS 2001). Interim management guidelines prepared by USFS in 1992.	Documented occurrences outside Nevada County in western Nevada (CalFlora 2002, CNDDDB 2001). Suitable habitat present in northeastern watersheds of Nevada County.
Plumas ivesia <i>Ivesia sericoleuca</i>	SC/- CNPS 1B 1-2-3 FSS	Lassen, Nevada, Placer, Plumas, and Sierra Counties	Great Basin scrub, lower montane conifer forest, meadows, vernal pools, 1,465-2,200m; vernal mesic areas, usually volcanic (CNPS 2001), alkaline flats and meadows (USFS 2000).	Rare, threatened by development, grazing, and vehicles (CNPS 2001). Interim management guide prepared by USFS in 1992.	Many documented occurrences in eastern Nevada County (CNDDDB 2001).
Webber's ivesia <i>Ivesia webberi</i>	SC/- CNPS 1B 3-3-2 FSS	Lassen, Plumas, and Sierra Counties, and Nevada	Great Basin scrub (volcanic ash), lower montane conifer forest, meadows and seeps, 800-1,500m; mesic habitats (CNPS 2001), dry barren ground in open patches of volcanic ash in sagebrush scrub (USFS 2000).	Rare, known from less than 15 occurrences over its range. Known in California only from Dog Valley and Sierra Valley. Threatened by vehicles, and potentially from development and grazing (CNPS 2001). On watch list in Nevada.	Documented occurrences outside Nevada County, in Sierra County (CalFlora 2002, CNDDDB 2001). Suitable habitat present in northeastern watersheds of Nevada County.
Center Basin rush <i>Juncus hemiendytus</i> var. <i>abjectus</i>	-/- CNPS 4 1-1-1	Alpine, Lassen, Mono, Nevada, Plumas, Shasta, Sierra, Tulare, and Tuolumne Counties, and Idaho, Nevada, Oregon	Meadows, subalpine conifer forest, 1,400-3,400m; damp, open areas, generally vernal mesic	Limited distribution, on review list in Oregon and Idaho.	Two documented occurrences in upper elevations of Nevada County (CalFlora 2002). Two additional occurrences of <i>J. hemiendytus</i> (True 1973), subspecies not indicated.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Red-anthered rush <i>Juncus marginatus</i> var. <i>marginatus</i>	-/ CNPS 2 3-2-1	Nevada County, Arizona, Nevada, widespread outside California. Distribution poorly documented, expected to occur elsewhere in California.	Marshes and swamps, 750-1,370m; mineralized, moist depressions in diggings areas. In marshes in California; in Arizona, known from along streams.	Rare in California; known in California from only a single occurrence in Nevada County.	Documented occurrences in western Nevada County (CNDDDB 2001).
Dubious pea <i>Lathyrus sulphureus</i> var. <i>argillaceus</i>	-/ CNPS 3 3-?-3	Nevada, Placer, Shasta, and Tehama Counties.	Cismontane woodland, chaparral, lower montane coniferous forest, upper montane coniferous forest, 150-305m; full sun to part shade, woodland openings	Needs more information; rare, fewer than ten specimens exist in California, but taxonomic questions need resolving.	Historic collection in western Nevada County recently rediscovered (CNPS-RC). Only other occurrences in Shasta and Tehama counties (CalFlora 2002).
Cantelow's Lewisia <i>Lewisia cantelovii</i>	FSC CNPS 1B 2-2-3 FSS	Butte, Plumas, Nevada, Shasta, and Sierra Counties.	Broadleaved upland forest, lower montane coniferous forest, cismontane woodland, and chaparral, 330-1,340m; mesic rock outcrops and wet cliffs, usually in moss or clubmoss; generally on metasedimentary rock. Occasionally on serpentine in Plumas NF (GANDA).	Rare, threatened by horticultural collecting and road maintenance (CNPS 2001). Also reported to have been impacted by trail maintenance.	Many documented occurrences on the Middle and South Yuba rivers and tributaries (CNDDDB 2001). No known occurrences outside of these major drainages.
Kellogg's lewisia <i>Lewisia kelloggii</i> ssp. <i>hutchisonii</i>	-/ CNPS 3 ?-1-3/ FSW	Butte, Plumas, and Sierra Counties. New occurrence reported for Placer County.	Upper montane coniferous forest, 1,800-2135m; openings, slate, granite. Placer County occurrence on coarse, sandy, granitic flat.	Needs more information; referred to under <i>L. kelloggii</i> in Jepson (Hickman 1993). Subspecies described, published, in 1998.	Reported occurrence just outside Nevada County in Placer County (CNPS-RC). Suitable habitat present within Nev. Co.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Long-petaled lewisia <i>Lewisia longipetala</i>	SC/- CNPS 1B 3-1-3	El Dorado, Fresno, Nevada, and Placer Counties	Alpine boulder and rock field, subalpine conifer forest, 2,500-2,925m; damp gravel and fractures in granite slabs, mostly above tree line, moist from snowmelt	Rare, known from fewer than 10 occurrences over its range. Threatened by horticultural collecting (CNPS 2001). Interim management guidelines prepared by USFS in 1992.	In Nevada County, known from only two documented occurrences (True 1973).
Saw-toothed lewisia <i>Lewisia serrata</i>	SC/- CNPS 1B 3-3-3	El Dorado and Placer Counties	Broadleaved upland forest, lower montane conifer forest, riparian forest, 900-1,435m; north-facing, mostly shaded, mossy metamorphic cliffs and ledges in the steep gorges of the American River drainages. Similar, and closely-related, to <i>L. cantelovii</i>	Rare, known from approximately 10 occurrences over its range. Threatened by horticultural collecting and small hydro power projects (CNPS 2001).	Known only from the Rubicon and American River drainages. At least one occurrence on the Tahoe NF nearly extirpated recently by plant poachers (USFS unpublished). Nearest documented occurrence in the north fork of the Middle Fork American River. Suitable habitat in Nevada County.
Humboldt lily <i>Lilium humboldtii</i> ssp. <i>humboldtii</i>	-/ CNPS 4 1-2-3/ FSW	Amador, Butte, Calaveras, El Dorado, Fresno, Madera, Mariposa, Nevada, Placer, Tehama, Tuolumne, and Yuba Counties. Occurrences Fresno Co. south may be <i>L. kellyanum?</i> (CNPS, unpublished files)	Chaparral, cismontane woodland, lower montane coniferous forest, 90-1,000m; forest or woodland edges or openings	Limited distribution. Populations generally small. Threatened by urbanization (CNPS 2001), and possibly horticultural collection.	Many documented occurrences in western Nevada County (True 1973, GANDA unpublished, CNPS-RC).

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Bog club-moss <i>Lycopodiella inundata</i>	-/- CNPS 2 3-2-1	Humboldt and Nevada Counties, and Pacific northwest states	Bogs and fens (coastal), Lower montane coniferous forest (mesic), marshes and swamps (lake margins), 5-1,000m; in Nevada County, occurs in "diggins wetlands", usually mineralized, persistent bogs in hydraulic mining areas.	Rare in California, but more common elsewhere. Known in California from only a few widely-scattered populations.	Known in Nevada County from single occurrence in hydraulic diggings (CalFlora 2002, CNDDDB 2002).
Northern bugleweed <i>Lycopus uniflorus</i>	-/- CNPS 4 1-1-1	Del Norte, Humboldt, Lassen, Nevada, Plumas, and Tuolumne Counties. Widespread outside California.	Bogs and fens, marshes and swamps, 5-2,000m; Plumas occurrences in edge habitats near fens and springs (GANDA).	Limited distribution. Does this plant occur in Nev. Co.?	No location information for Nev. Co. Its occurrence here described in generalized literature source (CNPS 2001) Suitable habitat present within Nevada County.
(moss) <i>Meesia triquetra</i>	-/- CNPS 2 2-2-1 FSS	Butte, El Dorado, Fresno, Humboldt, Plumas, Siskiyou, and Tulare Counties, and Oregon, Nevada, and elsewhere. Recently documented in Nevada County (USFS 2000)	Bogs and fens, meadows and seeps, upper montane conifer forest (mesic); moist soil substrate, sometimes near fallen, rotting logs	Rare in California, probably impacted by intensive grazing (CNPS 2001)	Known in Nevada County from single documented occurrence in eastern Nevada County (USFS 2000).
(moss) <i>Meesia uliginosa</i>	-/- CNPS 2 2-2-1 FSS	Fresno, Mariposa (?), Siskiyou, and Tulare Counties, and Oregon, Nevada, and elsewhere. Recently documented in Nevada County (USFS 2000)	Bogs and fens, meadows and seeps, upper montane conifer forest (mesic); moist soil substrate, sometimes near fallen, rotting logs	Rare in California, widely scattered occurrences, primarily in Sierra Nevada and southern Cascade Range	Known in Nevada County from single documented occurrence in eastern Nevada County (USFS 2000).

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Sylvan microseris <i>Microseris sylvatica</i>	-/- CNPS 4 1-2-3 -	Lassen to Kern Counties, Alameda, Contra Costa, Colusa, Glenn, Los Angeles (?), Napa, San Benito, Santa Clara (extirpated), Solano, Stanislaus, Sutter, and Yolo Counties	Chaparral, cismontane woodland, Great Basin scrub, pinyon-juniper woodland, valley and foothill grassland (serpentine), 45-1,500 m; local occurrence may be serpentine or gabbro, needs field work	Threatened by grazing and agriculture (CNPS 2001), most occur on private lands in valley- foothill areas. Local occurrence (if extant) threatened by residential development.	Known in Nevada County from single documented occurrence in western Nevada County (True 1973).
Shield-bracted monkeyflower <i>Mimulus glaucescens</i>	-/- CNPS 4 1-1-3 -	Butte, Colusa, Lake, Nevada, Shasta, and Tehama Counties	Chaparral, cismontane woodland, lower montane conifer forest, valley and foothill grassland, 60-1,240m; serpentine seeps	Limited distribution. Does this plant occur in Nev. Co.?	Occurrence in Nev. Co. described in generalized literature source (CNPS 2001). Nearest documented occurrence 1889 collection in "Sierra Valley", however, no serpentine there. On serpentine seeps in Butte Co., Feather River drainage. Suitable habitat present within Nevada County.
Sierra monardella <i>Monardella candicans</i>	-/- CNPS 4 1-1-3 -	Amador, Calaveras, El Dorado, Fresno, Kern, Madera, Mariposa, Nevada, Placer, San Joaquin, Stanislaus, Tulare, and Tuolumne(?) Counties	Chaparral, cismontane woodland, lower montane coniferous forest, 150-800m; sandy or gravelly areas	Limited distribution	Known occurrence outside County in Placer County (CNPS 2000). Suitable habitat present within Nevada County.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Follett's monardella <i>Monardella follettii</i>	FLC CNPS 1B 3-2-3 FSS	Plumas, Nevada	Lower montane coniferous forest; rocky slopes, generally serpentinite. In Plumas County, one small occurrence on metasedimentary-derived soils, also intergrades with <i>M. sheltonii</i> (GANDA).	Rare, known from fewer than fifteen occurrences throughout its range. Historic collection in Nevada County not yet re-located. Threatened by mining and logging (CNPS 2001).	Known in Nevada County only from historic collection west of Grass Valley, on "red soils of volcanic origin". Needs field work. Suitable habitat present within Nevada County.
Jones's muhly <i>Muhlenbergia jonesii</i>	-/- CNPS 4 1-1-3	Lassen, Mono, Modoc, Nevada, Placer, Plumas, Shasta, Siskiyou, and Trinity Counties.	Lower montane conifer forest, upper montane conifer forest, 1,130-2,130m; open slopes	Limited distribution	Documented occurrence in upper elevations of Nevada County (True 1973).
Closed-throated beardtongue <i>Penstemon personatus</i>	SC/- CNPS 1B 2-2-3	Butte, Nevada, Plumas, and Sierra Counties	Chaparral, lower montane conifer forest, upper montane conifer forest, 1,065-2,120m; shade, semi-shade, or full sun, metavolcanic-derived soils	Rare, threatened by logging activities (CNPS 2001). Plumas NF has adopted species management guidelines.	Two documented occurrences in upper elevations of Nevada County (CNDDDB 2001).
Bacigalupi's yampah <i>Perideridia bacigalupii</i>	-/- CNPS 4 1-2-3/ FSW	Amador, Butte, Calaveras, Madera (extirpated), Mariposa, Nevada, Tuolumne, and Yuba Counties.	Chaparral, lower coniferous forest, 450-1,000m; described as occurring on serpentine soils (CNPS 2001), but most local occurrences on gabbro soils (GANDA), generally in open, rocky areas or chaparral openings	Limited distribution. Most local occurrences threatened by residential development, but local population extensive (GANDA).	Locally abundant in Grass Valley/Nevada City areas on gabbro and serpentine soils, many new occurrences found (GANDA unpublished, CNPS-RC, True 1973).
Stebbins' phacelia <i>Phacelia stebbinsii</i>	SC/- CNPS 1B 2-2-3 FSS	El Dorado, Nevada, and Placer Counties	Cismontane woodland, lower conifer forest, meadows, 610-2,010m; rocky soils of metamorphic origin, mostly north exposures	Rare, known primarily from the drainages of the American and Rubicon rivers, and a few occurrences in the Yuba River drainage	Several documented occurrences on west slope of Sierra in Nevada County (USFS 2000).



Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Whitebark pine <i>Pinus albicaulis</i>	-/- - FSW	Placer and Nevada Counties, southern Sierra Nevada, Cascades, and Rocky Mountains	Upper montane conifer forest, below 3,750m; ridges near the Sierra crest	Too common statewide for inclusion in CNPS Inventory, but of regional significance. On Tahoe NF watch list.	In Nevada County, only two documented occurrences (True 1973, USFS 2000).
Narrow-petaled rein orchid <i>Piperia leptopetala</i>	-/- CNPS 4 1-1-3	El Dorado, Fresno, Lake, Los Angeles, Monterey, Mariposa, Nevada, Orange, Shasta, Siskiyou, San Luis Obispo, Sonoma, and Tulare Counties	Cismontane woodland, lower montane conifer forest, upper montane conifer forest, 380-2,225m; generally dry sites. Includes part of <i>Habenaria elegans</i>	Limited distribution, small, widely-scattered occurrences.	Documented occurrence in Bear River corridor (CalFlora 2002).
Cedar Crest popcorn-flower <i>Plagiobothrys glyptocarpus</i> var. <i>modestus</i>	FSC CNPS 3 3-?-3	Nevada County	Cismontane woodland, 870m; related <i>P. glyptocarpus</i> and <i>P. distantiflorus</i> described as occurring in moist areas of grasslands and woodlands. No specific micro-habitat information listed for <i>P. g. modestus</i>	Move to CNPS 1A (Presumed extinct)? Recently moved from CNPS 1B to 3 (Need more information). May be a minor variant or hybrid, more study needed of <i>P. distantiflorus</i> complex.	Apparently not collected since 1937; field surveys needed. Known only from two documented historic collections in western Nevada County (CalFlora 2002, CNDDDB 2002)
Slender-leaved pondweed <i>Potamogeton filiformis</i>	-/- CNPS 2 3-2-1 FSW	Contra Costa, Lassen, Merced, Mono, Santa Clara, and Sierra Counties, western states, and elsewhere. Expected in San Joaquin Valley, central High Sierra, and San Francisco Bay area; need more information	Marshes and swamps, 300-2,150m; shallow lakes and other shallow aquatic habitats	Rare in California, on review list in Oregon.	Known from historic collections outside of Nevada County at Lake Tahoe and Sierra County. Suitable habitat present in Nev. Co.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
White-stemmed pondweed <i>Potamogeton praelongus</i>	-/ CNPS 2 3-1-1	Lassen, Plumas, Shasta, and Sierra Counties, northwestern states, and elsewhere	Marshes and swamps, 1,800-3,000m; deep-water lakes	Rare in California, known in California from approximately five occurrences	Historic collection outside Nev. Co. in Sierra County (CNDDDB 2001). Suitable habitat present in Nev. Co.
Robbins' pondweed <i>Potamogeton robbinsii</i>	-/ CNPS 2 2-1-1	Alpine, Inyo, Lassen, Madera, Nevada, Sierra, Siskiyou, and Tuolumne Counties, and northwestern states. Widespread outside California.	Marshes and swamps, 1,585-3,300m; deep-water lakes	Rare in California	Does this plant occur in Nev. Co.? No occurrences listed in CalFlora (2002) or CNDDDB (2001). CNPS (2001) lists occurrence in Independence Lake quadrangle.
Green-flowered wintergreen <i>Pyrola chlorantha</i>	-/ CNPS 1A -/ FSW	Sierra County	Lower montane conifer forest, 900m. Micro-habitat unknown.	Presumed extinct in California, known only from one historic collection; needs field work	No documented Nev. Co. occurrences, its range described from generalized literature source. Historic collection" near Downieville" presumed extirpated.
Sticky pyrrocoma <i>Pyrrocoma lucida</i>	-/ CNPS 1B 3-1-3 FSS	Plumas, Sierra, and Yuba Counties	Great Basin scrub, lower montane conifer forest, meadows and seeps, 700-1,880m; generally alkaline clay soils	Rare, known only from the Tahoe NF near Sierra Valley, but sometimes locally abundant	No known occurrences in Nev. Co., nearest documented occurrences in Sierra Valley (USFS 2000). Suitable habitat in valleys of northeastern Nev. Co.
White beaked-rush <i>Rhynchospora alba</i>	-/ CNPS 2 2-2-1	Del Norte (?), Inyo (?), Lassen, Mendocino, Mariposa (?), Nevada (?), Plumas, Sonoma, Trinity Counties, and northwestern states.	Bogs and fens, meadows, marshes and swamps, 60-2,040m; in Plumas Co., occurs in wetter portion of fen, with <i>Drosera</i> , <i>Darlingtonia</i> .	Rare in California. Threatened by grazing, trampling, and hydrologic alterations (CNPS 2001). Endangered in Idaho, on review list in Oregon	Extant in Nev. Co.? Two documented occurrences in montane region of western Nevada County (unpublished checklist, CNPS-RC, True 1973). Needs field work.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Brownish beaked-rush <i>Rhynchospora capitellata</i>	-/ CNPS 2 2-2-1	Butte, Mariposa, Nevada, Plumas, Shasta, Sonoma (?), Tehama, and Trinity Counties, and Oregon, Texas.	Lower montane conifer forest, meadows, marshes and swamps, upper montane conifer forest, 455-2,000m; mesic areas. Local occurrences in "diggins wetlands"	Rare in California. Threatened by grazing and development (CNPS 2001)	Two documented collections in western Nevada County (CalFlora 2001, True 1973), needs field work.
Tahoe yellow cress <i>Rorippa subumbellata</i>	C/E CNPS 1B 3-3-2	El Dorado, Nevada (extirpated), and Placer Counties, and Nevada	Lower montane conifer forest, meadows, 1,895-1,900m; decomposed granitic beaches	Rare and endangered. Known in California from less than 10 extant occurrences around Lake Tahoe; one-half of all historic occurrences extirpated. Threatened by development, recreation, trampling, and inundation; recovery work underway (CNPS 2001). State-listed as Critically Endangered in Nevada.	Known in Nevada County from a single historic collection at "Truckee" (Donner Lake?). Truckee area searched but occurrence not re-located; presumed extirpated.
Pine rose <i>Rosa pinetorum</i>	-/ CNPS 1B 3-2-3	Monterey, San Mateo, Nevada (?) Counties	Closed-cone conifer forest, 2-300m; described in Jepson Manual as pine woodlands, canyons. Possible hybrid of <i>R. spithamea</i> , <i>R. gymnocarpa</i> , or others; further study needed.	Rare. Does this plant occur in Nev. Co.?	Documented in Alpha Diggins area (True 1973); annotated to <i>R. gymnocarpa</i> ? Need more information
Marsh skullcap <i>Scutellaria galericulata</i>	-/ CNPS 2 2-2-1	El Dorado, Lassen, Modoc, Nevada, Placer, Plumas, Shasta, San Joaquin, and Siskiyou (?) Counties, and Oregon. Widespread outside of California	Lower montane conifer forest, meadows, marshes and swamps, 0-2,100m; mesic sites. In Plumas Co., occurs in edge habitats around fen and wet meadow (GANDA)	Rare in California. Occurrences in the Delta need further study, Siskiyou Co. occurrence may be a misidentification.	Does this plant occur in Nevada County? Historic (1885) collection at "Truckee," needs field work. No other known extant occurrences in Nev. Co. Suitable habitat present within Nev. Co.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Layne's ragwort <i>Senecio layneae</i>	T/R CNPS 1B 2-2-3	El Dorado, Tuolumne, and Yuba Counties	Chaparral, cismontane woodland, 200-1,000m; rocky gabbroic or serpentine soils	Rare and threatened by urbanization, grazing, road construction, vehicles, and fire suppression (CNPS 2001).	Recent discovery of population that extended known range from El Dorado Co. north to Yuba County. No known occurrences in Nev. Co., but suitable habitat present. Nearest documented occurrence at Yuba and Butte Co. line (CalFlora 2002).
Scadden Flat checkerbloom <i>Sidalcea stipularis</i>	SC/E CNPS 1B 3-3-3	Nevada County	Marshes and swamps, 700- 730m; wet montane marshes fed by springs, one local occurrence on highway embankment on edge of marsh.	Rare and endangered; Global distribution restricted to three occurrences locally, apparently endemic. Threatened by altered hydrology, grazing, and invasive non-native plants (CNPS 2001). All occurrences threatened by Himalayan blackberry (CNPS-RC).	Three documented occurrences near Grass Valley (CNDDDB 2001).
Monroe's desert mallow <i>Sphaeralcea munroana</i>	-/- CNPS 2 3-2-1	Placer County, and several Great Basin states	Great Basin scrub, 2000m; dry, open places	Rare in California, known in California from a single historic collection	No documented occurrences in Nev. Co., 1922 collection at "Squaw Creek, Placer Co.", needs field work. Suitable habitat in eastside scrubs of northeastern Nev. Co.
Lemmon's clover <i>Trifolium lemmonii</i>	FLC CNPS 4 2-2-2 FSW	Nevada, Plumas, and Sierra Counties, and Nevada	Great Basin scrub, lower montane conifer forest, 1,500- 1,830m; dry, rocky, claypan soils in forest or sagebrush openings	Limited distribution. Threatened by development and agricultural conversion (CNPS 2001)	Many documented occurrences in eastern Nevada County (USFS 2000, True 1973), many reported occurrences in Sierra and Plumas Counties.

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Lesser bladderwort <i>Utricularia minor</i>	-/- CNPS 4 1-1-1 FSW	Butte, El Dorado, Fresno, Lassen, Modoc, Nevada, Plumas, Shasta, Sierra, Tehama, Tulare, and Tuolumne Counties, and to Idaho and Utah, Arizona.	Bogs and fens, marshes and swamps, 800-2,900m; various shallow, freshwater wetlands, pools or ponds often with emergent vegetation	Limited distribution	Single documented occurrence in Nevada County (USFS 2000, True 1973).
Siskiyou Mountains huckleberry <i>Vaccinium coccineum</i>	-/- CNPS 3 2-1-? FSS	Siskiyou County to Oregon, Butte, Plumas, Sierra, and Yuba Counties	Lower montane conifer forest, upper montane conifer forest, 1,095-2,135m; moister slopes of mixed conifer or red fir forest, often with <i>V. membranaceum</i> . Reported to occur often on serpentine, but found here on granitics, metasedimentary soils in Butte Co.	Need more information. Move to CNPS 4? (limited distribution). Taxonomic work in progress.	Single reported occurrence in Nevada County apparently a red-berried variant of another common species (USFS unpublished). Suitable habitat present in montane region of western Nevada County.
Cusick's speedwell <i>Veronica cusickii</i>	-/- CNPS 4 1-1-1 FSW	Alpine, Amador, Madera, Mariposa, Placer, Sierra, and Tuolumne Counties, to Oregon, Washington, and elsewhere	Alpine boulder and rock field, meadows and seeps, subalpine conifer forest, upper montane conifer forest, 2,135-3,000m; gravelly soil in wet, high-elevation meadows and forest openings, moist soil of rocky slopes and ledges	Limited distribution. Widely-scattered occurrences, but sometimes locally abundant. Threatened by heavy grazing (USFS 2000).	Occurs outside Nev. Co. in Placer County, Granite Chief quadrangle. No documented or reported occurrences in Nev. Co. Suitable habitat present.
Golden violet <i>Viola aurea</i>	-/- CNPS 2 2-2-1	Kern, Mono, San Bernardino, San Diego, and Sierra Counties, and Nevada	Great Basin scrub, pinyon-juniper woodland, 1,000-1,800m; sandy areas	Rare in California, possibly more common in Nevada; rarely collected. Threatened by grazing (CNPS 2001).	No documented occurrences in Nev. Co., nearest known occurrence in eastern Sierra Co. (CNDDDB 2001).

Common and Scientific Name	Status <sup>a</sup> Federal/State CNPS/USFS	Distribution	Habitats	Reason for Decline or Concern	Occurrence in Nevada County
Woolly violet <i>Viola tomentosa</i>	FLC CNPS 4 1-2-3 FSW	El Dorado, Nevada, Placer, Plumas, and Sierra Counties	Lower montane conifer forest, subalpine conifer forest, upper montane conifer forest, 1,435-2,000m; Flat, dry sites, gravelly or stony forest openings, including exposed soils, without thick duff layer	Limited distribution. Threatened by road building, vehicles, logging, and proposed reservoir construction (CNPS 2001).	Several documented occurrences in montane region of western Nevada County (USFS 2000, True 1973)

<sup>a</sup> Status definitions:

**Federal**

- E = listed as Endangered under the federal Endangered Species Act.
- T = listed as Threatened under the federal Endangered Species Act.
- C = Candidate for listing as either Threatened or Endangered under the Federal Endangered Species Act.
- PE = proposed for federal listing as endangered under the federal Endangered Species Act.
- PT = proposed for federal listing as threatened under the federal Endangered Species Act.
- SC = Species of concern; species for which existing information indicates it may warrant listing but for which substantial biological information to support a proposed rule is lacking.
- LC = local concern to US Fish and Wildlife Service
- = no listing.

**State**

- E = listed as endangered under the California Endangered Species Act.
- T = listed as threatened under the California Endangered Species Act.
- SSC = species of special concern in California.
- = no listing.

**CALIFORNIA NATIVE PLANT SOCIETY**

- List 1B = Plants rare, threatened, or endangered in California and elsewhere.
- List 2 = Plants rare, threatened or endangered in California but more common elsewhere.
- List 3 = Plants about which we need more information.
- List 4 = Plants of limited distribution: A watch list.

The R-E-D Code:

- R (Rarity): 1-- Rare, but found in sufficient numbers and distributed widely enough that the potential for extinction is low at this time; 2-- Distributed in a limited number of occurrences, occasionally more if each occurrence is small; 3-- Distributed in one to several highly-restricted occurrences, or present in such small numbers that it is seldom reported.
- E (Endangerment): 1-- Not endangered; 2-- Endangered in a portion of its range; 3-- Endangered throughout its range.
- D (Distribution): 1-- More or less widespread outside California; 2-- Rare outside California; 3-- Endemic to California

## USDA FOREST SERVICE

FSS = Forest Service Sensitive Plant: Species that are managed according to the Regional Forester's Sensitive Species Management Guidelines List per Forest Service Memorandum 2670.

FSW = Forest Service Special Interest Plant, Forest Service Watch List. List prepared and managed by local Forest

<sup>b</sup> "Redlist Species," in Nevada County, including all state- and federally-listed Threatened and Endangered Species, and federal Proposed and Candidate species, are indicated in **Boldface** type.

### Sources:

#### *Published References:*

California Native Plant Society. 2000. CNPS Inventory- 6<sup>th</sup> Edition. California Native Plant Society. Sacramento, CA. August, 2001.

California Native Plant Society. 2001. Electronic Inventory of Rare and Endangered Vascular Plants of California. Database search for Nevada, Sierra, Placer, and Yuba Counties.

Hickman, J. C. (ed.). 1993. The Jepson Manual: Higher Plants of California. University of California Press. Berkeley, CA.

Munz, P.A. 1959. A California Flora. University of California Press. Berkeley and Los Angeles, CA.

Skinner, M. W., and B. M. Pavlik. 1994. Inventory of Rare and Endangered Vascular Plants in California. 5th Edition. California Native Plant Society. Sacramento, CA.

True, G. 1973. Ferns and Seed Plants of Nevada County, California. California Academy of Sciences. San Francisco, California.

U.S. Fish and Wildlife Service. 2000. Endangered and Threatened Species that May Occur in or be Affected by Projects in Nevada County. March, 2000.

U.S.D.A. Forest Service

2000Tahoe National Forest Sensitive Plant Program, Standards and Guidelines. U.S. Department of Agriculture, Forest Service, Tahoe National Forest

1994 Soil Survey, Tahoe National Forest. U.S. Department of Agriculture, Forest Service in cooperation with the USDA Soil Conservation Service. October, 1994.

(undated) Region 5 Federally Proposed Plant Taxa, and Sensitive Plant Taxa; Vascular Plants and Cryptogams.

U.S.D.A. Soil Conservation Service. Soil Survey of Nevada County Area, California. August 1975.

#### *Museums and Data Bases:*

(GANDA) Unpublished reports and field notes in the files of Garcia and Associates Natural and Cultural Resources Consulting (GANDA), San Anselmo, CA, Nevada City, CA.

(CNPS) Electronic database of the California Native Plant Society, Sacramento, CA (2001)

(CNDDDB) Records search of the California Department of Fish and Game's Natural Diversity Data Base for Nevada County, CA, and surrounding counties. (2001)

(CNPS-RC) Unpublished Nevada County field notes and data bases compiled by members of the Redbud Chapter of the California Native Plant Society, Grass Valley, CA

(CalFlora) Electronic database of California plant collections and observations from 18 herbaria and databases, including UC Berkeley Herbarium, Jepson Herbarium at UC Berkeley, California Academy of Sciences, Harvard University Herbaria, Dean W. Taylor Herbarium, San Jose State University Herbarium, California Native Plant Society, California Department of Fish & Game, and USDA Forest Service.











<b>HABITAT CODES (defined in "Wildlife Habitats of Nevada County"):</b>		
<b>Riverine:</b>	<b>RI 1 =</b> Blue Oak Woodland Zone <b>RI 2 =</b> Westside Conifer Zone <b>RI 3 =</b> Eastside Zone	
<b>Lacustrine:</b>	<b>LA 1 =</b> Blue Oak Woodland Zone <b>LA 2 =</b> Westside Conifer Zone <b>LA 3 =</b> Eastside Zone	
<b>Barren &amp; Herbaceous:</b>	<b>BA =</b> Barren <b>AG =</b> Annual Grassland	<b>MM =</b> Montane Meadow <b>FW =</b> Fresh Emergent Wetland
<b>Shrub Habitats:</b>	<b>DS =</b> Subalpine Dwarf Scrub <b>FC =</b> Foothill Chaparral <b>ES =</b> Eastside Scrub	<b>MO =</b> Montane Chaparral <b>SG =</b> Serpentine/Gabbro
<b>Coniferous Forest and Oak Woodland:</b>	<b>SC =</b> Subalpine Conifer <b>LP =</b> Lodgepole pine <b>RF =</b> Red Fir <b>MC =</b> Mixed-Conifer <b>PP =</b> Ponderosa Pine	<b>EP =</b> Eastside Pine <b>AS =</b> Aspen <b>MH =</b> Montane Hardwood <b>FH =</b> Valley Foothill Hardwood <b>OP =</b> Oak-Foothill Pine
<b>Riparian:</b>	<b>MR =</b> Montane Riparian <b>FR =</b> Foothill Riparian <b>ER =</b> Eastside Riparian	
<b>Developed Habitats:</b>	<b>UR =</b> Urban <b>OR =</b> Orchards <b>VI =</b> Vineyards <b>CR =</b> Cropland	
<i>NOTE:</i> Redlist and Yellowlist species are indicated in <b>Boldface</b> type.		

## APPENDIX IV

### Vertebrate Species with Known or Potential Occurrence in Nevada County

#### FISHES

---

##### Lampreys (*Petromyzonidae*)

Pacific Lamprey

*Lampetra tridentata*

##### Trouts, Salmon, and Chars (*Salmonidae*)

Central Valley Chinook Salmon  
(Fall/late Fall and Spring runs)

*Oncorhynchus tshawytscha*

Central Valley Steelhead

*Oncorhynchus mykiss irideus*

Lahontan Cutthroat Trout

*Oncorhynchus clarki henshawi*

Resident Rainbow Trout

*Oncorhynchus mykiss irideus*

Golden Trout-I (Introduced-I)

*Oncorhynchus mykiss aquabonita*

Redband Trout-I

*Oncorhynchus mykiss* ssp.

Sockeye Salmon (Kokanee)-I

*Oncorhynchus nerka*

Brown Trout-I

*Salmo trutta*

Eastern Brook Trout-I

*Salvelinus fontinalis*

Lake Trout-I

*Salvelinus namaycush*

Mountain Whitefish

*Prosopium williamsoni*

Arctic Grayling-I

*Thymallus arcticus*

##### Herrings (*Clupeidae*)

Threadfin Shad-I

*Dorosoma petenense*

American Shad-I

*Alosa sapidissima*

Wakasagai-I

*Hypomesus nipponensis*

##### Minnows (*Cyprinidae*)

Lahontan Lake Tui Chub

*Gila bicolor pectinifer*

Lahontan Creek Tui Chub

*Gila bicolor obesa*

Sacramento Roach

*Hesperoleucus symmetricus*

Hardhead

*Mylopharodon conocephalus*

Sacramento Pike-minnow

*Ptychocheilus grandis*

Lahontan Redside

*Richardsonius egregius*

Sacramento Hitch

*Lavinia exilicauda exilicauda*

Lahontan Speckled Dace

*Rhinichthys osculus robustus*

Sacramento Speckled Dace

*Rhinichthys osculus* ssp.

Golden Shiner-I

*Notemigonus crysoleucas*

Fathead Minnow-I

*Pimephales promelas*

Redshiner-I

*Notropis lutrensis*

Goldfish-I

*Carassius auratus*

Common Carp-I

*Cyprinus carpio*

##### Suckers (*Catostomidae*)

Sacramento Sucker

*Catostomus occidentalis*

Tahoe Sucker

*Catostomus tahoensis*

Mountain Sucker

*Catostomus platyrhynchus*

**Catfishes (*Ictaluridae*)**

Black Bullhead-I  
 Brown Bullhead-I  
 White Catfish-I  
 Channel Catfish-I

*Ictalurus melas*  
*Ictalurus nebulosus*  
*Ictalurus catus*  
*Ictalurus punctatus*

**Livebearers (*Poeciliidae*)**

Western Mosquitofish-I

*Gambusia affinis*

**Sunfishes (*Centrarchidae*)**

Sacramento Perch  
 Bluegill-I  
 Redear Sunfish-I  
 Pumpkinseed-I  
 Green Sunfish-I  
 Warmouth-I  
 Black Crappie-I  
 White Crappie-I  
 Largemouth Bass-I  
 Smallmouth Bass-I  
 Spotted Bass-I  
 Redeye Bass-I

*Archoplites interruptus*  
*Lepomis macrochirus*  
*Lepomis microlophus*  
*Lepomis gibbosus*  
*Lepomis cyanellus*  
*Lepomis gulosus*  
*Pomoxis nigromaculatus*  
*Pomoxis annularis*  
*Micropterus salmoides*  
*Micropterus dolomieu*  
*Micropterus punctulatus*  
*Micropterus coosae*

**Temperate Basses (*Percichthyidae*)**

Striped Bass-I  
 White Bass-I

*Morone saxatilis*  
*Morone chrysops*

**Surfperches (*Embiotocidae*)**

Sacramento Tule Perch

*Hysterocarpus traski* ssp.

**Sculpins (*Cottidae*)**

Riffle Sculpin  
 Paiute Sculpin

*Cottus gulosus*  
*Cottus beldingi*

**AMPHIBIANS**

---

**Mole Salamanders (*Ambystomatidae*)**

Long-toed Salamander

*Ambystoma macrodactylum*

**Newts (*Salamandridae*)**

California Newt

*Taricha torosa*

**Lungless Salamanders (*Plethodontidae*)**

Ensatina  
 California Slender Salamander  
 Mount Lyell Salamander (Unknown status-?)

*Ensatina eschscholtzi*  
*Batrachoseps attenuatus*  
*Hydromantes platycephalus*

**Spadefoot Toads (*Pelobatidae*)**

Western Spadefoot-?

*Scaphiopus hammondi*

**True Toads (*Bufo*idae)**

Western Toad

*Bufo boreas***Treefrogs (*Hyla*idae)**

Pacific Treefrog

*Hyla regilla***True Frogs (*Rana*idae)**

California Red-legged Frog-?

*Rana aurora draytoni*

Foothill Yellow-legged Frog

*Rana boylei*

Mountain Yellow-legged Frog

*Rana muscosa*

Bullfrog-I

*Rana catesbeiana***REPTILES**

---

**Pond Turtles (*Emy*idae)**

Northwestern Pond Turtle

*Clemmys marmorata marmorata***Iguanids (*Iguan*idae)**

Western Fence Lizard

*Sceloporus occidentalis*

Sagebrush Lizard

*Sceloporus graciosus*

California Horned Lizard

*Phrynosoma coronatum***Skinks (*Scinc*idae)**

Western Skink

*Eumeces skiltonianus*

Gilbert's Skink

*Eumeces gilberti***Whiptails (*Tei*idae)**

Western Whiptail

*Cnemidophorus tigris***Alligator Lizards (*Angui*idae)**

Southern Alligator Lizard

*Gerrhonotus multicarinatus*

Northern Alligator Lizard

*Gerrhonotus coeruleus***Boas (*Boid*ae)**

Rubber Boa

*Charina bottae***Colubrids (*Colubr*idae)**

Ringneck Snake

*Diadophis punctatus*

Sharp-tailed Snake

*Contia tenuis*

Racer

*Coluber constrictor*

Coachwhip-?

*Masticophis flagellum*

California Whipsnake

*Masticophis lateralis*

Striped Whipsnake

*Masticophis taeniatus*

Gopher Snake

*Pituophis melanoleucus*

Common Kingsnake

*Lampropeltis getulus*

California Mountain Kingsnake

*Lampropeltis zonata*

Long-nosed Snake-?

*Rhinocheilus lecontei*

Common Garter Snake

*Thamnophis sirtalis*

Western Terrestrial Garter Snake

*Thamnophis elegans*

Western Aquatic Garter Snake

*Thamnophis couchi*

Night Snake-?

*Hypsiglena torquata*

**Vipers (*Viperidae*)**

Western Rattlesnake

*Crotalus viridis*

**BIRDS**

---

**Loons (*Gaviidae*)**

Pacific Loon-X (Extremely rare-X)

*Gavia pacifica*

Common Loon

*Gavia immer*

**Grebes (*Podicipedidae*)**

Pied-billed Grebe

*Podilymbus podiceps*

Horned Grebe

*Podiceps auritus*

Red-necked Grebe-X

*Podiceps grisegena*

Eared Grebe

*Podiceps nigricollis*

Western Grebe

*Aechmophorus occidentalis*

Clark's Grebe

*Aechmophorus clarkii*

**Pelicans (*Pelecanidae*)**

American White Pelican

*Pelecanus erythrorhynchos*

**Cormorants (*Phalacrocoracidae*)**

Double-crested Cormorant

*Phalacrocorax auritus*

**Hérons and Egrets (*Ardeidae*)**

Great Blue Heron

*Ardea herodias*

Great Egret

*Ardea alba*

Snowy Egret

*Egretta thula*

Green Heron

*Butorides virescens*

Black-crowned Night-Heron

*Nycticorax nycticorax*

**Ibis (*Threskiorinithidae*)**

White-faced Ibis-X

*Plegadis chihi*

**New World Vultures (*Cathartidae*)**

Turkey Vulture

*Cathartes aura*

**Swans, Geese, and Ducks (*Anatidae*)**

Greater White-fronted Goose

*Anser albifrons*

Snow Goose

*Chen caerulescens*

Ross's Goose-X

*Chen rossii*

Canada Goose

*Branta canadensis*

Trumpeter Swan-X

*Cygnus buccinator*

Tundra Swan-X

*Cygnus columbianus*

Wood Duck

*Aix sponsa*

Gadwall

*Anas strepera*

Eurasian Wigeon-X

*Anas penelope*

American Wigeon

*Anas americana*

Mallard

*Anas platyrhynchos*

Cinnamon Teal

*Anas cyanoptera*

Northern Shoveler

*Anas clypeata*



Northern Pintail  
Green-winged Teal  
Canvasback  
Redhead  
Ring-necked Duck  
Greater Scaup-X  
Lesser Scaup  
Surf Scoter-X  
Bufflehead  
Common Goldeneye  
Barrow's Goldeneye-X  
Hooded Merganser  
Common Merganser  
Red-breasted Merganser-X  
Ruddy Duck

*Anas acuta*  
*Anas crecca*  
*Aythya valisineria*  
*Aythya americana*  
*Aythya collaris*  
*Aythya marila*  
*Aythya affinis*  
*Melanitta perspicillata*  
*Bucephala albeola*  
*Bucephala clangula*  
*Bucephala islandica*  
*Lophodytes cucullatus*  
*Mergus merganser*  
*Mergus serrator*  
*Oxyura jamaicensis*

#### **Osprey, Hawks, Kites, Harriers, and Eagles (*Accipitridae*)**

Osprey  
White-tailed Kite  
Bald Eagle  
Northern Harrier  
Sharp-shinned Hawk  
Cooper's Hawk  
Northern Goshawk  
Red-shouldered Hawk  
Swainson's Hawk  
Red-tailed Hawk  
Ferruginous Hawk  
Rough-legged Hawk  
Golden Eagle

*Pandion haliaetus*  
*Elanus leucurus*  
*Haliaeetus leucocephalus*  
*Circus cyaneus*  
*Accipiter striatus*  
*Accipiter cooperii*  
*Accipiter gentilis*  
*Buteo lineatus*  
*Buteo swainsoni*  
*Buteo jamaicensis*  
*Buteo regalis*  
*Buteo lagopus*  
*Aquila chrysaetos*

#### **Falcons (*Falconidae*)**

American Kestrel  
Merlin  
Peregrine Falcon  
Prairie Falcon

*Falco sparverius*  
*Falco columbarius*  
*Falco peregrinus*  
*Falco mexicanus*

#### **Pheasants, Grouse, and Turkeys (*Phasianidae*)**

Ring-necked Pheasant-I  
Blue Grouse  
Wild Turkey-I

*Phasianus colchicus*  
*Dendragapus obscurus*  
*Meleagris gallopavo*

#### **Quail (*Odontophoridae*)**

Mountain Quail  
California Quail

*Oreortyx pictus*  
*Callipepla californica*

#### **Rails, Moorhens, and Coots (*Rallidae*)**

Black Rail  
Virginia Rail  
Sora  
Common Moorhen  
American Coot

*Laterallus jamaicensis*  
*Rallus limicola*  
*Porzana carolina*  
*Gallinula chloropus*  
*Fulica americana*

**Cranes (*Gruidae*)**

Sandhill Crane

*Grus canadensis*

**Plovers and Relatives (*Charadriidae*)**

Semipalmated Plover-X

*Charadrius semipalmatus*

Killdeer

*Charadrius vociferus*

**Avocets and Stilts (*Recurvirostridae*)**

Black-necked Stilt

*Himantopus mexicanus*

American Avocet

*Recurvirostra americana*

**Sandpipers and Relatives (*Scolopacidae*)**

Greater Yellowlegs

*Tringa melanoleuca*

Willet-X

*Catoptrophorus semipalmatus*

Spotted Sandpiper

*Actitis macularia*

Whimbrel-X

*Numenius phaeopus*

Long-billed Curlew-X

*Numenius americanus*

Western Sandpiper

*Calidris mauri*

Least Sandpiper

*Calidris minutilla*

Baird's Sandpiper-X

*Calidris bairdii*

Pectoral Sandpiper-X

*Calidris melanotos*

Dunlin-X

*Caladris alpina*

Long-billed Dowitcher

*Limnodromus griseus*

Common Snipe

*Gallinago gallinago*

Wilson's Phalarope

*Phalaropus tricolor*

Red-necked Phalarope-X

*Phalaropus lobatus*

**Gulls and Terns (*Laridae*)**

Long-tailed Jaeger-X

*Stercorarius longicaudus*

Franklin's Gull-X

*Larus pipixcan*

Mew Gull-X

*Larus canus*

Ring-billed Gull

*Larus delawarensis*

California Gull

*Larus californicus*

Herring Gull

*Larus argentatus*

Thayer's Gull

*Larus thayeri*

Sabine's Gull-X

*Xema sabini*

Caspian Tern

*Sterna caspia*

Common Tern-X

*Sterna hirundo*

Forster's Tern-X

*Sterna forsteri*

Black Tern-X

*Chlidonias niger*

**Pigeons and Doves (*Columbidae*)**

Rock Dove-I

*Columba livia*

Band-tailed Pigeon

*Columba fasciata*

Mourning Dove

*Zenaida macroura*

**Cuckoos and Roadrunners (*Cuculidae*)**

Greater Roadrunner

*Geococcyx californianus*

**Barn Owls (*Tytonidae*)**

Barn Owl

*Tyto alba*

**Typical Owls (*Strigidae*)**

Flammulated Owl-X  
Western Screech-Owl  
Great Horned Owl  
Northern Pygmy-Owl  
Burrowing Owl  
California Spotted Owl  
Great Gray Owl  
Long-eared Owl  
Short-eared Owl  
Northern Saw-whet Owl

*Otus flammeolus*  
*Otus kennicottii*  
*Bubo virginianus*  
*Glaucidium gnoma*  
*Athene cunicularia*  
*Strix occidentalis occidentalis*  
*Strix nebulosa*  
*Asio otus*  
*Asio flammeus*  
*Aegolius acadicus*

**Nighthawks and Poorwills (*Caprimulgidae*)**

Common Nighthawk  
Common Poorwill

*Chordeiles minor*  
*Phalaenoptilus nuttallii*

**Swifts (*Apodidae*)**

Black Swift  
Vaux's Swift  
White-throated Swift

*Cypseloides niger*  
*Chaetura vauxi*  
*Aeronautes saxatalis*

**Hummingbirds (*Trochilidae*)**

Black-chinned Hummingbird  
Ruby-throated Hummingbird-X  
Anna's Hummingbird  
Costa's Hummingbird-X  
Calliope Hummingbird  
Broad-tailed Hummingbird  
Rufous Hummingbird  
Allen's Hummingbird-?

*Archilochus alexandri*  
*Archilochus colubris*  
*Calypte anna*  
*Calypte costae*  
*Stellula calliope*  
*Selasphorus platycercus*  
*Selasphorus rufus*  
*Selasphorus sasin*

**Kingfishers (*Alcedinidae*)**

Belted Kingfisher

*Ceryle alcyon*

**Woodpeckers (*Picidae*)**

Lewis's Woodpecker  
Acorn Woodpecker  
Williamson's Sapsucker  
Yellow-bellied Sapsucker-X  
Red-naped Sapsucker-X  
Red-breasted Sapsucker  
Nuttall's Woodpecker  
Downy Woodpecker  
Hairy Woodpecker  
White-headed Woodpecker  
Black-backed Woodpecker  
Northern Flicker  
Pileated Woodpecker

*Melanerpes lewis*  
*Melanerpes formicivorus*  
*Sphyrapicus thyroideus*  
*Sphyrapicus varius*  
*Sphyrapicus nuchalis*  
*Sphyrapicus ruber*  
*Picoides nuttallii*  
*Picoides pubescens*  
*Picoides villosus*  
*Picoides albolarvatus*  
*Picoides arcticus*  
*Colaptes auratus*  
*Drycopus pileatus*

**Tyrant Flycatchers (*Tyrannidae*)**

Olive-sided Flycatcher  
Western Wood-Pewee  
Willow Flycatcher

*Contopus cooperi*  
*Contopus sordidulus*  
*Empidonax traillii*

Hammond's Flycatcher  
Gray Flycatcher  
Dusky Flycatcher  
Pacific-slope Flycatcher  
Black Phoebe  
Say's Phoebe  
Ash-throated Flycatcher  
Western Kingbird

*Empidonax hammondii*  
*Empidonax wrightii*  
*Empidonax oberholseri*  
*Empidonax difficilis*  
*Sayornis nigricans*  
*Sayornis saya*  
*Myiarchus cinerascens*  
*Tyrannus verticalis*

**Shrikes (*Laniidae*)**

Loggerhead Shrike  
Northern Shrike-X

*Lanius ludovicianus*  
*Lanius excubitor*

**Vireos (*Vireonidae*)**

Cassin's Vireo  
Hutton's Vireo  
Warbling Vireo

*Vireo cassinii*  
*Vireo huttoni*  
*Vireo gilvus*

**Jays, Magpies, and Crows (*Corvidae*)**

Steller's Jay  
Western Scrub-Jay  
Pinyon Jay  
Clark's Nutcracker  
Black-billed Magpie  
Yellow-billed Magpie  
American Crow  
Common Raven

*Cyanocitta stelleri*  
*Aphelocoma californica*  
*Gymnorhinus cyanocephalus*  
*Nucifraga columbiana*  
*Pica pica*  
*Pica nuttalli*  
*Corvus brachyrhynchos*  
*Corvus corax*

**Larks (*Alaudidae*)**

Horned Lark

*Eremophila alpestris*

**Martin and Swallows (*Hirundinidae*)**

Purple Martin  
Tree Swallow  
Violet-green Swallow  
Northern Rough-winged Swallow  
Bank Swallow-X  
Cliff Swallow  
Barn Swallow

*Progne subis*  
*Tachycineta bicolor*  
*Tachycineta thalassina*  
*Stelgidopteryx serripennis*  
*Riparia riparia*  
*Petrochelidon pyrrhonota*  
*Hirundo rustica*

**Chickadees and Titmice (*Paridae*)**

Mountain Chickadee  
Chestnut-backed Chickadee  
Oak Titmouse

*Poecile gambeli*  
*Poecile rufescens*  
*Baeolophus inornatus*

**Bushtits (*Aegithalidae*)**

Bushtit

*Psaltriparus minimus*

**Nuthatches (*Sittidae*)**

Red-breasted Nuthatch  
White-breasted Nuthatch  
Pygmy Nuthatch

*Sitta canadensis*  
*Sitta carolinensis*  
*Sitta pygmaea*

<b>Creepers (<i>Certhiidae</i>)</b>	
Brown Creeper	<i>Certhia americana</i>
<b>Wrens (<i>Troglodytidae</i>)</b>	
Rock Wren	<i>Salpinctes obsoletus</i>
Canyon Wren	<i>Catherpes mexicanus</i>
Bewick's Wren	<i>Thryomanes bewickii</i>
House Wren	<i>Troglodytes aedon</i>
Winter Wren	<i>Troglodytes troglodytes</i>
Marsh Wren	<i>Cistothorus palustris</i>
<b>Dippers (<i>Cinclidae</i>)</b>	
American Dipper	<i>Cinclus mexicanus</i>
<b>Kinglets (<i>Regulidae</i>)</b>	
Golden-crowned Kinglet	<i>Regulus satrapa</i>
Ruby-crowned Kinglet	<i>Regulus calendula</i>
<b>Gnatcatchers (<i>Sylviidae</i>)</b>	
Blue-gray Gnatcatcher	<i>Polioptila caerulea</i>
<b>Thrushes (<i>Turdidae</i>)</b>	
Western Bluebird	<i>Sialia mexicana</i>
Mountain Bluebird	<i>Sialia currucoides</i>
Townsend's Solitaire	<i>Myadestes townsendi</i>
Swainson's Thrush-X	<i>Catharus ustulatus</i>
Hermit Thrush	<i>Catharus guttatus</i>
American Robin	<i>Turdus migratorius</i>
Varied Thrush	<i>Ixoreus naevius</i>
<b>Wrentits (<i>Timaliidae</i>)</b>	
Wrentit	<i>Chamaea fasciata</i>
<b>Mockingbirds and Thrashers (<i>Mimidae</i>)</b>	
Northern Mockingbird	<i>Mimus polyglottos</i>
Sage Thrasher-X	<i>Oreoscoptes montanus</i>
California Thrasher	<i>Toxostoma redivivum</i>
<b>Starlings (<i>Sturnidae</i>)</b>	
European Starling-I	<i>Sturnus vulgaris</i>
<b>Pipits (<i>Motacillidae</i>)</b>	
American Pipit	<i>Anthus rubescens</i>
<b>Waxwings (<i>Bombycillidae</i>)</b>	
Bohemian Waxwing-X	<i>Bombycilla garrulus</i>
Cedar Waxwing	<i>Bombycilla cedrorum</i>
<b>Silky Flycatchers (<i>Ptilonotidae</i>)</b>	
Phainopepla	<i>Phainopepla nitens</i>
<b>Wood-Warblers (<i>Parulidae</i>)</b>	
Orange-crowned Warbler	<i>Vermivora celata</i>

Nashville Warbler  
Yellow Warbler  
Yellow-rumped Warbler  
Black-throated Gray Warbler  
Townsend's Warbler  
Hermit Warbler  
Kentucky Warbler-X  
MacGillivray's Warbler  
Common Yellowthroat  
Wilson's Warbler  
Yellow-breasted Chat

*Vermivora ruficapilla*  
*Dendroica petechia*  
*Dendroica coronata*  
*Dendroica nigrescens*  
*Dendroica townsendi*  
*Dendroica occidentalis*  
*Oporornis formosus*  
*Oporornis tolmiei*  
*Geothlypis trichas*  
*Wilsonia pusilla*  
*Icteria virens*

#### **Tanagers (*Thraupidae*)**

Western Tanager

*Piranga ludoviciana*

#### **Towhees, Sparrows, and Longspurs (*Emberizidae*)**

Green-tailed Towhee  
Spotted Towhee  
California Towhee  
Rufous-crowned Sparrow  
Chipping Sparrow  
Brewer's Sparrow  
Vesper Sparrow  
Lark Sparrow  
Black-throated Sparrow-X  
Savannah Sparrow  
Fox Sparrow  
Song Sparrow  
Lincoln's Sparrow  
White-throated Sparrow-X  
Harris's Sparrow-X  
White-crowned Sparrow  
Golden-crowned Sparrow  
Dark-eyed Junco  
Chestnut-collared Longspur-X

*Pipilo chlorurus*  
*Pipilo maculatus*  
*Pipilo crissalis*  
*Aimophila ruficeps*  
*Spizella passerina*  
*Spizella breweri*  
*Pooecetes gramineus*  
*Chondestes grammacus*  
*Amphispiza bilineata*  
*Passerculus sandwichensis*  
*Passerella iliaca*  
*Melospiza melodia*  
*Melospiza lincolnii*  
*Zonotrichia albicollis*  
*Zonotrichia querula*  
*Zonotrichia leucophrys*  
*Zonotrichia atricapilla*  
*Junco hyemalis*  
*Calcarius ornatus*

#### **Grosbeaks and Buntings (*Cardinalidae*)**

Rose-breasted Grosbeak-X  
Black-headed Grosbeak  
Lazuli Bunting

*Pheucticus ludovicianus*  
*Pheucticus melanocephalus*  
*Passerina amoena*

#### **Blackbirds, Meadowlarks, Cowbirds, and Orioles (*Icteridae*)**

Red-winged Blackbird  
Tricolored Blackbird-X  
Western Meadowlark  
Yellow-headed Blackbird  
Brewer's Blackbird  
Brown-headed Cowbird  
Bullock's Oriole

*Agelaius phoeniceus*  
*Agelaius tricolor*  
*Sturnella neglecta*  
*Xanthocephalus xanthocephalus*  
*Euphagus cyanocephalus*  
*Molothrus ater*  
*Icterus bullockii*

#### **Finches (*Fringillidae*)**

Gray-crowned Rosy-Finch-X  
Pine Grosbeak

*Leucosticte tephrocotis*  
*Pinicola enucleator*

Purple Finch  
Cassin's Finch  
House Finch  
Red Crossbill  
Pine Siskin  
Lesser Goldfinch  
Lawrence's Goldfinch  
American Goldfinch  
Evening Grosbeak

*Carpodacus purpureus*  
*Carpodacus cassinii*  
*Carpodacus mexicanus*  
*Loxia curvirostra*  
*Carduelis pinus*  
*Carduelis psaltria*  
*Carduelis lawrencei*  
*Carduelis tristis*  
*Coccothraustes vespertinus*

**Weaver Finches (*Passeridae*)**

House Sparrow-I

*Passer domesticus*

**MAMMALS**

---

**Opossums (*Didelphidae*)**

Virginia Opossum-I

*Didelphis virginiana*

**Shrews (*Soricidae*)**

Vagrant Shrew  
Ornate Shrew  
Water Shrew  
Dusky Shrew  
Trowbridge's Shrew

*Sorex vagrans*  
*Sorex ornatus*  
*Sorex palustris*  
*Sorex monticolus*  
*Sorex trowbridgii*

**Moles (*Talpidae*)**

Shrew-mole  
Broad-footed Mole

*Neurotrichus gibbsii*  
*Scapanus latimanus*

**Vespertilionid Bats (*Vespertilionidae*)**

Little Brown Myotis  
Yuma Myotis  
Long-eared Myotis  
Fringed Myotis-?  
Long-legged Myotis  
California Myotis  
Small-footed Myotis-?  
Silver-haired Bat  
Western Pipistrelle-?  
Big Brown Bat  
Red Bat-?  
Hoary Bat-?  
Spotted Bat-?  
Pale Townsend's Big-eared Bat  
Pallid Bat-?

*Myotis lucifugus*  
*Myotis yumanensis*  
*Myotis evotis*  
*Myotis thysanodes*  
*Myotis volans*  
*Myotis californicus*  
*Myotis ciliolabrum*  
*Lasionycteris noctivagans*  
*Pipistrellus hesperus*  
*Eptesicus fuscus*  
*Lasiurus borealis*  
*Lasiurus cinereus*  
*Euderma maculatum*  
*Corynorhinus townsendii pallescens*  
*Antrozous pallidus*

**Free-Tailed Bats (*Molossidae*)**

Brazilian Free-tailed Bat  
Greater Western Mastiff Bat-?

*Tadarida brasiliensis*  
*Eumops perotis californicus*

**Pikas (*Ochotonidae*)**

Pika

*Ochotona princeps*

**Rabbits and Hares (*Leporidae*)**

Brush Rabbit

Nuttall's Cottontail

Desert Cottontail

Showshoe Hare

White-tailed Jackrabbit-?

Black-tailed Jackrabbit

*Sylvilagus bachmani*

*Sylvilagus nuttallii*

*Sylvilagus audubonii*

*Lepus americanus*

*Lepus townsendii*

*Lepus californicus*

**Mountain Beaver (*Aplodontidae*)**

Sierra Nevada Mountain Beaver

*Aplodontia rufa californica*

**Squirrels, Chipmunks, and Marmots (*Sciuridae*)**

Yellow-pine Chipmunk

Least Chipmunk

Allen's Chipmunk

Long-eared Chipmunk

Lodgepole Chipmunk

Yellow-bellied Marmot

Belding's Ground Squirrel

California Ground Squirrel

Golden-mantled Ground Squirrel

Western Gray Squirrel

Douglas' Squirrel

Northern Flying Squirrel

*Tamias amoenus*

*Tamias minimus*

*Tamias senex*

*Tamias quadrimaculatus*

*Tamias speciosus*

*Marmota flaviventris*

*Spermophilus beldingi*

*Spermophilus beecheyi*

*Spermophilus lateralis*

*Sciurus griseus*

*Tamiasciurus douglasii*

*Glaucomys sabrinus*

**Pocket Gophers (*Geomyidae*)**

Botta's Pocket Gopher

Northern Pocket Gopher

Mountain Pocket Gopher

*Thomomys bottae*

*Thomomys talpoides*

*Thomomys monticola*

**Kangaroo Rats and Pocket Mice (*Heteromyidae*)**

California Kangaroo Rat

Great Basin Pocket Mouse

*Dipodomys californicus*

*Perognathus parvus*

**Beavers (*Castoridae*)**

Beaver

*Castor canadensis*

**Deer Mice, Voles, and Relatives (*Cricetidae*)**

Western Harvest Mouse

Brush Mouse

Deer Mouse

Pinyon Mouse

Dusky-footed Woodrat

Bushy-tailed Woodrat

Montane Vole

California Vole

Long-tailed Vole

Heather Vole

Muskrat-I

*Reithrodontomys megalotis*

*Peromyscus boylii*

*Peromyscus maniculatus*

*Peromyscus truei*

*Neotoma fuscipes*

*Neotoma cinerea*

*Microtus montanus*

*Microtus californicus*

*Microtus longicaudus*

*Phenacomys intermedius*

*Ondatra zibethicus*



**Old World Rats and Mice (*Muridae*)**

Black Rat-I

*Rattus rattus*

Norway Rat-I

*Rattus norvegicus*

House Mouse-I

*Mus musculus***Jumping Mice (*Zapodidae*)**

Western Jumping Mouse

*Zapus princeps***New World Porcupines (*Erethizotidae*)**

Porcupine

*Erethizon dorsatum***Foxes, Wolves, and Relatives (*Canidae*)**

Coyote

*Canis latrans*

Gray Fox

*Urocyon cinereoargenteus*

Sierra Nevada Red Fox-X

*Vulpes vulpes necator***Bears (*Ursidae*)**

Black Bear

*Ursus americanus***Raccoons and Relatives (*Procyonidae*)**

Ringtail

*Bassariscus astutus*

Raccoon

*Procyon lotor***Weasels, Badgers, and Relatives (*Mustelidae*)**

American Marten

*Martes americana*

Pacific Fisher-X

*Martes pennanti*

Ermine

*Mustela erminea*

Long-tailed Weasel

*Mustela frenata*

Mink

*Mustela vison*

California Wolverine-X

*Gulo gulo luteus*

American Badger

*Taxidea taxus*

Western Spotted Skunk-X

*Spilogale putorius*

Striped Skunk

*Mephitis mephitis*

River Otter

*Lutra canadensis***Cats (*Felidae*)**

Mountain Lion

*Felis concolor*

Bobcat

*Lynx rufus***Pigs (*Suidae*)**

Wild Pig-I

*Sus scrofa***Deer (*Cervidae*)**

Mule Deer

*Odocoileus hemionus***Status Codes:**

I = Introduced, the taxa is not native to California

X = Extremely rare in Nevada County, documented by one or a few records or localities

? = Status in Nevada County uncertain; suitable habitat is present, but no documented historical or current records

## Information Sources

### *Published References:*

---

American Ornithologists' Union. 1998. Check-list of North American Birds. 7th Edition. American Ornithologists' Union. Washington, D.C.

California Natural Diversity Data Base. 2001. Special Animals. California Department of Fish and Game, Wildlife and Habitat Data Analysis Branch, Sacramento, CA.

Grinnell, J. and A. H. Miller. 1944. The distribution of the birds of California. Pacific Coast Avifauna 27. Berkeley, CA.

Jennings, M. R. and M. P. Hayes. 1994. Amphibian and reptile species of special concern in California. California Department of Fish and Game, Rancho Cordova, CA.

Moyle, P. B. 1976. Inland Fishes of California. University of California Press, Berkeley, CA.

Moyle, P. B., Y. Yoshiyama, J. E. Williams, and E. D. Wikramanyake. 1995. Fish species of special concern in California. Final Report submitted to the Department of Fish and Game Inland Fisheries Division under contract No. 2128IF.

Remsen, J. V., Jr. 1978. Bird species of special concern in California. Project PR W-54-R-9, Nongame wildlife investigations, Wildlife Management Branch Administrative Report No. 78-1.

Verner, J. and A. S. Boss. 1980. California wildlife and their habitats: western Sierra Nevada.

Gen. Tech Report. PSW-37. Pacific Southwest Range Exp. Station, U.S. Forest Service, Department of Agriculture, Berkeley, CA.

Williams, B. D. C. 1997. Seasonal checklist of the birds of Nevada County, Sierra College

Natural History Museum and Sierra Foothills Audubon Society; and unpublished records and notes on Nevada County birds compiled by B. D. C. Williams.

Williams, D. F. 1986. Mammalian species of special concern in California. Wildlife Management

Division Administrative Report 86-1.

Zeiner, D. C., W. F. Laudenslayer, Jr., K. E. Mayer, and M. White. 1990. California's wildlife: Vol. I (Reptiles and Amphibians), Vol. II (Birds), Vol. III (Mammals). California Department of Fish and Game, Sacramento, CA.

### *Museums and Data Bases:*

---

California Department of Fish and Game's Natural Diversity Data Base for Nevada County, Sacramento, CA (2001 records search)

Sierra Foothills Audubon Society, unpublished Nevada County field notes and data bases, Grass Valley, CA (2001 records search)

Tahoe National Forest (TNF) wildlife and fisheries files, Nevada City, CA (2001, 2002 record searches by U.S. Forest Service personnel)

University of California, Museum of Vertebrate Zoology, Berkeley, CA (2001 records search)

University of California, Wildlife Museum, Davis, CA (2001 records search)

University of Nevada, Vertebrate Museum, Reno, CA (2002 records search)

**Compiled by:** *Dr. Edward C. Beedy, Scientific Coordinator, NH 2020 (3-28-02) email: tbeedy@jps.net*

**Reviewed by:** *Dr. Peter Brussard, Ann Carlson (TNF), Dean Carrier, Mark Chainey, Jeff Finn (DFG), Sue Fox, Dr. John Harris, Karen Hayden (TNF), David Lukas, Tina Marks (TNF), Dr. Susan Sanders, and Brian Williams*